

Scientific contributions

Ao. Univ.-Prof. Mag. Dr. Dietmar Fuchs
Sektion für Biologische Chemie, Biozentrum
Medizinische Universität Innsbruck
Fritz-Pregl Str.3
A-6020 Innsbruck

1. Fuchs D, Rode BM: The interaction of cations with alkyl substituted acetamide HF SCF model calculations. *Chem Phys Lett* 82:517-519, 1981
2. Fuchs DN, Rode BM: Substituenteneinfluß auf die Bindung von Metallkationen an Amiden. *Monatsh Chemie* 112:25-31, 1981
3. Hausen A, Fuchs D, Grünwald K, Hetzel H, Huber H, Ridl W, Wachter H: Pteridine als Tumormarker. *Ber Oesterr Ges Klin Chem* 4:254-255, 1981
4. Hausen A, Fuchs D, Grünwald K, Huber H, König K, Wachter H: Urinary neopterin as marker for haematological neoplasias. *Clin Chim Acta* 117:297-305, 1981
5. Hausen A, Fuchs D, Wachter H: Bestimmung von Kreatinin im Harn mit Hochdruckflüssigkeitschromatographie. *J Clin Chem Clin Biochem* 19:375-378, 1981
6. Hausen A, Fuchs D, König K, Wachter H: Simultane quantitative Bestimmung von Creatinin und Harnsäure mit Hochdruckflüssigkeitschromatographie. *Ber Oesterr Ges Klin Chem* 4:24-28, 1981
7. Hausen A, Fuchs D, König K, Wachter H: Quantitation of urinary uric acid by reversed-phase liquid chromatography. *Clin Chem* 27:1455-1456, 1981
8. Hetzel H, Fuchs D, Hausen A, König K, Wachter H: Neopterinausscheidung im Harn bei Patientinnen mit gynäkologischen Tumoren. *Gynaekol Rundsch* 21:218-220, 1981
9. Bichler A, Fuchs D, Hausen A, Hetzel H, König K, Wachter H: Urinary neopterin excretion in patients with genital cancer. *Clin Biochem* 15:38-40, 1982
10. Fuchs D, Hausen A, Huber C, Margreiter R, Reibnegger G, Spielberger M, Wachter H: Pteridinausscheidung als Marker für alloantigen-induzierte Lymphozytenproliferation. *Hoppe Seyler's Z Physiol Chem* 363:661-664, 1982
11. Hausen A, Fuchs D, König K, Wachter H: Determination of neopterin in human urine by reversed phase high-performance liquid chromatography. *J Chromatogr* 227:61-70, 1982
12. Hausen A, Fuchs D, Grünwald K, Huber H, König K, Wachter H: Urinary neopterin in the assessment of lymphoid and myeloid neoplasia, and neopterin levels in haemolytic anaemia and benign monoclonal gammopathy. *Clin Biochem* 15:34-37, 1982
13. Bichler A, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Wachter H: Bedeutung der Neopterinbestimmung in der gynäkologischen Onkologie. *Arch Gynecol* 235:352-354, 1983
14. Bichler A, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Wachter H: Neopterin - ein wertvoller Parameter bei Verlaufskontrollen von Patientinnen mit Genitalkarzinomen. *Gynaekol Rundsch* 23:184-187, 1983
15. Bichler A, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Wachter H: Measurement of urinary neopterin in normal pregnant and non-pregnant women with benign and malignant genital tract neoplasms. *Arch Gynecol* 233:121-130, 1983
16. Fuchs D, Granditsch G, Hausen A, Reibnegger G, Wachter H: Urinary neopterin excretion in coeliac disease. *Lancet* ii:463-464, 1983
17. Hausen A, Fuchs D, Knosp O, Reibnegger G, Wachter H: Diagnostische Signifikanz von Neopterin, einem Marker der zellulären Immunantwort, bei Patienten mit gynäkologischen, hämatologischen und pädiatrischen Neoplasien. *Aerztl Lab* 29:243-247, 1983
18. Hetzel H, Bichler A, Fuchs D, Hausen A, Reibnegger G, Wachter H: Significance of urinary neopterin in gynecological cancer: Follow-up of patients with ovarian cancer. *Cancer Detect Prevent* 6:263-266, 1983
19. Huber C, Fuchs D, Hausen A, Margreiter R, Reibnegger G, Spielberger M, Wachter H: Pteridines as a new marker to detect human T cells activated by allogeneic or modified self major histocompatibility complex (MHC) determinants. *J Immunol* 130:1047-1050, 1983
20. Margreiter R, Fuchs D, Hausen A, Huber C, Reibnegger G, Spielberger M, Wachter H: Neopterin as a new biochemical marker for diagnosis of allograft rejection. *Transplantation* 36:650-653, 1983
21. Wachter H, Fuchs D, Hausen A, Huber C, Knosp O, Reibnegger G, Spira T: Elevated urinary neopterin levels in patients with the acquired immunodeficiency syndrome (AIDS). *Hoppe Seyler's Z Physiol Chem* 364:1345-1346, 1983
22. Aulitzky W, Frick J, Fuchs D, Hausen A, Joos H, Köhle R, Reibnegger G, Wachter H: Neopterin - a new

- immunological parameter for malignant tumors of the genitourinary tract. *Acta Medica* 523-531, 1984
23. Fuchs D, Hausen A, Huber C, Reibnegger G, Wachter H: Urinary neopterin in the diagnosis and follow-
 24. Fuchs D, Hausen A, Kofler M, Kosanowski H, Reibnegger G, Wachter H: Neopterin as an index of immune response in patients with tuberculosis. *Lung* 162:337-346, 1984
 25. Fuchs D, Hausen A, Reibnegger G, Reissigl H, Schönitzer D, Spira T, Wachter H: Urinary neopterin in the diagnosis of acquired immune deficiency syndrome. *Eur J Clin Microbiol* 3:70-71, 1984 up of neoplasia, a biochemical parameter to detect cell-mediated immune response. *Tumour Biology* 5:199-209, 1984
 26. Hausen A, Fuchs D, Reibnegger G, Wachter H: Urinary pteridines on patients suffering from cancer: A comment on the method and results of Rao and associates and of Trehan and associates. *Cancer* 53:1634-1636, 1984
 27. Huber C, Batchelor JR, Fuchs D, Hausen A, Lang A, Niederwieser D, Reibnegger G, Swetly P, Troppmair J, Wachter H: Immune response-associated production of neopterin - Release from macrophages primarily under control of interferon-gamma. *J Exp Med* 160:310-316, 1984
 28. Huber C, Fuchs D, Niederwieser D, Hausen A, Reibnegger G, Nilsson K, Wachter H: Neopterin, ein neuer biochemischer Marker zur klinischen Erfassung zellulärer Immunreaktionen. *Klin Wochenschr* 62:103-113, 1984
 29. Lutz H, Fuchs D, Fuith LC, Hausen A, Reibnegger G, Wachter H: Measurement of urinary 7,8-dihydro- 6-hydroxylumazine in healthy and in Ehrlich-Ascites tumour-bearing mice. *Hoppe Seyler's Z Physiol Chem* 356:895-900, 1984
 30. Niederwieser D, Huber C, Gratwohl A, Bannert P, Fuchs D, Hausen A, Reibnegger G, Speck B, Wachter H: Neopterin as a new biochemical marker in the clinical monitoring of bone marrow transpla recipients. *Transplantation* 38:497-500, 1984
 31. Reibnegger G, Boonpucknavig V, Fuchs D, Hausen A, Schmutzhard E, Wachter H: Urinary neopterin is elevated in patients with malaria. *Trans Roy Soc Trop Med Hyg* 78:545-546, 1984
 32. Reibnegger G, Fuchs D, Hausen A, Kostron-Krainz C, Wachter H: Urinary neopterin in malignant diseases of childhood - A marker for activity of the cell-mediated immunity. *Tumor Diagnostik & Therapie* 5:234-237, 1984
 33. Wachter H, Fuchs D, Hausen A, Reibnegger G: Neopterin determination and application in clinical chemistry - A brief review. *Jugosl Med Biokem* 3:3-12, 1984
 34. Aulitzky W, Frick J, Fuchs D, Hausen A, Reibnegger G, Wachter H: Significance of urinary neopterin in patients with malignant tumors of the genitourinary tract. *Cancer* 55:1052-1055, 1985
 35. Blecha HG, Deinhardt F, Dierich MP, Erfle V, Fuchs D, Goebel FD, Gürtler LG, Hausen A, Hengster P, Reibnegger G, Reissigl H, Rössler H, Schauenstein K, Schönitzer D, Schulz T, Traill K, Werner ER, Wachter H, Hinterhuber H: Drogenabhängige in Österreich - eine Risikogruppe für AIDS. *Neuropsychiatrie* 1:24-28, 1985
 36. Frick J, Aulitzky W, Fuchs D, Hausen A, Joos H, Reibnegger G, Wachter H: The value of urinary neopterin as an immunological parameter in patients with malignant tumors of the genitourinary tract. *Urol Int* 40:155-159, 1985
 37. Fuchs D, Blecha HG, Deinhardt F, Dierich MP, Goebel FD, Hengster P, Hinterhuber H, Schönitzer D, Traill K, Wachter H: High frequency of HTLV-III antibodies among heterosexual intravenous drugabusers in the Austrian Tyrol. *Lancet* i:1506, 1985
 38. Fuchs D, Hausen A, Hinterhuber H, Kathke N, Krahnke H, Lutz H, Reibnegger G, Rössler H, Schönitzer D, Spira TJ, Vinazzer H, Werner ER, Wachter H: Die Bedeutung der Neopterinbestimmung bei Patienten mit AIDS und bei Risikogruppen. *Mitt Oesterr Ges Tropenmed Parasitol* 7:11-17, 1985
 39. Hausen A, Hetzel H, Reibnegger G, Bichler A, Fuchs D, Wachter H: Neopterin, a biochemical indicator of cellular immune reactions, in the detection and control of patients with neoplastic diseases. *Cancer Detect Prevent* 8:121-128, 1985
 40. Huber C, Troppmair J, Fuchs D, Hausen A, Lang D, Niederwieser D, Reibnegger G, Swetly P, Wachter H, Margreiter R: Immune response-associated production of neopterin - Release from macrophages under control of lymphokines. *Transplant Proc* 17:582-585, 1985
 41. König P, Margreiter R, Huber C, Fuchs D, Hausen A, Reibnegger G, Wachter H: Neopterin levels in long-term renal allograft recipients. *Immunobiology* 169:208-212, 1985
 42. Niederwieser D, Albert E, Fuchs D, Hausen A, Margreiter R, Reibnegger G, Schönitzer D, Troppmair J, Wachter H, Huber C: Neopterin release in human mixed lymphocyte culture. Requirement of HLA-DR disparity. *Immunol Lett* 11:95-99, 1985
 43. Niederwieser D, Fuchs D, Hausen A, Judmaier G, Reibnegger G, Wachter H, Huber C: Neopterin as a new biochemical marker in the clinical assessment of ulcerative colitis. *Immunobiol* 170:320-326, 1985
 44. Reibnegger G, Bichler A, Dapunt O, Fuchs D, Fuith LC, Hausen A, Hetzel H, Lutz H, Werner ER, Wachter H: Statistical evaluation of urinary neopterin in the prognosis and follow-up of patients with cervical cancer. *Tumor Diagn Ther* 6:215-222, 1985
 45. Schmutzhard E, Fuchs D, Hausen A, Reibnegger G, Wachter H: Neopterin, ein neuer Parameter in der

Malariadiagnostik. Mitt Oesterr Ges Tropenmed Parasitol 7:263-270, 1985

46. Werner ER, Lutz H, Fuchs D, Hausen A, Huber C, Niederwieser D, Pfeleiderer W, Reibnegger G, Tropschmair J, Wachter H: Identification of 3-hydroxyanthranilic acid in mixed lymphocyte cultures. *Biol Chem Hoppe Seyler* 366:99-102, 1985
47. Wessely K, Fuchs D, Hausen A, Pilz P, Reibnegger G, Wachter H: Erster Fall von AIDS in Salzburg - Wichtiger diagnostischer Hinweis durch die Neopterinbestimmung. *Wien Klin Wochenschr* 97:88-90, 1985

48. Fuchs D, Dierich MP, Wachter H: Predicting AIDS. *Brit Med J* 297:1543, 1988
49. Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Neopterin - Bedeutung für die Diagnose. *Deutsch Apotheker Ztg* 126:723-728, 1986
50. Fuchs D, Wachter H, Wille R: AIDS in haemophiliacs, parenteral drug abusers and homosexuals. *Lancet* i:324, 1986
51. Hausen A, Dierich MP, Fuchs D, Hengster P, Reibnegger G, Schulz T, Werner ER, Wachter H: Immunosuppressants in patients with AIDS. *Nature* 320:114, 1986
52. Hengster P, Blecha HG, Deinhardt F, Erfle V, Fuchs D, Goebel FD, Gürtler LG, Hausen A, Hinterhuber H, Reibnegger G, Rössler H, Schauenstein K, Schönitzer D, Schulz T, Traill K, Werner ER, Wachter H, Dierich MP: HTLV-III-Durchseuchung bei Personen mit intravenösem Drogenmißbrauch. *Deutsch Med Wochenschr* 111:453-457, 1986
53. Joos H, Aulitzky W, Frick J, Fuchs D, Hausen A, Reibnegger G, Wachter H: Die Urin-Neopterin-Ausscheidung beim Hodentumorpatienten - Ein biochemischer Parameter. *Helv Chir Acta* 53:329-331, 1986
54. Margreiter R, Fuchs D, Hausen A, Hengster P, Schönitzer D, Spielberger M, Dierich MP, Wachter H: HIV infection in renal allograft recipients. *Lancet* ii:398, 1986
55. Prior C, Bollbach R, Fuchs D, Hausen A, Judmaier G, Niederwieser D, Reibnegger G, Rotthauwe HW, Werner ER, Wachter H: Urinary neopterin, a marker of clinical activity in patients with Crohn's disease. *Clin Chim Acta* 155:11-22, 1986
56. Reibnegger GJ, Bichler AH, Dapunt O, Fuchs DN, Fuith LC, Hausen A, Hetzel H, Lutz H, Werner ER, Wachter H: Neopterin as a prognostic indicator in patients with carcinoma of the uterine cervix. *Cancer Res* 46:950-955, 1986
57. Reibnegger G, Bollbach R, Fuchs D, Hausen A, Judmaier G, Prior C, Rotthauwe HW, Werner ER, Wachter H: A simple index relating clinical activity in Crohn's disease with T cell activation: Hematokrit, frequency of liquid stools and urinary neopterin as parameters. *Immunobiol* 173:1-11, 1986
58. Reibnegger G, Egg D, Fuchs D, Günther R, Hausen A, Werner ER, Wachter H: Urinary neopterin reflects clinical activity in patients with rheumatoid arthritis. *Arthritis Rheum* 29:1063-1070, 1986
59. Schmutzhard E, Fuchs D, Hausen A, Reibnegger G, Wachter H: Is neopterin a marker of cell mediated immune response helpful in classifying leprosy. *East Afr Med J* 63:577-580, 1986
60. Trenkwalder B, Pichler E, Fritsch P, Gastl G, Fuchs D, Wachter H, Huber C: Kombinierte Cimetidin-alpha-2-Interferon-Therapie bei metastasierendem Melanom: Therapieerfolg und Einfluß auf Natural Killer (NK) Zell- und Makrophagenaktivität. *Tumor Diagn Ther* 7:72-77, 1986
61. Wachter H, Blecha HG, Fuchs D, Hausen A, Hengster P, Hinterhuber H, Reibnegger G, Reissigl H, Rössler H, Schönitzer D, Schulz T, Werner ER, Dierich MP: Die Aktivierung des Makrophagen/Lymphozyten-Systems bei AIDS, ARC- und AIDS-Risikogruppen. *Wien Klin Wochenschr* 98:449-454, 1986
62. Wachter H, Fuchs D, Hausen A, Hengster P, Reibnegger G, Reissigl H, Schönitzer D, Schulz T, Werner ER, Dierich MP: Are conditions linked with T-cell stimulation necessary for progressive HTLV-III infection. *Lancet* i:97, 1986
63. Wachter H, Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP: Who will get AIDS. *Lancet* ii:1216-1217, 1986

64. Fuchs D, Hausen A, Reibnegger G, Schönitzer D, Werner ER, Dierich MP, Wachter H: HIV vaccination and blood transfusion. *Nature* 330:702-703, 1987
65. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP, Wachter H: HIV seroconversion in health care workers. *J Am Med Assoc* 258:2525-2526, 1987
66. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP, Wachter H: Psoriasis, gamma-interferon,
67. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP, Wachter H: HIV seroconversion in health care workers. *J Am Med Assoc* 258:2525-2526, 1987
68. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP, Wachter H: Psoriasis, gamma-interferon,
69. Fuchs D, Reibnegger G, Wachter H, Jäger H, Popescu M, Kaboth W: Neopterin levels correlating with the Walter Reed Staging classification in human immunodeficiency virus (HIV) infection. *Ann Intern Med* 107:784-785, 1987
70. Fuchs D, Hausen A, Hengster P, Reibnegger G, Rössler H, Schönitzer D, Schulz T, Unterweger B, Werner ER, Reissigl H, Hinterhuber H, Dierich MP, Wachter H: Aktiviertes zelluläres Immunsystem und

- HIV Infektion; Bedeutung des Neopterin. *Ber OeGKC* 10:79-86, 1987
71. Fuchs D, Hausen A, Hengster P, Reibnegger G, Schulz T, Werner ER, Dierich MP, Wachter H: In vivo activation of CD4+ cells in AIDS. *Science* 235:356, 1987
 72. Fuchs D, Hausen A, Hoefler E, Schönitzer D, Werner ER, Dierich MP, Hengster P, Reibnegger G, Schulz T, Wachter H: Activated T-cells in addition to LAV/HTLV-III infection: A necessary precondition for development of AIDS. *Cancer Detect Prevent Suppl.* 1:583-587, 1987
 73. Fuchs D, Hausen A, Reibnegger G, Schönitzer D, Unterweger B, Blecha HG, Hengster P, Rössler H, Schulz T, Werner ER, Dierich MP, Hinterhuber H, Schauenstein K, Traill K, Wachter H: Immune status of drug abusers. *Cancer Detect Prevent Suppl.* 1:535-541, 1987
 74. Fuchs D, Wachter H: NK-cell activity in AIDS. *J Immunol* 138:1653, 1987
 75. Hausen A, Fuchs D, Reibnegger G, Werner ER, Dierich MP, Wachter H: Immunosuppressants in treatment of patients with AIDS. *Lancet* ii:214-215, 1987
 76. Hausen A, Fuchs D, Reibnegger G, Werner ER, Wachter H: Neopterin excretion does not correlate with erythrocyte sedimentation rate. *Klin Wochenschr* 65:1173, 1987
 77. Hutterer J, Fuchs D, Eder G, Hausen A, Knapp W, Köller U, Reibnegger G, Werner ER, Wachter H, Stingl G, Wolff K: Neopterin as discriminating and prognostic parameter in healthy homosexuals, ARC and AIDS patients. *Wien Klin Wochenschr* 99:531-535, 1987
 78. Kofler H, Fuchs D, Hintner H, Wachter H, Fritsch P: Urinary neopterin: An early marker of HIV infection. *Eur J Clin Microbiol* 6:698-699, 1987
 79. Mayr P, Fuchs D, Fuith LC, Hausen A, Reibnegger G, Werner ER, Wachter H: Allogeneic activation is increased during pregnancy. A risk factor in HIV infection. *Brit J Obstet Gynecol* 94:1000-1001, 1987
 80. Prior C, Frank A, Fuchs D, Hausen A, Judmaier G, Reibnegger G, Werner ER, Wachter H: Immunity in sarcoidosis. *Lancet* ii:741, 1987
 81. Prior C, Fuchs D, Hausen A, Judmaier G, Reibnegger G, Werner ER, Vogel W, Wachter H: Potential of urinary neopterin excretion in differentiating chronic non-A, non-B hepatitis from fatty liver. *Lancet* ii:1235-1237, 1987
 82. Prior C, Frank A, Fuchs D, Hausen A, Judmaier G, Reibnegger G, Werner ER, Wachter H: Neopterin- ausscheidung bei Patienten mit Sarkoidose: Beziehung zum radiologischen Stadium. *Prax Pneumol* 41:920-921, 1987
 83. Reibnegger G, Fuchs D, Hausen A, Werner ER, Wachter H: Activated macrophages and cancer. *Lancet* i:1439, 1987
 84. Reibnegger G, Fuchs D, Hausen A, Schmutzhard E, Werner ER, Wachter H: The dependence of cell-mediated immune activation in malaria on age and endemicity. *Trans Roy Soc Trop Med Hyg* 81:729-733, 1987
 85. Reibnegger G, Fuchs D, Hausen A, Werner ER, Dierich MP, Wachter H: Theoretical implications of cellular immune reactions against helper lymphocytes infected by an immune system retrovirus. *Proc Natl Acad Sci (USA)* 84:7270-7275, 1987
 86. Reibnegger G, Hetzel H, Fuchs D, Fuith LC, Hausen A, Werner ER, Wachter H: Clinical significance of neopterin for prognosis and follow-up in ovarian cancer. *Cancer Res* 47:4977-4981, 1987
 87. Wehrmann W, Bauer R, Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Role of activated T lymphocytes in Mycosis Fungoides. *Eur J Clin Microbiol* 6:210-211, 1987
 88. Werner ER, Bichler A, Daxenbichler G, Fuchs D, Fuith LC, Hausen A, Hetzel H, Reibnegger G, Wachter H: Determination of neopterin in serum and urine. *Clin Chem* 33:62-66, 1987
 89. Werner ER, Bitterlich G, Fuchs D, Hausen A, Reibnegger G, Szabo G, Dierich MP, Wachter H: Human macrophages degrade tryptophan upon induction by interferon-gamma. *Life Sci* 41:273-280, 1987
 90. Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: Simultaneous determination of neopterin and creatinine in serum with solid phase extraction and on-line elution liquid chromatography. *Clin Chem* 33: 2028-2033, 1987
 91. Werner ER, Hirsch-Kauffmann M, Fuchs D, Hausen A, Reibnegger G, Schweiger M, Wachter H: Interferon-gamma-induced degradation of tryptophan by human cells in vitro. *Biol Chem Hoppe Seyler* 368:1407-1412, 1987
 92. Bitterlich G, Szabo G, Werner ER, Larcher C, Fuchs D, Hausen A, Reibnegger G, Schulz TF, Troppmair J, Wachter H, Dierich MP: Selective induction of mononuclear phagocytes to produce neopterin by interferons. *Immunobiology* 176:228-235, 1988
 93. Dierich MP, Larcher C, Sölder B, Schulz TZ, Fuchs D, Wachter H: Ätiologie Besonderheiten der HIV-Infektion. *Wien Med Wochenschr* 138:482-486, 1988
 94. Fuchs D, Banekovich M, Hausen A, Hutterer J, Reibnegger G, Werner ER, Gschnait FD, Dierich MP, Wachter H: Neopterin estimation compared with the ratio of T-cell subpopulations in persons infected with human immunodeficiency virus 1. *Clin Chem* 34:2415-2417, 1988
 95. Fuchs D, Ebell W, Friedrich W, Hausen A, Reibnegger G, Werner ER, Wachter H: Urinary neopterin in infants with primary immunodeficiency. *Immunobiol* 177:1-6, 1988
 96. Fuchs D, Fuith LC, Hausen A, Hetzel H, Reibnegger G, Werner ER, Wachter H: Preactivated T-cells in

- cancer patients with poor prognosis. *Cancer Detect Prevent* 12:97-103, 1988
97. Fuchs D, Hausen A, Hengster P, Reibnegger GJ, Unterweger B, Werner ER, Hinterhuber H, Dierich MP, Wachter H: Is T-cell activation an unfavourable sign in iv-drug addicts infected with HIV. *Cancer Detect Prevent* 12:277-282, 1988
 98. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP, Wachter H: Neopterin as a marker for activated cell-mediated immunity: Application in HIV infection. *Immunol Today* 9:150-155, 1988
 99. Fuchs D, Hausen A, Reibnegger G, Werner ER, Dittrich P, Wachter H: Neopterin levels in long term hemodialysis. *Clin Nephrol* 30:220-224, 1988
 100. Fuchs D, Hausen A, Reibnegger G, Werner ER, Vinazzer H, Dierich MP, Wachter H: Immunological status and HIV antibodies in patients with haemophilia - a longitudinal study. *Wien Klin Wochenschr* 100:505-509, 1988
 101. Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Neopterin in clinical medicine. *Lancet*
 102. Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Cytomegalovirus infection. *Wien Klin Wochenschr* 100:303, 1988
 9103. Fuchs D, Unterweger B, Hausen A, Reibnegger G, Werner ER, Hengster P, Hinterhuber H, Dierich MP, Wachter H, Blattner WA, Weiss SH: Anti-HIV-1 antibodies, anti-HTLV-I antibodies and neopterin levels in parenteral drug addicts in the Austrian Tyrol. *J Acquir Immune Defic Syndr* 1:65-66, 1988
 104. Fuchs D, Wachter H: Inflammatory joint disease and HIV infection. *Brit Med J* 297:422-423, 1988
 - 1988immunodeficiency virus infection. *Ann Neurol* 24:289, 1988
 105. Fuchs D, Werner ER, Dierich MP, Wachter H: Cellular immune activation in the brain and human
 106. Fuchs D, Werner ER, Wachter H: Aluminium und Dihydropteridin-Reduktase beim M. Alzheimer. *Deutsch Med Wochenschr* 113:877, 1988 i:702, 1988
 107. Hengster P, Larcher C, Sölder B, Dierich MP, Fuchs D, Wachter H, Schönitzer D: Antigen test versus neopterin test. *Blood* 72:1096-1097, 1988
 108. Prior C, Frank A, Fuchs D, Hausen A, Judmaier G, Reibnegger G, Werner ER, Wachter H: Urinary neopterin excretion in pulmonary sarcoidosis: correlation to clinical course of the disease. *Clin Chim Acta* 177:211-220, 1988
 109. Reibnegger G, Auhuber I, Fuchs D, Hausen A, Judmaier G, Prior C, Werner ER, Wachter H: Urinary neopterin levels in acute viral hepatitis. *Hepatology* 8:771-774, 1988
 110. Reibnegger G, Fuchs D, Fuith LC, Hausen A, Hetzel H, Werner ER, Wachter H: The prognostic value of neopterin as a marker for the immune status in malignancy. *J Tumor Marker Oncol* 3:121-125, 1988
 111. Reibnegger G, Fuchs D, Hausen A, Werner ER, Wachter H: Pterins as biochemical tests for diagnosis and management of patients with malignant lymphoma and leukemia. *Clin Chim Acta* 173:233-234, 1988
 112. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Neopterin in der HIV-Infektion. *Antibiot Monitor* 4:81-82, 1988
 113. Reissigl H, Schönitzer D, Hönlinger M, Reibnegger G, Fuchs D, Dierich MP, Wachter H: Die Bedeutung der Neopterinbestimmung für die Transfusionsmedizin. *Beitr Infusionsther* 21:211-219, 1988
 114. Schmutzhard E, Fuchs D, Hausen A, Hengster P, Pohl P, Rainer J, Reibnegger G, Tibyampansa D, Werner ER, Dierich MP, Gerstenbrand F, Wachter H: Retrovirale Infektionen in Norwest-Tanzania (HIV 1, HIV II, HTLV I). *Mitt Oesterr Ges Tropenmed Parasitol* 10:269-279, 1988
 115. Unterweger B, Fuchs D, Fleischhacker WW, Hausen A, Hengster P, Reibnegger G, Werner ER, Hinterhuber H, Dierich MP, Wachter H: La neopterine comme marqueur potentiel de l evolution des infections a HIV chez les toxicomanes. *Cancer Commun* 2:27-34, 1988
 116. Wachter H, Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP: Neopterin bei Infektionen mit dem humanen Immunmangelvirus (HIV). *Deutsch Med Wochenschr* 113:1890-1897, 1988
 117. Werner ER, Fuchs D, Hausen A, Jäger H, Reibnegger G, Werner-Felmayer G, Dierich MP, Wachter H: Tryptophan degradation in patients infected by human immunodeficiency virus. *Biol Chem Hoppe Seyler* 369:337-340, 1988
 118. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Wachter H: Effect of interferon-gamma on tryptophan and pteridine metabolism of human cells. *J Nat Cancer Inst* 80:974, 1988
 119. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Wachter H: Influence of interferon-gamma and extracellular tryptophan on indoleamine 2,3-dioxygenase activity in T24 cells as determined by a non-radiometric assay. *Biochem J* 256:537-541, 1988
 120. Denz H, Grünewald K, Thaler J, Huber H, Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Urinary neopterin as a prognostic factor in haematological neoplasias. *Pteridines* 1:167-170, 1989
 121. Dierich MP, Larcher C, Sölder B, Bitterlich G, Fuchs D, Wachter H: AIDS: T cell activation and viral progression. *Curr Probl Dermatol* 18:229-235, 1989
 122. Fendrich C, Lüke W, Stahl-Hennig C, Herchenröder O, Fuchs D, Wachter H, Hunsmann G: Urinary neopterin concentrations in rhesus monkeys after infection with simian immunodeficiency virus mac strain 251. *AIDS* 3:305-307, 1989
 123. Fuchs D, Albert J, Asjö B, Fenyö EM, Reibnegger G, Wachter H: Association between serum neopterin

- concentrations and in vitro replicative capacity of HIV-1 isolates. *J Infect Dis* 160:724-725, 1989
124. Fuchs D, Artner-Dworzak E, Fuih LC, Reibnegger G, Wachter H: Interactions between haemopoietic growth factors. *Lancet* i:1266, 1989
 125. Fuchs D, Chiodi F, Albert J, Asjö B, Hagberg L, Hausen A, Norkrans G, Reibnegger G, Werner ER, Wachter H: Neopterin concentrations in cerebrospinal fluid and serum of individuals infected with HIV-1. *AIDS* 3:285-288, 1989
 126. Fuchs D, Denz HA, Nachbaur D, Reibnegger G, Wachter H: Circulating gamma-interferon in patients with aplastic anemia. *Blood* 73:858, 1989
 127. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Interferon-gamma concentrations are increased in sera from individuals infected with human immunodeficiency virus type 1. *J Acquir Immune Defic Syndr* 2:158-162, 1989
 128. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: AIDS incidence rates in Austria. *Wien Klin Wochenschr* 101:388-390, 1989
 129. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: β 2-Microglobulin and immune activation. *Clin Chem* 35:2158-2159, 1989
 130. Fuchs D, Malkovsky M, Reibnegger G, Werner ER, Forni G, Wachter H: Endogenous release of interferon-gamma and diminished response of peripheral blood mononuclear cells to antigenic stimulation. *Immunol Lett* 23:103-108, 1989
 131. Fuchs D, Milstien S, Krämer A, Reibnegger G, Werner ER, Goedert JJ, Kaufman S, Wachter H: Urinary neopterin concentrations vs total neopterins for clinical utility. *Clin Chem* 35:2305-2307, 1989
 132. Fuchs D, Reibnegger G, Dierich MP, Wachter H: Cytokines and acquired immunodeficiency syndrome. *Am J Med* 86:509, 1989
 133. Fuchs D, Spira TJ, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Neopterin as a predictive marker for disease progression in human immunodeficiency virus type 1 infection. *Clin Chem* 35:1746-1749, 1989
 134. Fuchs D, Werner ER, Dierich MP, Wachter H: Cell-mediated immunoreactivity in AIDS. *Immunol Today* 10:150, 1989
 135. Fuih LC, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Werner ER, Wachter H: Effects of interferon-alpha on macrophage activation in patients with ovarian carcinoma and cervical dysplasia. *J Clin Lab Immunol* 29:65-69, 1989
 136. Fuih LC, Fuchs D, Reibnegger G, Wachter H: Cellular immune activation and erythropoiesis in gynaecological cancer. *Lancet* i:908, 1989
 137. Hausen A, Fuchs D, Reibnegger G, Werner ER, Wachter H: Neopterin in clinical use. *Pteridines* 1:3-10, 1989
 138. Hausen A, Fuchs D, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Application of neopterin - a marker for activation of cellular immunity - in clinical chemistry. *Sci Pharm* 57:249-264, 1989
 139. Hönlinger M, Fuchs D, Hausen A, Reibnegger G, Schönitzer D, Werner ER, Reissigl H, Dierich MP, Wachter H: Serum-Neopterinbestimmung zur zusätzlichen Sicherung der Bluttransfusion. *Deutsch Med Wochenschr* 114:172-176, 1989
 1340. Krämer A, Wiktor SZ, Fuchs D, Milstien S, Gail MH, Yellin FJ, Biggar RJ, Wachter H, Kaufman S, Blattner WA, Goedert JJ: Neopterin: A predictive marker of acquired Immune deficiency syndrome in human immunodeficiency virus infection. *J Acquir Immune Defic Syndr* 2:291-296, 1989
 141. Mayr P, Fuchs D, Wachter H: Pregnancy and infection with human immunodeficiency virus. *Postgraduate Doctor Middle East* 12:438-440, 1989
 142. Reibnegger G, Fuchs D, Hausen A, Werner ER, Wachter H: Neopterin and viral infections: diagnostic potential in virally induced liver disease. *Biomed Pharmacother* 43:287-293, 1989
 143. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Stability analysis of simple models for immune cells interacting with normal pathogens and immune system retroviruses. *Proc Natl Acad Sci (USA)* 86:2026-2030, 1989
 144. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Generalized likelihood ratio concept and logistic regression analysis for multiple diagnostic categories. *Clin Chem* 35:990-994, 1989
 145. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Monitoring of serum neopterin levels for diagnosis of acute rejection of renal allografts. *Nephron* 52:100, 1989
 146. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Concentrations of neopterin in serum of recipients of renal allografts. *Clin Chem* 35:2157, 1989 diseases. *Pteridines* 1:119-124, 1989
 147. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Generalization of the likelihood ratio concept for diagnostic tests with multiple diagnostic categories. *J Clin Epidemiol* 42:477-478, 1989
 148. Schmutzhard E, Fuchs D, Hengster P, Hausen A, Hofbauer J, Pohl P, Rainer J, Reibnegger G, Tibyampansha D, Werner ER, Dierich MP, Gerstenbrand F, Wachter H: Retroviral infections (HIV-1,

- HIV-2, and HTLV-I) in rural northwestern Tanzania. *Am J Epidemiol* 130:309-318, 1989
149. Sperner-Unterweger B, Barnas C, Fleischhacker WW, Fuchs D, Meise U, Reibnegger G, Wachter H: Is schizophrenia linked to alteration in cellular immunity. *Schizophrenia Res* 2:417-421, 1989
 150. Wachter H, Fuchs D, Hausen A, Reibnegger G, Werner ER, Dierich MP: Neopterin bei Infektionen mit dem humanen Immundefizienzvirus (HIV). *Extracta Dermatologica* 13:82-83, 1989
 151. Wachter H, Fuchs D, Hausen A, Reibnegger G, Werner ER: Neopterin as marker for activation of cellular immunity: Immunologic basis and clinical application. *Adv Clin Chem* 27:81-141, 1989
 152. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Wachter H: Parallel induction of tetrahydrobiopterin biosynthesis and indoleamine 2,3-dioxygenase activity in human cells and cell lines by interferon-gamma. *Biochem J* 262:861-866, 1989
 153. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: Tumour necrosis factor-alpha and lipopolysaccharide enhance interferon-induced tryptophan degradation and pteridine synthesis in human cells. *Biol Chem Hoppe Seyler* 370:1063-1069, 1989
 153. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: Characteristics of interferon induced tryptophan metabolism in human cells in vitro. *Biochim Biophys Acta* 1012:140-147, 1989
 154. Ambach E, Tributsch W, Fuchs D, Hausen A, Reibnegger G, Wachter H: Post mortem neopterin concentrations in sudden infant death syndrome (SIDS). *Pteridines* 2:47-49, 1990
 155. Biggar RJ and the International Registry of Seroconverters: AIDS incubation in 1891 HIV seroconverters from different exposure groups. *AIDS* 4: 1059-1066, 1990
 156. Denz H, Fuchs D, Hausen A, Huber H, Nachbaur D, Reibnegger G, Thaler J, Werner ER, Wachter H: Urinary neopterin in monoclonal gammopathies. *Pteridines* 2:107-109, 1990
 157. Denz H, Fuchs D, Hausen A, Huber H, Nachbaur D, Reibnegger G, Thaler J, Werner ER, Wachter H: Value of urinary neopterin in the differential diagnosis of bacterial and viral infections. *Klin Wochenschr* 68:218-222, 1990
 158. Denz H, Fuchs D, Huber H, Nachbaur D, Reibnegger G, Thaler J, Werner ER, Wachter H: Correlation between neopterin, interferon-gamma and haemoglobin in patients with haematological disorders. *Eur J Haematol* 44:186-189, 1990
 159. Dierich MP, Ebenbichler CF, Hallfeldt PH, Prodingner WM, Fuchs D, Wachter H: Interaction of complement with HIV-1 and *Candida Albicans*: Molecular mechanisms and biological implications. *Mol Immunol* 27:1349-1353, 1990
 160. Dotevall L, Fuchs D, Reibnegger G, Wachter H, Hagberg L: Cerebrospinal fluid and serum neopterin levels in patients with Lyme neuroborreliosis. *Infection* 18:210-213, 1990
 161. Fuchs D, Artner-Dworzak E, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Urinary excretion of porphyrins is increased in patients with HIV-1 infection. *AIDS* 4:341-344, 1990
 162. Fuchs D, Forsman A, Hagberg L, Larsson M, Norkrans G, Reibnegger G, Werner ER, Wachter H: Immune activation and decreased tryptophan in patients with HIV-1 infection. *J Interferon Res* 10:599-603, 1990
 163. Fuchs D, Hausen A, Reibnegger G, Werner ER, Wachter H: Furunculosis and hypoferraemia. *Lancet* ii:1326, 1990
 164. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Distinct neopterin excretion patterns after vaccination. *Pteridines* 2:147-149, 1990
 165. Fuchs D, Jäger H, Popescu M, Reibnegger G, Werner ER, Dierich MP, Kaboth W, Tilz GP, Wachter H: Immune activation markers to predict AIDS and survival in HIV-1 seropositives. *Immunol Lett* 26:75-80, 1990
 166. Fuchs D, Jäger H, Popescu M, Reibnegger G, Werner ER, Kaboth W, Wachter H: Comparison of serum and urine neopterin concentrations in patients with HIV-1 infection. *Clin Chim Acta* 187:125-130, 1990
 167. Fuchs D, Möller AA, Reibnegger G, Stöckle E, Werner ER, Wachter H: Decreased serum tryptophan in patients with HIV-1 infection correlates with increased serum neopterin and with neurologic/psychiatric symptoms. *J Acquir Immune Defic Syndr* 3:873-876, 1990
 168. Fuchs D, Reibnegger G, Werner ER, Wachter H: Immune-mediated mechanisms in multiple sclerosis. *J Neurol* 237:125, 1990
 169. Fuchs D, Reibnegger G, Werner ER, Wachter H: Increased 7,8-dihydroneopterin and reduced methyl-group metabolism in HIV-1 infection. *Lancet* i:1167, 1990
 170. Fuchs D, Shearer GM, Boswell RN, Clerici M, Reibnegger G, Werner ER, Zajac RA, Wachter H: Increased serum neopterin in patients with HIV-1 infection is correlated with reduced in vitro interleukin-2 production. *Clin Exp Immunol* 80:44-48, 1990
 171. Fuchs D, Wachter H: Neopterin als Prognoseparameter bei der HIV-1 Infektion. *Spectrum AIDS* 1:75-78, 1990
 172. Fuchs D, Wachter H: Neopterin als Marker für die zelluläre Immunität. *Spectrum AIDS* 1:14-17, 1990

173. Fuchs D, Werner-Felmayer G, Dierich MP, Wachter H: Interactions between immune activation cascades and biosynthesis of neurotransmitters. *Immunol Today* 11:348, 1990
174. Fuih LC, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Werner ER, Wachter H: Urinary neopterin excretion in patients with uterine sarcomas. *Cancer* 65:1228-1231, 1990
175. Fuih LC, Fuchs D, Reibnegger G, Dapunt O, Wachter H: Anmerkungen zur Arbeit "Veränderungen von T-Zell-Subpopulationen während der normalen Schwangerschaft und bei Patientinnen mit Spontanaborten" von C.J.Thaler, L.J.Behnken, H.D.Taubert. *Geburtsh & Frauenheilk* 50:825, 1990
176. Fuih LC, Fuchs D, Hausen A, Heim K, Schröcksnadel H, Reibnegger G, Werner ER, Wachter H: Decreased haemoglobin and chronic immune activation in patients with gynaecological malignancies. *Eur J Haematol* 45:280-282, 1990
177. Fuih LC, Fuchs D, Wachter H: Interferon-gamma and depressed cellular immune response. *Am J Obstet Gynecol* 162:1338, 1990
178. Granditsch G, Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Urinary neopterin as marker for disease activity in children and adolescents with Crohn's disease. *Pteridines* 2:23-27, 1990
179. Hausen A, Fuchs D, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Reduction of ferric iron by 7,8-dihydroneopterin. *Pteridines* 2:83-85, 1990
180. Hollán SR, Ujhelyi E, Pálóczi K, Szelényi J, Illei G, Medrano L, Fuchs D, István L, Szábo J, Bánhegyi D, Várnai F, Horváth A, Wachter H, Medgyesi GA, Füst G: Results of longitudinal immunological surveillance of individuals directly or indirectly infected by a single HIV seropositive donor. *Transfus Sci* 11:73-78, 1990
181. Hutterer J, Fuchs D, Reibnegger G, Wallner G, Vetter N, Wachter H: Neopterin changes during zidovudine treatment of HIV-1 infection. *Pteridines* 2:81-82, 1990
182. Mathiesen T, Fuchs D, Wachter H, von Host H: Increased CSF neopterin levels in subarachnoid hemorrhage. *J Neurosurg* 73:69-71, 1990
183. Mayr P, Fuchs D, Fuih LC, Reibnegger G, Werner ER, Dapunt O, Wachter H: Pregnancy increases urinary neopterin levels in human immunodeficiency virus type 1 infection. *Pteridines* 2:161-164, 1990
184. Mayr P, Fuchs D, Wachter H: Pregnancy and infection with human immunodeficiency virus. *Postgraduate Doctor Caribbean* 6:34-36, 1990
185. Möller AA, Fuchs D, Reibnegger G, Zaudig M, Werner ER, Wachter H: Changes of neopterin and tryptophan in serum and cerebrospinal fluid of patients in different stages of HIV-1 infection. *Pteridines* 2:91-93, 1990
186. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Unconjugated pteridines and the activation of macrophages by interferon-gamma. *Cancer Chemother Pharmacol* 25:308-309, 1990
187. Reibnegger G, Fuchs D, Goedert JJ, Hausen A, Krämer A, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Urinary neopterin concentrations and T-cell subset data in HIV-1 infection. *Klin Wochenschr* 68:43-48, 1990
188. Reibnegger G, Fuchs D, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Verallgemeinertes Likelihood-Ratio-Konzept und logistische Regressionsanalyse zur Schätzung von Post-Test Wahrscheinlichkeiten bei Vorliegen von mehr als zwei diagnostischen Kategorien. *Ber Oesterr Ges Klin Chem* 2:45-49, 1990
189. Reibnegger G, Fuchs D, Zangerle R, Wachter H: Increased neopterin concentration in saliva of patients with HIV-1 infection. *Clin Chem* 36:1379, 1990
190. Reibnegger G, Denz HA, Fuchs D, Fuih LC, Gattringer C, Hausen A, Huber H, Werner ER, Werner-Felmayer G, Wachter H: Neopterin and cellular immune activation in active gynaecological cancer: Significant correlation between neopterin and circulating number of HLA-DR expressing lymphocytes. *Pteridines* 2:17-21, 1990
191. Robin B, Fuchs D, Koller W, Wachter H: Course of immune activation markers in patients after severe multiple trauma. *Pteridines* 2:95-97, 1990
192. Tilz GP, Deutschmann W, Hellbom B, Fuchs D: Neue diagnostische Entwicklungen in der Chirurgie: praktische Konsequenzen. *Acta Chirurgica Austriaca* 22:36-38, 1990
193. Ujhelyi E, Fuchs D, Králl G, Zimonyi I, Berkessy S, Bujdoso S, Pálóczi K, Mihalik R, Füst G, Wachter H, Hollán SR: Age dependency of the progression of HIV disease in haemophiliacs; predictive value of T cell subset and neopterin measurements. *Immunol Lett* 26:67-74, 1990
194. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Yim JJ, Pfeleiderer W, Wachter H: Tetrahydrobiopterin biosynthetic activities in human macrophages, fibroblasts, THP-1 and T 24 cells. GTP-cyclohydrolase I is stimulated by interferon-gamma, 6-pyruvoyl tetrahydropterin synthase and sepiapterin reductase are constitutively present. *J Biol Chem* 265:3189-3192, 1990
195. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: Tetrahydrobiopterin-dependent formation of nitrite and nitrate in murine fibroblasts. *J Exp Med* 172:1599-1607, 1990
196. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: Neopterin formation and tryptophan degradation by a human myelomonocytic cell line (THP-1). *Cancer Res* 50:2863-2867,

1990

197. Weyrer W, Möst J, Sölder B, Fuchs D, Wachter H, Dierich MP: Production and characterization of a monoclonal antibody against neopterin. *Hybridoma* 9:71-79, 1990
198. Zangerle R, Fritsch P, Fuchs D, Wachter H: HIV infection and tuberculosis. *Brit Med J* 300:814, 1990
199. Zangerle R, Fritsch P, Fuchs D, Wachter H: Is neopterin helpful in distinguishing between different disease patterns in AIDS. *Pteridines* 2:87-89, 1990
200. Ambach E, Tributsch W, Fuchs D, Reibnegger G, Henn R, Wachter H: Postmortem evaluation of serum and urine neopterin concentrations. *J Forensic Sci* 37:1116-1120, 1991
201. Ambach E, Tributsch W, Rabl W, Fuchs D, Reibnegger G, Henn R, Wachter H: Postmortem neopterin concentrations: Comparison of diagnoses with and without cellular immunological background. *Int J Leg Med* 104:259-262, 1991
202. Burns DN, Krämer A, Yellin F, Fuchs D, Wachter H, DiGioia RA, Sanchez WC, Grossman RJ, Gordin FM, Biggar RJ, Goedert JJ: Cigarette smoking: A modifier of human immunodeficiency virus type 1 infection. *J Acquir Immune Defic Syndr* 4:76-83, 1991
203. Faist E, Markewitz A, Fuchs D, Lang S, Zarius S, Schildberg FW, Wachter H, Reichart B: Immunomodulatory therapy with thymopentin and indomethacin. *Ann Surg* 214:264-275, 1991
204. Fuchs D, Dotevall L, Hagberg L, Werner ER, Wachter H: Kynurenine in cerebrospinal fluid of patients with Lyme neuroborreliosis. *Immunol Infect Dis* 1:271-274, 1991
205. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Immune activation and the anaemia associated with chronic inflammatory disorders. *Eur J Haematol* 46:65-70, 1991
206. Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Tilz GP, Wachter H: Neopterin - ein biochemischer Marker für Immunaktivierung bei Transplantatabstoßung, Infektionen, Autoimmunerkrankungen und Tumoren. *Mitt Oesterr Ges Haematol Onkol* 1:1991
207. Fuchs D, Krämer A, Reibnegger G, Werner ER, Dierich MP, Goedert JJ, Wachter H: Neopterin and β 2-microglobulin as prognostic indices in human immunodeficiency virus type 1 infection. *Infection* 19:98-102, 1991
208. Fuchs D, Möller AA, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP, Wachter H: Increased endogenous interferon-gamma and neopterin correlate with increased degradation of tryptophan in human immunodeficiency virus type 1 infection. *Immunol Lett* 28:207-212, 1991
209. Fuchs D, Reibnegger G, Werner-Felmayer G, Dierich MP, Wachter H: IFN-gamma to treat patients with AIDS. *J Acquir Immune Defic Syndr* 4:297-298, 1991
210. Fuchs D, Reibnegger G, Werner ER, Vinazzer H, Wachter H: Low haemoglobin in haemophilia children is associated with chronic immune activation. *Acta Haematol* 85:62-65, 1991
211. Fuchs D, Sepp N, Benedikter S, Fritsch P, Wachter H: Immune activation and psoriasis. *Lancet* 338:759, 1991
212. Fuchs D, Shearer GM, Boswell RN, Lucey DR, Clerici M, Reibnegger G, Werner ER, Zajac RA, Wachter H: Negative correlation between blood cell counts and serum neopterin concentrations in patients with HIV-1 infection. *AIDS* 5:209-212, 1991
213. Fuchs D, Wachter H: Immunaktivierung, Tryptophanabbau und neurologisch/psychiatrische Symptome. *Spectrum AIDS* 2:74-75, 1991
214. Fuchs D, Weiss G, Werner-Felmayer G, Wachter H: Cytokine-induced increase in liver serotonin. *Immunol Lett* 28:259, 1991
215. Fuchs D, Weiss G, Werner-Felmayer G, Wachter H: Cytokine-induced increase in liver serotonin. *Immunol Lett* 28:259, 1991
216. Fuith LC, Fuchs D, Hausen A, Hetzel H, Reibnegger G, Werner ER, Wachter H: Neopterin, a marker of cell-mediated immune activation in human pregnancy. *Int J Fertil* 36:372-375, 1991
217. Fuith LC, Fuchs D, Reibnegger G, Wachter H: Prognostic value of CA 125 and neopterin in women with ovarian cancer undergoing second-look laparotomy. *Am J Obstet Gynecol* 165:779, 1991
219. Hagberg L, Andersson M, Chiodi F, Fuchs D, Svennerholm B, Wachter H, Norrans G: Effect of zidovudine on cerebrospinal fluid in patients with HIV infection and acute neurological diseases. *Scand J Infect Dis* 23:681-685, 1991
220. Hengster P, Schmutzhard E, Fuchs D, Hofbauer J, Wachter H, Dierich MP: Evaluation on HIV serology and immune stimulation on patients in Tanzania. *Int J STD & AIDS* 2:180-184, 1991
221. Pálóczi K, Ujhelyi E, Fuchs D, Mihalik R, Bánhegyi D, Berkessy S, Salavecz V, Wachter H, Hollán SR, Füst G: Correlation of the percentage of activated, CD3+DR+ lymphocytes to serum neopterin level in HIV-seropositive haemophiliacs. *Klin Wochenschr* 69:143-145, 1991
222. Reibnegger G, Aichberger C, Fuchs D, Hausen A, Spielberger M, Werner ER, Margreiter R, Wachter H: Posttransplant neopterin excretion in renal allograft recipients - A reliable diagnostic aid for acute rejection and a predictive marker of long-term graft survival. *Transplantation* 52:58-63, 1991
223. Reibnegger G, Fuchs D, Fuith LC, Hausen A, Werner ER, Werner-Felmayer G, Wachter H: Neopterin as a marker for activated cell-mediated immunity: Application in malignant disease. *Cancer Detect*

Prevent 15:483-490, 1991

224. Reibnegger G, Spira TJ, Fuchs D, Werner-Felmayer G, Dierich MP, Wachter H: Individual probability for onset of full-blown disease in patients infected with human immunodeficiency virus type 1. *Clin Chem* 37:351-355, 1991
225. Sepp N, Fuchs D, Wachter H: Neopterin and psoriasis. *Lancet* 338:1522, 1991
226. Sperner-Unterweger B, Fuchs D, Fleischhacker WW, Hausen A, Miller C, Möst J, Reibnegger G, Werner ER, Dierich MP, Wachter H, Hinterhuber H: Change in HIV-antibody seroprevalence rates in i.v drug dependent prisoners. *Brit J Addict* 86:225-232, 1991
227. Tilz GP, Becker H, Fuchs D: Neue diagnostische Verfahren und therapeutische Entwicklungen in der angewandten Angiologie. *Vasomed aktuell, Praxis* 1:18-20, 1991
228. Tilz GP, Pristautz H, Fuchs D, Becker H: Immunkomplexerkrankungen und Möglichkeiten in Diagnostik und Therapie. *Natur- und Ganzheitsmedizin* 17-22, 1991
229. Wachter H, Artner-Dworzak E, Fuchs D, Fuiith LC, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Dierich MP: Association between neopterin and iron metabolism in cancer patients. *Tumor Diagn Ther* 11:229-232, 1991
230. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Wels G, Yim JJ, Pfeleiderer W, Wachter H: 6-Pyruvoyl tetrahydropterin synthase assay in extracts of cultured human cells using high-performance liquid chromatography with fluorescence detection of biopterin. *J Chromatogr* 570:43-50, 1991
231. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Yim JJ, Wachter H: Biochemistry and function of pteridine synthesis in human and murine macrophages. *Pathobiol* 59:276-279, 1991
232. Werner ER, Werner-Felmayer G, Fuchs D, Hausen A, Reibnegger G, Yim JJ, Wachter H: Impact of tumour necrosis factor-alpha and interferon-gamma on tetrahydrobiopterin synthesis in murine fibroblasts and macrophages. *Biochem J* 280:709-714, 1991
233. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Wachter H: On multiple forms of NO synthase and their occurrence in human cells. *Res Immunol* 142:555-561, 1991
234. Wiegand M, Möller AA, Schreiber W, Krieg JC, Fuchs D, Wachter H, Holsboer F: Nocturnal sleep EEG in patients with HIV infection. *Eur Arch Psychiatry Clin Neurosci* 240:153-158, 1991
235. Zaknun D, Oswald HP, Zaknun J, Mayersbach P, Sperl W, Schmitzberger R, Fuchs D, Sailer M: Auswirkungen von hygienischer und medizinischer Unterversorgung auf den klinischen Zustand und das soziale Verhalten bei Säuglingen und Kleinkindern in einem rumänischen Kinderheim. *Paediatric & Paedologie* 26:65-67, 1991
236. Zangerle R, Fuchs D, Reibnegger G, Fritsch P, Wachter H: Markers for disease progression in intravenous drug users infected with HIV-1. *AIDS* 5:985-991, 1991

237. Denz H, Fuchs D, Wachter H: Altered iron metabolism and the anemia of chronic disease: A role of immune activation. *Blood* 79:2797, 1992
238. Denz H, Huber P, Landmann R, Orth B, Wachter H, Fuchs D: Association between the activation of macrophages, changes of iron metabolism and the degree of anaemia in patients with malignant disorders. *Eur J Haematol* 48:244-248, 1992
239. Fuchs D, Norrans G, Wejstal R, Reibnegger G, Weiss G, Weiland O, Schvarcz R, Fryden A, Wachter H: Changes of serum neopterin, β 2-microglobulin and interferon-gamma in patients with chronic hepatitis C treated with interferon-alpha 2b. *Eur J Med* 1:196-200, 1992
240. Fuchs D, Wachter H, Schönitzer D: Neopterin und Bluttransfusionen. *Deutsch Med Wochenschr* 117:1578-1579, 1992
241. Fuchs D, Weiss G, Wachter H: Pathogenesis of chronic fatigue syndrome. *J Clin Psych* 53:296, 1992
242. Fuchs D, Weiss G, Wachter H: Anemia of chronic disease: A misnomer. *Ann Intern Med* 116:520, 1992
243. Fuchs D, Weiss G, Werner-Felmayer G, Reibnegger G, Wachter H: Immune activation and neuronal injury in AIDS. *Trends Neurosci* 15:253, 1992
244. Fuchs D, Weiss G, Werner-Felmayer G, Wachter H: Erythropoietin and decreased erythropoiesis in pregnancy. *Blood* 79:533-534, 1992
245. Fuchs D, Weiss G, Reibnegger G, Wachter H: The role of neopterin as a monitor of cellular immune activation in transplantation, inflammatory, infectious and malignant diseases. *Crit Rev Clin Lab Sci* 29:307-341, 1992
246. Fuchs D, Zangerle R, Artner-Dworzak E, Weiss G, Werner-Felmayer G, Wachter H: Increased interferon-gamma and reduced hemoglobin in patients with human immunodeficiency virus type 1 infection. *J Acquir Immune Defic Syndr* 5:424-425, 1992
247. Fuiith LC, Czarnecki M, Wachter H, Fuchs D: Mode of delivery in HIV-1 infected women. *Lancet* 339:1603, 1992
248. Hagberg L, Norrans G, Andersson M, Wachter H, Fuchs D: Cerebrospinal fluid neopterin and β 2-microglobulin levels in neurologically asymptomatic HIV-infected patients before and after initiation of zidovudine treatment. *Infection* 20:313-315, 1992
249. Hönlinger M, Fuchs D, Reibnegger G, Schönitzer D, Dierich MP, Wachter H: Neopterin screening and

- acute cytomegalovirus infections in blood donors. *Clin Investig* 70:63, 1992
250. Hönlinger M, Szava N, Fuchs D, Bernhart T, Mailath G, Wachter H: Hinweis für eine Aktivierung des zellulären Immunsystems bei operativer Zahnentfernung. *Z Stomatol* 89:487-492, 1992
 251. Hutterer J, Armbruster C, Wallner G, Fuchs D, Vetter N, Wachter H: Early changes of neopterin concentrations during treatment of human immunodeficiency virus infection with zidovudine. *J Infect Dis* 165:783-784, 1992
 252. Krämer A, Biggar RJ, Hampl H, Friedman RM, Fuchs D, Wachter H, Goedert JJ: Immunologic markers of progression to acquired immunodeficiency syndrome are time-dependent and illness-specific. *Am J Epidemiol* 136:71-80, 1992
 253. Krämer A, Goedert JJ, Wachter H, Fuchs D: Prognostic value of serum β 2-microglobulin in HIV-infection. *Lancet* 340:371, 1992
 254. Reibnegger G, Fuchs D, Judmaier G, Weiss G, Werner-Felmayer G, Wachter H: Critical study of consensus analysis. *Lancet* 339:1394-1397, 1992
 255. Rudzite V, Skards JI, Fuchs D, Reibnegger G, Wachter H: Serum kynurenine and neopterin concentrations in patients with cardiomyopathy. *Immunol Lett* 32:125-130, 1992
 256. Schroecksadel H, Fuchs D, Wachter H, Dapunt O: Neopterin (Harn) bei Patientinnen mit Präeklampsie. *Gynaekol Geburtsh Runch* 32.151, 1992
 257. Samsonov M, Fuchs D, Reibnegger G, Belenkov JN, Nassonov EL, Wachter H: Patterns of serological markers for cellular immune activation in patients with dilated cardiomyopathy and chronic myocarditis. *Clin Chem* 38:678-680, 1992
 258. Schröcksadel H, Herold M, Steckel-Berger G, Fuchs D, Wachter H, Dapunt O: Zellvermittelte Immunität bei schwangerschaftsinduzierten Hochdruckerkrankungen. *Geburtsh & Frauenheilk* 52:592-595, 1992
 259. Sperner-Unterweger B, Barnas C, Fuchs D, Kemmler G, Wachter H, Hinterhuber H, Fleischhacker W: Neopterin production in acute schizophrenic patients: An indicator of alterations of cell-mediated immunity. *Psych Res* 42:121-128, 1992
 260. Stahl-Hennig C, Voss G, Nick S, Petry H, Fuchs D, Wachter H, Coulibaly C, Lüke W, Hunsmann G: Immunization with tween-ether-treated SIV adsorbed onto aluminium hydroxide protects monkeys against experimental SIV infection. *Virology* 186:588-596, 1992
 261. Tilz GP, Zangerle R, Weiss G, Fritsch P, Wachter H, Fuchs D: Association between serum-soluble CD8 levels and parameters of immune activation in patients with human immunodeficiency virus infection. *Clin Investig* 70:662-664, 1992
 262. Voss G, Stahl-Hennig C, Petry H, Coulibaly C, Nick S, Fuchs D, Wachter H, Lüke W, Hunsmann G: Adjuvants: Critical issues on adjuvants for HIV vaccines. Immunization of rhesus monkeys with high- and low-dose tween-ether-disrupted SIVmac. *AIDS Res Human Retroviruses* 8:1397-1400, 1992
 263. Weiss G, Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Wachter H: Iron modulates interferon-gamma effects in the human myelomonocytic cell line THP-1. *Exp Hematol* 20:605-610, 1992
 264. Weiss G, Fuchs D, Werner-Felmayer G, Wachter H: Therapy of Plasmodium-falciparum parasitemia
 265. Weiss G, Fuchs D, Werner-Felmayer G, Wachter H: Hyperphenylalaninemia. *Neurology* 42:704, 1992
 266. Weiss G, Glaser K, Kronberger P, Ambach E, Fuchs D, Bodner E, Wachter H: Distinct distributions of D-erythro-neopterin in arteries and veins and its recovery by an enterohepatic circulation. *Biol Chem Hoppe Seyler* 373:289-294, 1992
 267. Wejstal R, Norkrans G, Weiland O, Schvarcz R, Fuchs D, Wachter H, Fryden A, Glaumann H: Lymphocyte subsets and β 2-microglobulin expression in chronic hepatitis C/non-A, non-B. Effects of interferon-alpha treatment. *Clin Exp Immunol* 87:340-345, 1992
 268. Westarp ME, Bartmann P, Rössler J, Geiger E, Westphal KP, Schreiber H, Fuchs D, Westarp MP, Kornhuber HH: Antiretroviral therapy in sporadic adult amyotrophic lateral sclerosis. *NeuroReport* 4:819-822, 1992
 269. Zangerle R, Fuchs D, Rössler H, Reibnegger G, Riemer Y, Weiss SH, Fritsch P, Wachter H: Trends in HIV infection among intravenous drug users in Innsbruck, Austria. *J Acquir Immune Defic Syndr* 5:865-871, 1992
 270. Zangerle R, Fuchs D, Reibnegger G, Artner-Dworzak E, Fritsch P, Wachter H: Neopterin and the acute phase response in human immunodeficiency virus type 1 (HIV-1) infection. *Pteridines* 3:167-170, 1992
 271. Zangerle R, Schönitzer D, Fuchs D, Möst J, Dierich MP, Wachter H: Reducing HIV transmission by seronegative blood. *Lancet* 339:130-131, 1992
 272. Zangerle R, Wachter H, Fuchs D: Immune activation markers and CD4+ T-cell counts in HIV-infected intravenous drug users. *J Acquir Immune Defic Syndr* 5:1273-1274, 1992
 273. Andersson C, Bernhart T, Hönlinger M, Mailath G, Wachter H, Fuchs D: Immune activation after apicoectomy: Comparison between patients with and without prophylactic antibiotic therapy. *Pteridines* 4:192-194, 1993
 274. Denz H, Orth B, Huber P, Gallati H, Wachter H, Fuchs D: Immune activation and anaemia of chronic

disorders. *Blood* 81:1404, 1993

275. Denz H, Orth B, Weiss G, Herrmann R, Huber P, Wachter H, Fuchs D: Weight loss in patients with hematological neoplasias is associated with immune system stimulation. *Clin Investig* 71:37-41, 1993
276. Denz H, Orth B, Weiss G, Gallati H, Herrmann R, Huber P, Wachter H, Fuchs D: Serum soluble tumour necrosis factor receptor 55 is increased in patients with haematological neoplasias and is associated with immune activation and weight loss. *Eur J Cancer* 29A:2232-2235, 1993
277. Diez-Ruiz A, Al-Amrani M, Weiss G, Gutierrez-Gea F, Wachter H, Fuchs D: Increased interferon-gamma and neopterin concentrations in patients with acute brucellosis. *J Infect Dis* 167:504-505, 1993
278. Diez-Ruiz A, Kaiser G, Jäger H, Birkmann J, Tilz GP, Wachter H, Fuchs D: Increased levels of serum intercellular adhesion molecule 1 in HIV infection are related to immune activation. *Int Arch Allergy Immunol* 102:56-60, 1993
279. Diez-Ruiz A, Weiss G, Artner-Dworzak E, Dittrich PV, Wachter H, Fuchs D: Association between haemoglobin and neopterin concentrations in haemodialysis patients treated with erythropoietin. *Eur J Haematol* 51:175-176, 1993
280. Fuith LC, Czarnecki M, Weiss G, Wachter H, Fuchs D: Clues to enhance the identification of human immunodeficiency virus-infected women. *Obstet Gynecol* 81:159-160, 1993
281. Fuith LC, Czarnecki M, Weiss G, Wachter H, Fuchs D: Prognosis of human immunodeficiency virus-infected women after delivery. *Am J Obstet Gynecol* 169:752-753, 1993
282. Fuchs D, Weiss G, Murr C, Wachter H: Interleukin-10 for common variable immunodeficiency. *Lancet* 342:1363, 1993
283. Fuchs D, Weiss G, Wachter H: Making the blood supply safer. *Ann Intern Med* 118:574, 1993
284. Fuchs D, Weiss G, Wachter H: Neopterin, biochemistry and clinical use as a marker for cellular immune reactions. *Int Arch Allergy Immunol* 101:1-6, 1993
285. Fuchs D, Reibnegger G, Wachter H: Bad teeth and myocardial infarction: Biological mechanisms for link. *Brit Med J* 306:1196, 1993
286. Fuchs D, Samsonov MY, Weiss G, Reibnegger G, Nasonov EL, Wachter H: Clinical significance of neopterin in human diseases (russ.). *Terapevtychesky Archiv* 5:80-87, 1993
287. Fuchs D, Samsonov M, Tilz GP, Reibnegger G, Weiss G, Nasonov EL, Belenkov JN, Wachter H: Immune activation markers in patients with congestive heart failure. *Il Friuli Medico* 48:153-158, 1993
288. Fuchs D, Samsonov M, Tilz GP, Reibnegger G, Belenkov JN, Nasonov EL, Wachter H: Stimulated cellular immune system in patients with congestive heart failure. *Eur J Clin Chem Clin Biochem* 31:111-114, 1993
289. Fuchs D, Zangerle R, Artner-Dworzak E, Weiss G, Fritsch P, Tilz GP, Dierich MP, Wachter H: Association between immune activation, changes of iron metabolism and anaemia in patients with HIV-infection. *Eur J Haematol* 50:90-94, 1993
290. Fuith LC, Czarnecki M, Fuchs D, Hausen A, Reibnegger G, Weiss G, Werner ER, Werner-Felmayer G, Wachter H: Determination of neopterin, a marker of cell-mediated immunity, in gynecologic oncology. *Int J Feto-Maternal Med* 6:235-238, 1993
291. Fuith LC, Kracher P, Czarnecki M, Wachter H, Fuchs D: Veränderungen der zell-medierten Immunität nach gynäkologischen Eingriffen. *Gynaekol Geburtsh Rundsch* 33:280, 1993
292. Hagberg L, Dotevall L, Norkrans G, Larsson M, Wachter H, Fuchs D: Cerebrospinal fluid neopterin concentrations in central nervous system infection. *J Infect Dis* 168:1285-1288, 1993
293. Lang SM, Weeger M, Stahl-Hennig C, Coulibaly C, Hunsmann G, Müller J, Müller-Hermelink H, Fuchs D, Wachter H, Daniel MM, Desrosiers RC, Fleckenstein B: Importance of vpr for infection of rhesus monkeys with simian immunodeficiency virus. *J Virol* 67:902-912, 1993
294. Markewitz A, Faist E, Lang S, Endres S, Fuchs D, Reichart B: Successful restoration of cell-mediated immune response after cardiopulmonary bypass by immunomodulation. *J Thorac Cardiovasc Surg* 105:15-24, 1993
295. Marth C, Weger A, Müller-Holzner E, Zeimet AG, Moncayo-Naveda H, Daxenbichler G, Reibnegger G, Fuchs D, Wachter H, Dapunt O: The prognostic value of nuclear roundness and neopterin in ovarian cancer. *Eur J Cancer* 29A:1863-1868, 1993
296. Melichar B, Zangerle R, Artner-Dworzak E, Wachter H, Fuchs D: Are disturbances of zinc metabolism in human immunodeficiency virus type 1 (HIV-1) infection caused by immune activation. *Pteridines* 4:195-199, 1993
297. Melichar B, Zeimet A, Artner-Dworzak E, Schröcksnadel H, Marth C, Wachter H, Fuchs D: Association between increased urinary zinc and neopterin concentrations in women with gynaecological cancer. *Tumor Diagnostik & Therapie* 14:110-112, 1993
298. Möst J, Zangerle R, Herold M, Fuchs D, Wachter H, Fritsch P, Dierich MP: Elevated concentrations of circulating intercellular adhesion molecule 1 (ICAM-1) in HIV-1 infection. *J Acquir Immune Defic Syndr* 6:221-226, 1993
299. Rudzite V, Jurika E, Reibnegger G, Weiss G, Wachter H, Fuchs D: Influence of kynurenine, neopterin, noradrenaline and pyridoxal-5-phosphate on cholesterol and phospholipid content and phospholipid biosynthesis in vitro. *Pteridines* 4:126-130, 1993

300. Samsonov MY, Nassonov EL, Wachter H, Fuchs D: Heart diseases and immune system activation. *Eur J Intern Med* 4:267-280, 1993
301. Samsonov M, Nassonov E, Dhzuzenova B, Belenkov Y, Nassonova V, Wachter H, Fuchs D: Serum neopterin in acute rheumatic fever. *Clin Chem* 39:693-695, 1993
302. Samsonov MY, Reibnegger G, Nassonov EL, Nassonova VA, Wachter H, Fuchs D: Elevated serum neopterin levels in acute rheumatic fever. *Pteridines* 4:39-42, 1993
303. Samsonov M, Nassonov E, Werner-Felmayer G, Fuchs D, Wachter H: Captopril and the effect of interferon gamma on monocytes. *Arch Intern Med* 153:1138-1139, 1993
304. Schröcksnadel H, Fuchs D, Herold M, Wachter H, Dapunt O: Activated macrophages in preeclampsia. *Pteridines* 4:144-148, 1993
305. Sepp N, Benedikter S, Kofler H, Wachter H, Fuchs D: Urine neopterin concentrations and activity of psoriasis. *Brit J Dermatol* 129:498, 1993
306. Sepp N, Benedikter S, Kofler H, Fritsch P, Wachter H, Fuchs D: Cyclosporin A treatment in psoriasis: Monitoring by neopterin concentrations in serum and urine. *Pteridines* 4:149-152, 1993
307. Tilz GP, Domej W, Diez-Ruiz A, Weiss G, Brezinschek R, Brezinschek HP, Hüttl E, Pristautz H, Wachter H, Fuchs D: Increased immune activation during and after physical exercise. *Immunobiology* 188:194-202, 1993
308. Weiss G, Goossen B, Doppler W, Fuchs D, Pantopoulos K, Werner-Felmayer G, Wachter H, Hentze MW: Translational regulation via iron-responsive elements by the nitric oxide/NO-synthase pathway. *EMBO J* 12:3651-3657, 1993
309. Weiss G, Lutton JD, Fuchs D, Werner-Felmayer G, Bock G, Abraham NG, Kappas A, Levere RD, Wachter H: Comparative effects of heme and metalloporphyrins on interferon-gamma-mediated pathways in monocytic cells (THP-1). *Proc Soc Exp Biol Med* 202:470-475, 1993
310. Weiss G, Fuchs D, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Semenitz E, Dierich MP, Wachter H: Neopterin modulates toxicity mediated by reactive oxygen and chloride species. *FEBS Lett* 321:89-92, 1993
311. Weiss G, Fuchs D, Wachter H: High stored iron levels and the risk of myocardial infarction. *Circulation* 87:1425, 1993
312. Weiss G, Murr C, Reibnegger G, Wachter H, Fuchs D: Iron linked to immune activation. *Brit Med J* 307:1067, 1993
313. Weiss G, Zangerle R, Wachter H, Fuchs D: Interferon-gamma and coronary lesions in HIV infection. *Lancet* 341:383, 1993
314. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Mayer B, Reibnegger G, Weiss G, Wachter H: Ca(2+)/calmodulin-dependent nitric oxide synthase activity in the human cervix carcinoma cell line ME-180. *Biochem J* 289:357-361, 1993
315. Werner-Felmayer G, Werner ER, Fuchs D, Hausen A, Reibnegger G, Schmidt K, Weiss G, Wachter H: Pteridine biosynthesis in human endothelial cells. Impact on nitric oxide-mediated formation of cyclic GMP. *J Biol Chem* 268:1842-1846, 1993
316. Westarp ME, Fuchs D, Bartmann P, Hoff-Jörgensen R, Clausen J, Rasmussen H, Wachter H, Westarp MP, Kornhuber HH: Neopterin, β 2-microglobulin and carbohydrate antigen CA-19-9 in sporadic adult amyotrophic lateral sclerosis. *Pteridines* 4:81-89, 1993
317. Westarp ME, Fuchs D, Bartmann P, Hoff-Jörgensen R, Clausen J, Wachter H, Kornhuber HH: Amyotrophic lateral sclerosis - an enigmatic disease with B-cellular and anti-retroviral immune responses. *Eur J Med* 2:327-332, 1993
318. Westarp ME, Bartmann P, Hoff-Jörgensen R, Fuchs D, Rasmussen H, Kornhuber HH: Idiopathische amyotrophe Lateralsklerose (ALS) - neue Aspekte einer unverstandenen Neurodegeneration. *Bundesgesundheitsblatt* 36:510-515, 1993
319. Wöll E, Weiss G, Fuchs D, Lang F, Wachter H: Effect of pteridine derivatives on intracellular calcium concentration in human monocytic cells. *FEBS Lett* 318:249-252, 1993
320. Zaknun D, DiFranco M, Oswald HP, Zaknun J, Mayersbach P, Vuja E, Wachter H, Fuchs D: Association between neopterin and beta-2-microglobulin levels and HIV status in Romanian orphanage children. *Wien Klin Wochenschr* 105:284-288, 1993
321. Zaknun D, Weiss G, Glatzl J, Wachter H, Fuchs D: Neopterin levels during acute rubella in children. *Clin Infect Dis* 17:521-522, 1993
322. Zaknun J, Mayersbach P, Moncayo R, Fridrich L, Wachter H, Fuchs D: Neopterin levels in thyroid pseudocysts. *Pteridines* 4:200-205, 1993
323. Zangerle R, Reibnegger G, Wachter H, Fuchs D: Weight loss in HIV-1 infection is associated with immune activation. *AIDS* 7:175-181, 1993
324. Ambach E, Artner-Dworzak E, Katzgraber F, Fuchs D, Wachter H: Neopterinkonzentrationen: ein Beitrag zur Pathogenese des plötzlichen Kindestodes (SIDS). *Ber ÖGKC* 17: 123-126, 1994
325. Di Franco MJ, Zaknun D, Zaknun J, Vuja E, Oswald HP, Mayersbach P, Hunter D, Tosteson TD, Trichopoulos D, Schmitzberger R, Schönitzer D, Wachter H, Fuchs D: A prospective study of the

- association of serum neopterin, β 2-microglobulin, and hepatitis B surface antigenemia with death in infants and children with HIV-1 disease. *J Acquir Immune Defic Syndr* 7: 1079-1085, 1994
327. Diamondstone LS, Tollerud DJ, Fuchs D, Wachter H, Brown LM, Maloney E, Kurman CC, Nelson DL, Blattner WA: Factors influencing serum neopterin and beta 2-microglobulin levels in a healthy diverse population. *J Clin Immunol* 14: 368-374, 1994
328. Fuchs D, Dierich MP, Wachter H: Human immunodeficiency virus infection of the nervous system. *Ann Neurol* 34:125, 1994
329. Fuchs D, Dierich MP, Wachter H: Neopterinbestimmung als zusätzliche Screeningmethode zur Erhöhung der Sicherheit der Bluttransfusion. *Oesterr Krankenhaus-Ztg* 3:1-5, 1994
330. Fuchs D, Gruber A, Überall F, Wachter H: Oxidative stress and apoptosis. *Immunol Today* 15:496, 1994
331. Fuchs D, Murr C, Reibnegger G, Wachter H: HIV myelopathy. *Neurology* 44:578, 1994
332. Fuchs D, Murr C, Reibnegger G, Wachter H: Neopterin als Diagnoseparameter für den Aktivierungszustand des zellulären Immunsystems. *Oesterr Krankenhaus-Ztg* 3:1-6, 1994
333. Fuchs D, Murr C, Reibnegger G, Weiss G, Werner ER, Werner-Felmayer G, Wachter H: Nitric oxide synthase and antimicrobial armature of human macrophages. *J Infect Dis* 169:224, 1994
334. Fuchs D, Stahl-Hennig C, Gruber A, Murr C, Hunsmann G, Wachter H: Neopterin - its clinical use in urinalysis. *Kidney International* 46 (S47): 8-11, 1994
335. Fuchs D, Weiss G, Murr C, Wachter H: Cyclosporin for erythropoietin resistance. *Lancet* 343:1231, 1994
336. Fuchs D, Zangerle R, Murr C, Dierich MP, Wachter H: Neopterin and HIV infection. *Acta Microbiol Immunol Hung* 41:21-25, 1994
337. Fuith LC, Czarnecki M, Wachter H, Fuchs D: Macrophage colony-stimulating factor as a tumor marker for epithelial ovarian cancer. *Obstetrics & Gynecology* 83:801, 1994
338. Fuith LC, Czarnecki M, Wachter H, Fuchs D: Macrophage colony-stimulating factor as a tumor marker for epithelial ovarian cancer. *Obstetrics & Gynecology* 83:801, 1994
339. Fuith LC, Fuchs D, Reibnegger G, Wachter H: Neopterin als Marker für die Prognose und Nachsorge von bösartigen Erkrankungen. *Oesterr Krankenhaus-Ztg* 3:1-4, 1994
340. Gasse T, Murr C, Mayersbach P, Schmutzhard E, Wachter H, Fuchs D: Neopterin production and tryptophan degradation in acute Lyme neuroborreliosis versus late Lyme encephalopathy. *Eur J Clin Chem Clin Biochem* 32: 685-689, 1994
341. Gisslén M, Larsson M, Norkrans G, Fuchs D, Wachter H, Hagberg L: Tryptophan concentrations increase in cerebrospinal fluid and blood after zidovudine treatment in patients with HIV type 1 infection. *AIDS Res Human Retroviruses* 10:947-951, 1994
342. Gisslén M, Chiodi F, Fuchs D, Norkrans G, Svennerholm B, Wachter H, Hagberg L: Markers of immune stimulation in the cerebrospinal fluid during HIV infection: A longitudinal study. *Scand J Infect Dis* 26:523-533, 1994
343. Marth C, Artner-Dworzak E, Graf A, Kapshammer E, Meusburger H, Denison U, Fuith LC, Sliutz G, Fuchs D, Stummvoll W, Concin H, Medl M, Windbichler G, Leodolter S, Staudacher A, Salzer H, Wachter H, Dapunt O: Gesteigerte Zinkausscheidung bei Patientinnen mit Ovarialtumoren. *Gynaekol Rundsch* 34: 103-104, 1994
344. Marth C, Fuchs D: Activated cellular immunity in ovarian carcinoma patients. *Am J Obstet Gyn* 171: 1159-1160, 1994
345. Marth C, Weiss G, Koza A, Reibnegger G, Daxenbichler G, Zeimet AG, Fuchs D, Wachter H, Dapunt O: Increased production of immune activation marker neopterin by colony-stimulating factors in gynecological cancer patients. *Int J Cancer* 58:20-23, 1994
346. Mayersbach P, Augustin R, Schennach H, Fuchs D, Werner ER, Schönitzer D, Wachter H, Reibnegger G: Applicability of an enzyme-linked immunosorbant assay for neopterin detection for screening of blood donations. *Pteridines* 5:49-54, 1994
347. Melichar B, Aichberger C, Artner-Dworzak E, Weiss G, Margreiter R, Wachter H, Fuchs D: Immune activation and enhanced urinary zinc concentrations in allograft recipients. *Presse Med* 23:702-706, 1994
348. Melichar B, Artner-Dworzak E, Wachter H, Fuchs D: Erhöhte Zinkausscheidung im Urin - eine entzündungsbedingte Nierenfunktionsstörung. *Ber Oesterr Ges Klin Chem* 17:45-48, 1994
349. Murr C, Fuchs D, Gössler W, Hausen A, Reibnegger G, Werner ER, Werner-Felmayer G, Esterbauer H, Wachter H: Enhancement of hydrogen peroxide-induced luminol-dependent chemiluminescence by neopterin depends on the presence of iron chelator complexes. *FEBS Lett* 338:223-226, 1994
350. Rosenberg PS, Goedert JJ, Biggar RJ, for the Multicenter Hemophilia Cohort Study and the Internal Registry of Seroconverters: Effect of age at seroconversion on the natural AIDS incubation distribution. *AIDS* 8: 803-810, 1994
351. Reibnegger G, Diez-Ruiz A, Fuchs D, Wachter H: Soluble tumour necrosis factor receptors as prognostic factors in cancer. *Lancet* 344:681-682, 1994
352. Reibnegger G, Fuchs D, Wachter H: Prognostic factors for multiple myeloma. *Blood* 84:1350-1351,

1994

353. Samsonov MYu, Egorova ON, Fuchs D, Balabanova RM, Nasonov EL: Serum neopterin in systemic lupus erythematosus. *Clinical Rheumatology (Russ)* 1:16-19, 1994
354. Schennach H, Mayersbach P, Schönitzer D, Fuchs D, Wachter H, Reibnegger G: Increased prevalence of IgM antibodies to Epstein-Barr virus and parvovirus B19 in blood donations with above-normal neopterin concentration. *Clin Chem* 40:2104-2105, 1994
355. Schröcksnadel H, Fuchs D, Herold M, Wachter H, Dapunt O: Aktivierte Makrophagen im Pathomechanismus schwangerschaftsinduzierter Hochdruckerkrankungen. *Zentralbl Gynaekol* 116:274-275, 1994
356. Überall F, Werner-Felmayer G, Schubert C, Grunicke HH, Wachter H, Fuchs D: Neopterin derivatives together with cyclic guanosine monophosphate induce c-fos gene expression. *FEBS Lett* 352:11-14, 1994
357. Weiss G, Willeit J, Kiechl S, Fuchs D, Jarosch E, Oberhollenzer F, Reibnegger G, Tilz GP, Gerstenbrand F, Wachter H: Increased concentrations of neopterin in carotid atherosclerosis. *Atherosclerosis* 106:263-271, 1994
358. Weiss G, Goossen B, Doppler W, Fuchs D, Pantopoulos K, Werner-Felmayer G, Grünewald K, Wachter H, Hentze MW: Stimulation of IRE-BP activity of IRF by tetrahydrobiopterin and cytokine-dependent induction of nitric oxide synthase. *Adv Exp Med Biol* 356:133-140, 1994
359. Westarp ME, Fuchs D, Westarp MP, Wachter H, Kornhuber HH: Neopterin, β 2-microglobulin, tryptophan and kynurenine in sporadic amyotrophic lateral sclerosis. *Pteridines* 5:142-148, 1994
360. Westarp ME, Bartmann R, Hoff-Jørgensen R, Fuchs D, Wachter H, Rasmussen H, Kornhuber HH: Idiopathische amyotrophe Lateralsklerose (ALS) neue Aspekte einer unverstandenen Neurodegeneration. *Mitteil Österr Sanitätsverw* 6: 245-248, 1994
361. Winsper SJ, Armstrong RA, Pall H, Fuchs D, Wachter H, Williams A, Blair JA: Serum neopterin levels and metal binding to transferrin in Parkinson's disease patients. *Pteridines* 5:114-116, 1994
362. Zaknun D, Neugebauer J, Soelder B, Dierich MP, Wachter H, Fuchs D: Immune activation and HIV-1 viraemia in an asymptomatic paediatric patient. *Pteridines* 5: 136-138, 1994
363. Zaknun D, Zaknun J, Unsinn K, Wachter H, Fuchs D: Interferon gamma-induced formation of neopterin and degradation of tryptophan in cerebrospinal fluid of children with meningitis but not with febrile convulsions. *Pteridines* 5:102-106, 1994
364. Zangerle R, Gallati H, Sarcletti M, Weiss G, Denz H, Wachter H, Fuchs D: Increased serum concentrations of soluble tumor necrosis factor receptors in HIV-infected individuals are associated with immune activation. *J Acquir Immune Defic Syndr* 7:79-85, 1994
365. Zangerle R, Gallati H, Sarcletti M, Wachter H, Fuchs D: Tumor necrosis factor alpha and soluble necrosis factor receptors in individuals with human immunodeficiency virus infection. *Immunol Lett* 41:229-234, 1994
366. Zangerle R, Fuchs D, Sarcletti M, Gallati H, Reibnegger G, Wachter H, Dierich MP, Möst J: Increased concentrations of soluble tumor necrosis factor receptor 75 but not of soluble intercellular adhesion molecule-1 are associated with the decline of CD4+ lymphocytes in HIV infection. *Clin Immunol Immunopathol* 72:328-334, 1994
367. Zangerle R, Sarcletti M, Gallati H, Reibnegger G, Wachter H, Fuchs D: Correlation of body mass index with urinary neopterin in individuals infected with human immunodeficiency virus. *Int Arch Allergy Immunol* 104:150-154, 1994
368. Zangerle R, Sarcletti M, Gallati H, Reibnegger G, Wachter H, Fuchs D: Decreased plasma concentrations of HDL cholesterol in HIV-infected individuals are associated with immune activation. *J Acquir Immune Defic Syndr* 7: 1149-1156, 1994
369. Zangerle R, Wachter H, Fuchs D: Activated macrophages and radicals in scleroderma. *J Am Acad Dermatol* 30:1045-1046, 1994

370. Baier-Bitterlich G, Fuchs D, Murr C, Reibnegger G, Werner-Felmayer G, Sgonc R, Böck G, Dierich MP, Wachter H: Effect of neopterin and 7,8-dihydroneopterin on tumor necrosis factor- α induced programmed cell death. *FEBS Lett* 364: 234-238, 1995
371. Berchtold J, Murr C, Norer B, Waldhart E, Wachter H, Fuchs D: Urinary neopterin excretion in patients with squamous carcinoma of the oral cavity. *Cancer Lett* 95:227-232, 1995
372. Diez-Ruiz A, Tilz GP, Zangerle R, Baier-Bitterlich G, Wachter H, Fuchs D: Soluble receptors for tumor necrosis factor in clinical laboratory diagnosis. *Eur J Haematol* 54: 1-8, 1995
373. Diez-Ruiz A, Tilz GP, Gutierrez-Gea F, Gil-Extremera B, Murr C, Wachter H, Fuchs D: Neopterin and soluble tumor necrosis factor receptor type I in alcohol-induced cirrhosis. *Hepatology* 21: 976-978, 1995
374. Dittmer U, Stahl-Hennig C, Coulibaly C, Nisslein T, Lücke W, Fuchs D, Bodemer W, Petry H, Hunsmann G: Repeated exposure of rhesus macaques to low dose of simian immunodeficiency virus (SIV) did not protect them against the consequences of high-dose SIV challenge. *J General Virol* 76: 1307-1315, 1995
375. Estelberger W, Fuchs D, Murr C, Wachter H, Reibnegger G: Conformational investigation of the cofactor (6R, 1'R, 2'S)-5,6,7,8-tetrahydrobiopterin. *Biochim Biophys Acta* 1249: 23-28, 1995

376. Fuchs D, Baier-Bitterlich G, Hausen A, Murr C, Weiss G, Werner ER, Werner-Felmayer G, Reibnegger G: Neopterin als immundiagnostische Meßgröße. *Deutsch Med Wochenschr* 120: 567-570, 1995
377. Fuchs D, Baier-Bitterlich G, Hausen A, Murr C, Weiss G, Werner ER, Werner-Felmayer G, Reibnegger G: Neopterin as immunodiagnostic parameter. *Deutsch Med Wochenschr (Jap)*. 17: 605-608, 1995
378. Fuchs D, Baier-Bitterlich G, Wachter H: Nitric oxide and AIDS dementia. *New Engl J Med* 333: 521-522, 1995
379. Fuchs D, Baier-Bitterlich G, Wachter H: Human immunodeficiency virus infection and porphyria cutanea tarda. *Clin Infect Dis* 21: 1530-1531, 1995
380. Hoch J, Lang SM, Weeger M, Stahl-Hennig C, Coulibaly C, Dittmer U, Hunsmann G, Fuchs D, Muller J, Sopper S, Fleckenstein, KT Überla: Deletion mutant of simian immunodeficiency virus induces AIDS in rhesus monkeys. *J Virol* 69: 4807-4813, 1995
381. Kim C, Schinkel C, Fuchs D, Stadler D, Walz A, Zedler S, Henckel G, Faist E: Interleukin-13 effectively down-regulates the monocyte inflammatory potential during traumatic stress. *Arch Surg*. 130: 1330-1336, 1995.
382. Kronberger P, Weiss G, Tschmelitsch J, Fuchs D, Salzer GM, Wachter H, Reibnegger G: Predictive value of urinary neopterin in patients with lung cancer. *Eur J Clin Chem Clin Biochem* 33: 831-837, 1995
383. Nassonov E, Samsonov M, Beketova T, Semenkova L, Wachter H, Fuchs D: Serum neopterin concentrations in Wegener's granulomatosis correlate with vasculitis. *Clin Exp Rheumatol* 13: 353- 356, 1995
384. Petry H, Dittmer U, Stahl-Hennig C, Coulibaly C, Makoschey B, Fuchs D, Wachter H, Tolle T, Morys-Wortmann C, Kaup FJ, Jurkiewicz E, Lüke W, Hunsmann G: Reactivation of human immunodeficiency virus type 2 in macaques after simian immunodeficiency virus SIVmac superinfection. *J Virol* 69:1564-1574, 1995
385. Reibnegger G, Fuchs D, Murr C, Dierich MP, Pfeleiderer W, Wachter H: Effects of pteridines on luminol-dependent chemiluminescence induced by chloramine-T. *Free Radical Biol Med* 18:515-523, 1995
386. Rudzite V, Jurika E, Baier-Bitterlich G, Wachter H, Fuchs D: Effect of sepiapterin, 7,8-dihydrobiopterin, 5,6,7,8-tetrahydrobiopterin and xanthopterin on cholesterol and phospholipid content and phospholipid biosynthesis in vitro. *Pteridines* 6:69-73, 1995
387. Samsonov MY, Tilz GP, Egorova O, Reibnegger G, Balabanova RM, Nassonov EL, Nasonova VA, Wachter H, Fuchs D: Serum soluble markers of immune activation and disease activity in systemic lupus erythematosus. *Lupus* 4:29-32, 1995
388. Samsonov MY, Tilz GP, Pisklakov VP, Reibnegger G, Nassonov EL, Nasonova VA, Wachter H, Fuchs D: Serum-soluble receptors for tumor necrosis factor- α and interleukin-2, and neopterin in acute rheumatic fever. *Clin Immunol Immunopathol* 74:31-34, 1995
389. Samsonov MI, Prokaeva TB, Madanat V, Alekberova ZS, Nasonov EL, Fuchs D, Wachter H: Serum neopterin in Behcet's disease. *Klin Med (Russ)* 73: 53-55, 1995
400. Schobersberger W, Hoffmann G, Grote J, Wachter H, Fuchs D: Induction of inducible nitric oxide synthase expression by neopterin in vascular smooth muscle cells. *FEBS Lett* 377: 461-464, 1995
401. Schobersberger W, Jelkmann W, Fandrey J, Frede S, Wachter H, Fuchs D: Neopterin-induced suppression of erythropoietin production in vitro. *Pteridines* 6:12-16, 1995
402. Strickler HD, Escoffery C, Rattray C, Fuchs D, Wachter H, Manns A, Schiffman MH, Cranston B, Hanchard B, Blattner WA: Cervical intraepithelial neoplasia is not associated with elevated serum neopterin levels. *Cancer Epidemiol Biomarker Prevent* 3:295-298, 1995
403. Ujhelyi E, Krall G, Zimonyi I, Banhegyi D, Hollan SR, Horvath A, Fuchs D, Wachter H, Berkessy E, Füst G: Longitudinal immunological follow-up of HIV infected haemophiliacs in Hungary. *Act Microbiol Immunol Hung* 42: 189-98, 1995
404. Weiss G, Wachter H, Fuchs D: Linkage of cell-mediated immunity to iron metabolism. *Immunol Today* 16: 495-500, 1995
405. Werner-Felmayer G, Baier-Bitterlich G, Fuchs D, Hausen A, Murr C, Reibnegger G, Werner ER, Wachter H: Detection of bacterial pyrogens on the basis of their effects on gamma interferon-mediated formation of neopterin or nitrite in cultured monocyte cell lines. *Clin Diagn Lab Immunol* 2: 307-313, 1995
406. Zangerle R, Fuchs D, Reibnegger G, Werner-Felmayer G, Gallati H, Wachter H, Werner ER: Serum nitrite plus nitrate in infection with human immunodeficiency virus type-1. *Immunobiology* 193: 59-70, 1995
407. Altindag ZZ, Marth C, Werner-Felmayer G, Natoli C, Zeimet AG, Wachter H, Iacobelli S, Fuchs D: Tumor-associated antigen 90K activates myelomonocytic cell line THP-1. *Cancer Lett* 107: 143- 148, 1996
408. Baier-Bitterlich G, Baier G, Fuchs D, Böck G, Hausen A, Utermann G, Pavelka M, Wachter H: Role of 7,8-dihydroneopterin in T-cell apoptosis and HTLV-1 transcription in vitro. *Oncogene* 13: 2281-2285, 1996
409. Baier-Bitterlich G, Wachter H, Fuchs D: Role of neopterin and 7,8-dihydroneopterin in human immunodeficiency virus infection: marker for disease progression and pathogenic link. *J Acquir Immune*

Defic Syndr 13:184-193, 1996

410. Baier-Bitterlich G, Wachter H, Fuchs D: Interferon- γ and management of infectious diseases. *Ann Intern Med* 124: 12, 1996
411. Baier-Bitterlich G, Wachter H, Fuchs D: Oxidative stress and apoptosis in HIV infection. *Science* 271: 582-583, 1996
412. Baier-Bitterlich G, Fuchs D, Wachter H: 7,8-Dihydroneopterin upregulates interferon- γ promoter in T cells. *Immunobiology* 196:350-355, 1996
413. Demel U, Tilz GP, Wachter H, Fuchs D: AIDS und Tumor Nekrosis Faktor (TNF): Nachweis niedriger TNF Spiegel bei Patienten mit HIV-Infektionen. *Arzt & Praxis* 50: 443-446, 1996
414. Diez-Ruiz A, Möller AA, Baier-Bitterlich, Wachter H, Fuchs D: Neopterin production, degradation of tryptophan and neurologic impairment in human immunodeficiency virus infection. *Pteridines* 7: 29-34, 1996
415. Diez-Ruiz A, Norkrans G, Wejstal R, Weiland O, Tilz GP, Wachter H, Fuchs D: Activated cellular immunity in chronic hepatitis C. *Haematology* 1: 75-78, 1996
416. Fuchs D, Baier-Bitterlich G, Wachter H: Impaired Th1-like immune response in *Schistosoma mansoni* infection. *J Infect Dis* 174: 677-678, 1996
417. Fuchs D, Dotevall L, Gasse T, Hagberg L, Tilz GP, Baier-Bitterlich G, Demel U, Schmutzhard E, Wachter H: Enhanced intrathecal neopterin production and tryptophan degradation in patients with Lyme neuroborreliosis. *Acta Dermatovenerologica* 5:3-4, 1996
418. Fuchs D: Neopterin, eine empfindliche Meßgröße des zellulären Immunsystems. *Labor aktuell* 3: 5-9, 1996
419. Fuchs D, Gisslén M, Larsson M, Norkrans G, Hagberg L, Wachter H: Increase of tryptophan in serum and in cerebrospinal fluid of patients with HIV infection during zidovudine therapy. *Adv Exp Med Biol* 398:131-134, 1996
420. Fuchs D, Schröcksnadel H, Baier-Bitterlich G, Dapunt O, Wachter H: Activated cellular immunity and decreased serum tryptophan in healthy pregnancy. *Adv Exp Med Biol* 398:149-153, 1996
421. Fuith LC, Czarnecki M, Wachter H, Fuchs D: Neopterin concentrations in vaginal secretions. *Clin Chem* 42: 1495-1497, 1996
422. Giusti RM, Maloney EM, Hanchard B, Morgan OSC, Steinberg SM, Wachter H, Williams E, Cranston B, Fuchs D, Manns A: Differential patterns of serum biomarkers of immune activation in human T-cell lymphotropic virus type I-associated myelopathy/tropical spastic paraparesis and adult T-cell leukemia/lymphoma. *Cancer Epidemiol Biomarkers Prevent* 5: 699-709, 1996
423. Hagberg L, Norkrans G, Gisslén M, Wachter H, Fuchs D, Svennerholm B: Intrathecal immunoactivation in patients with HIV-1 infection is reduced by zidovudine but not by didanosine. *Scand J Infect Dis* 28: 329-333, 1996
424. Hoffmann G, Schobersberger W, Frede S, Pelzer L, Fandrey J, Wachter H, Fuchs D, Grote J: Neopterin activates transcription factor nuclear factor- κ B in vascular smooth muscle cells. *FEBS Lett* 391: 181-184, 1996
425. Kelly P, Summerbell C, Ngwenya B, Mandanda B, Hosp M, Fuchs D, Wachter H, Luo NP, Pobe JOM, Farthing MJG: Systemic immune activation as a potential determinant of wasting in Zambians with HIV-related diarrhoea. *Quart J Med* 89: 831-837, 1996
426. Leblhuber F, Walli J, Tilz GP, Jellinger K, Wachter H, Fuchs D: Increased serum neopterin concentrations in a patient with Creutzfeldt-Jakob disease. *J Neurol Neurosurg Psych* 61: 211-212, 1996
427. Leblhuber F, Walli J, Tilz GP, Wachter H, Fuchs D: Immunologische Befunde bei Patienten mit Alzheimer'scher Demenz. *Neuropsychiatrie* 10: 138-139, 1996
428. Marth C, Windbichler G, Fuchs D, Zeimet AG, Wachter H, Dapunt O: Bedeutung des Immunparameters Neopterin bei der Adnexitis. *Zentralbl Gynäkol* 118: 164-168, 1996
429. Murr C, Baier-Bitterlich G, Fuchs D, Werner ER, Esterbauer H, Pfeleiderer W, Wachter H: Effects of neopterin-derivatives on H₂O₂-induced luminol chemiluminescence: mechanistic aspects. *Free Radical Biol Med* 21: 449-456, 1996
430. Murr C, Baier-Bitterlich G, Fuchs D, Gerlach D, Werner-Felmayer G, Dierich MP, Wachter H. Streptococcal erythrogenic toxins induce neopterin formation in human peripheral blood mononuclear cells but not in the human myelomonocytoma cell line THP-1. *Immunobiology* 195: 341-322, 1996
431. Nasonov EL, Samsonov Mlu, Tilz GP, Beketova TV, Semenкова EN, Mukhin NA, Baranov AA, Wachter H, Fuchs D: Activation of cellular immunity in Wegener's granulomatosis: a study of neopterin interleukin-2 receptors and tumor necrosis factor. *Ter Arkh* 68: 67-70, 1996
432. Nasonov EL, Samsonov MI, Tilz GP, Pisklakov VP, Dzhusenova B, Nasonova VA, Wachter H, Fuchs D: Activation of cellular immunity in acute rheumatic fever: clinical and pathogenetic significance. *Vestn Ross Akad Med Nauk* 41-4, 1996
433. Rudzite V, Jurika E, Baier-Bitterlich G, Wachter H, Fuchs D: Effect of 7,8-Dihydroneopterin, biopterin and isoxanthopterin on cholesterol and phospholipid content and phospholipid biosynthesis in vitro. *Pteridines* 7: 24-28, 1996
434. Rudzite V, Berzinsh J, Grivane I, Fuchs D, Baier-Bitterlich G, Wachter H: Serum tryptophan, kynurenine,

- and neopterin in patients with Guillain-Barre-Syndrome (GBS) and multiplosclerosis (MS) *Adv Exp Med Biol* 398: 183-187, 1996
435. Rudzite V, Jurika E, Fuchs D, Baier-Bitterlich G, Wachter H: Kynurenine and pteridines in changes of membrane fluidity. *Adv Exp Med Biol* 398: 255-261, 1996
436. Samsonov M, Wachter H, Fuchs D: Serum-soluble interleukin-2 receptors, neopterin levels, and severity of dilated cardiomyopathy. *Circulation* 93: 1255-1256, 1996
437. Santos-Perez JL, Diez-Ruiz A, Luna-Casado L, Soto-Mas JA, Wachter H, Fuchs D, Gutierrez-Gea F: T-cell activation, expression of adhesion molecules and response to ethanol in alcoholic cirrhosis. *Immunol Lett* 50: 179-183, 1996
438. Schobersberger W, Hoffmann G, Hobisch-Hagen P, Böck G, Völkl H, Baier-Bitterlich G, Wirleitner B, Wachter H, Fuchs D: Neopterin and 7,8-dihydroneopterin induce apoptosis in the rat alveolar epithelial cell line L2. *FEBS Lett* 397: 263-268, 1996
439. Schröcksnadel H, Baier-Bitterlich G, Dapunt O, Wachter H, Fuchs D: Decreased plasma tryptophan in pregnancy. *Obstet Gynecol* 88: 47-50, 1996
440. Stahl-Hennig C, Dittmer U, Nißlein T, Pekrun K, Petry H, Jurkiewicz E, Fuchs D, Wachter H, Rud EW: Attenuated SIV imparts immunity to challenge with pathogenic spleen-derived SIV but cannot prevent repair of the nef deletion. *Immunol Lett* 51: 129-135, 1996
441. Stahl-Hennig C, Dittmer U, Nißlein T, Petry H, Jurkiewicz E, Fuchs D, Wachter H, Mätz-Rensing K, Kuhn EM, Kaup FJ, Rud EW, Hunsmann G: Rapid development of vaccine protection in macaques by live-attenuated simian immunodeficiency virus. *J Gen Virol* 77: 2969-2981, 1996
442. Tilz GP, Diez-Ruiz A, Baier-Bitterlich G, Demel U, Wachter H, Fuchs D: Soluble receptors for tumor necrosis factor and neopterin as parameters of cell-mediated immune activation. *Haematology* 1: 141-154, 1996
443. Zeimet AG, Natoli C, Herold M, Fuchs D, Windbichler G, Daxenbichler G, Iacobelli S, Dapunt O, Marth C: Circulating immunostimulatory protein 90k and soluble interleukin-2 receptor in human ovarian cancer. *Int J Cancer* 68: 34-38, 1996
444. Altindag ZZ, Werner-Felmayer G, Sahin G, Wachter H, Fuchs D: Colchicine derivatives inhibit neopterin production in human peripheral blood mononuclear cells (PBMC). *Clin Exp Immunol* 107: 574-577, 1997
445. Baier-Bitterlich G, Fuchs D, Wachter H: Chronic immune stimulation, oxidative stress, and apoptosis in HIV infection. *Biochem Pharmacol* 53: 755-763, 1997
446. Baier-Bitterlich G, Fuchs D, Zangerle R, Baeuerle PA, Werner ER, Fresser F, Überall F, Baier G, Wachter H: trans-Activation of the HIV type 1 promoter by 7,8-dihydroneopterin in vitro. *AIDS Res Human Retrovir* 13: 173-178, 1997
447. Baranov AA, Samsonov MI, Nasonov EL, Wachter H, Shilkina NP, Fuchs D, Salozhin KV: Serum neopterin in hemorrhagic vasculitits. *Klin Med Mosk* 75: 34-36, 1997
448. Demel D, Tilz GP, Artner-Dworzak E, Fuchs D: Fortschritte in der Eiweißanalytik: Ergebnisse mit einem neuen kapillarelektrophoretischen Verfahren. *Berichte der ÖGKC*, 20: 75-77, 1997
449. Fuith LC, Czarnecki M, Mitterschiffthaler G, Wachter H, Fuchs D: Abdominal hysterectomy induces immune activation. *Pteridines* 8: 17-20, 1997
450. Gundlach BR, Linhart H, Dittmer U, Sopper S, Reiprich S, Fuchs D, Fleckenstein B, Hunsmann G: Construction, replication, and immunogenic properties of a simian immunodeficiency virus expressing interleukin-2. *J Virol* 71: 2225-2232, 1997
451. Hosp M, Elliot AM, Raynes JG, Mwinga AG, Luo N, Zangerle R, Pobee JOM, Wachter H, Dierich MP, McAdam KPWJ, Fuchs D: Neopterin, β 2-microglobulin, and acute phase proteins in HIV-1-seropositive and seronegative Zambian patients with tuberculosis. *Lung* 175: 265-275, 1997
452. Kelly P, Davies SE, Mandanda B, Veitch A, McPhail G, Zulu I, Drobniewski F, Fuchs D, Summerbell C, Luo NP, Pobee JO, Farthing MJ. Enteropathy in Zambians with HIV related diarrhoe: regression modelling of potential determinants of mucosal damage. *Gut* 41: 811-816, 1997
453. Luna-Cassado L, Diez-Ruiz A, Gutierrez-Gea F, Santos-Perez JL, Rico-Irles J, Wachter H, Fuchs D: Increased peripheral mononuclear cells expression of adhesion molecules in alcoholic cirrhosis: its relation to immune activation. *J Hepatol* 27: 477-483, 1997
454. Maloney EM, Brown ML, Kurman CC, Fuchs D, Nelson DL, Wachter H, Blattner WA, Tollerud DJ. Temporal variability in immunological parameters: peripheral blood mononuclear cell subsets, serum immunoglobulins, and soluble markers of immune system activation. *J Clin Lab Anal* 11: 190-195, 1997
455. Murr C, Widner B, Gerlach D, Werner-Felmayer G, Dierich MP, Wachter H, Fuchs D: Streptococcal erythrogenic toxins induce tryptophan degradation in human peripheral blood mononuclear cells. *Int Arch Allergy Immunol* 114: 224-228, 1997
456. Nasonov EL, Samsonov MY, Tilz GP, Beketova TV, Semenkova EN, Baranov A, Wachter H, Fuchs D: Serum concentrations of neopterin, soluble interleukin 2 receptor, and soluble tumor necrosis factor receptor in Wegener's granulomatosis. *J Rheumatol* 24: 666-670, 1997
457. Nasonov EL, Samsonov MY, Shtutman VZ, Gekht BM, Gurkina GT, Tilz GP, Guseva AG, Fuchs D, Wachter H. Neopterin: marker of cellular immunity activation in idiopathic inflammatory myopathy. *Klin*

Med Mosk 75: 47-51, 1997

458. Rudzite V, Jurika E, Jirgensons J, Herpfer I, Weiss G, Wachter H, Fuchs D: The influence of kynurenine and its metabolites on lipid metabolism. *Pteridines* 8: 201-205, 1997
459. Samsonov MY, Nassonov EL, Tilz GP, Gekht BM, Demel U, Gurkina GT, Shtutman VZ, Guseva AG, Wachter H, Fuchs D: Elevated serum levels of neopterin in adult patients with polymyositis/ dermatomyositis. *Br J Rheumatol* 36: 656-660, 1997
460. Schennach H, Schönitzer D, Wachter H, Fuchs D: Blood donations and viruses. *Lancet* 349: 1327-1328, 1997
461. Schobersberger W, Hobisch-Hagen P, Hoffmann G, Fuchs D: Erythropoietin response and cytokines in ill patients. *Intensive Care Med* 23: 920-921, 1997
462. Tilz G, Diez-Ruiz A, Baier-Bitterlich G, Demel U, Wachter H, Fuchs D: Soluble receptors for tumor necrosis factor and neopterin as parameters of cell-mediated immune activation. *Allergy Clin Immunol Int* 9: 110-118, 1997
463. Wirleitner B, Baier-Bitterlich G, Hoffmann G, Schobersberger W, Wachter H, Fuchs D: Neopterin derivatives to activate NF- κ B. *Free Radical Biol Med* 23: 177-178, 1997
464. Widner B, Werner ER, Schennach H, Wachter H, Fuchs D: Simultaneous measurement of serum tryptophan and kynurenine by HPLC. *Clin Chem* 43: 2424-2426, 1997
465. Zaknun D, Orav J, Kornegay J, Alattar I, Fuchs D, Zaknun J, Wachter H, Chatis P, Burchett SK, McIntosh K: Correlation of ribonucleic acid polymerase chain reaction, acid dissociated p24 antigen, and neopterin with progression of disease: A retrospective, longitudinal study of vertically acquired human immunodeficiency virus type 1 infection in children. *J Pediatr* 130: 898-905, 1997

466. Gisslén M, Hagberg L, Fuchs D, Norkrans G, Svennerholm B: Cerebrospinal fluid viral load in HIV-1-infected patients without antiretroviral treatment. *J Acquir Immune Defic Syndr Human Retrovirol* 17: 291-295, 1998
467. Gisslén M, Svennerholm B, Fuchs D, Hagberg L: Neurological efficacy of stavudine, zidovudine, and lamivudine. *Lancet* 352: 402-403, 1998
468. Hoffmann G, Kenn S, Wirleitner B, Deetjen C, Frede S, Smolny M, Rieder J, Fuchs D, Baier-Bitterlich G, Schobersberger W. neopterin induces nitric-oxide dependent apoptosis in rat vascular smooth muscle cells. *Immunobiology* 199: 63-73, 1998
469. Neopterin-induced tumor necrosis factor- α synthesis in vascular smooth muscle cells in vitro. *Int Arch Allergy Immunol* 116: 240-245, 1998
470. Horak E, Gassner I, Sölder B, Wachter H, Fuchs D. Neopterin levels and pulmonary tuberculosis in infants. *Lung* 176: 337-344, 1998
471. Kaufmann P, Tilz GP, Demel U, Wachter H, Kreijs JG, Fuchs D: Neopterin plasma concentrations predict the course of severe acute pancreatitis. *Clin Chem Lab Med* 36: 29-34, 1998
472. Leblhuber F, Walli J, Tilz GP, Wachter H, Fuchs D. Systemische Veränderung des Immunsystems bei Patienten mit Alzheimer-Demenz. *Deutsch Med Wochenschr* 123: 787-791, 1998
473. Leblhuber F, Walli J, Jellinger K, Tilz GP, Widner B, Laccone F, Fuchs D. Activated immune system in patients with Huntington's disease. *Clin Chem Lab Med* 36: 747-750, 1998
474. Ledochowski M, Sperner-Unterweger B, Widner B, Fuchs D: Fructose malabsorption is associated with early signs of mental depression. *Eur J Med Res* 3: 295-298, 1998
475. Ledochowski M, Sperner-Unterweger B, Fuchs D. Lactose malabsorption is associated with early signs of mental depression in females. *Dig Dis Sci* 43: 2513-2517, 1998
476. Martinsons A, Rudzite V, Widner B, Fuchs D. Neopterin and kynurenine in mesangioproliferative glomerulonephritis. *Pteridines* 9: 207-211, 1998
477. Murr C, Berchtold J, Norer B, Waldhart E, Wachter H, Fuchs D. Neopterin is a prognostic parameter in patients with squamous-cell carcinomas of the oral cavity. *Int J Cancer* 79: 476-480, 1998
478. Nassonov EL, Samsonov M, Chichasova NV, Inametdinova GR, Nikiforova EL, Aleksandrova EN, Ilich-Stoyanovich O, Fuchs D, Wachter H: Neopterin. Laboratory marker of cellular immunity activity in rheumatoid arthritis. *Terapevticheskii Arkhiv (Russ)* 70: 28-31, 1998
479. Petry H, Stahl-Hennig C, Dittmer U, Jones D, Farrar G, Wachter H, Fuchs D, Nisslein T: A subunit vaccine consisting of gp130 oligomers but not of gp130 monomers protects rhesus macaques against productive infection with SIVmac32H. *AIDS* 12: 329-330, 1998
480. Petry H, Dittmer U, Jones D, Farrar G, Wachter H, Fuchs D, Nisslein T, Jurkiewicz E, Hunsmann G, Stahl-Hennig C, Lüke W. Prechallenge high neutralizing antibodies and long-lasting immune reactivity to gp41 correlate with protection of rhesus monkeys against productive simian immunodeficiency virus infection or disease development. *J Acquir Immune Defic Syndr Hum Retrovirol* 19: 441-50, 1998
481. Rudzite V, Jurika E, Baier-Bitterlich G, Widner B, Reibnegger G, Fuchs D. Pteridines and Lipid Metabolism. *Pteridines* 9: 103-112, 1998
482. Rudzite V, Jurika E, Jirgensons J, Widner B, Weiss G, Fuchs D. Difference and similarity of serotonin and pteridines to act on lipid metabolism. *Pteridines* 9: 201-206, 1998
483. Samsonov M, Lopatin J, Tilz GP, Artner-Dworzak E, Nassonov E, Mareev V, Belenkov J, Wachter H,

- Fuchs D: The activated immune system and the renin-angiotensin-aldosterone system in congestive heart failure. *J Intern Med* 243: 93-98, 1998
484. Satoh T, Brown LM, Blattner WA, Maloney EM, Kurman CC, Nelson DL, Fuchs D, Wachter H, Tollerud DJ. Serum neopterin, beta2-microglobulin, soluble interleukin-2 receptors, and immunoglobulin levels in healthy adolescents. *Clin Immunol Immunopathol* 88: 176-82, 1998
485. Schennach H, Schoenitzer D, Fuchs D. Association between chronic hepatitis C virus infection and increased neopterin concentrations in blood donations. *Clin Chem* 44: 2225-2226, 1998
486. Schobersberger W, Hobisch-Hagen P, Fuchs D, Hoffmann G, Jelkmann W. Pathogenesis of anaemia in the critically ill patients. *Pathogenesis of anaemia in the critically ill patient. Clin Intens Care* 9: 111-117, 1998
487. Spring M, Stahl-Hennig C, Nisslein T, Locher C, Fuchs D, Bodemer W, Hunsmann G, Dittmer U. Suppression of viral replication in a long-term nonprogressing rhesus macaque experimentally infected with pathogenic simian immunodeficiency virus. *Clin Immunol Immunopathol* 87: 101-105, 1998
488. Wachter H, Lechleitner M, Artner-Dworzak E, Hausen A, Jarosch E, Widner B, Patsch J, Pfeiffer KP, Fuchs D: Diatomaceous earth lowers blood cholesterol concentrations. *Eur J Med Res* 3: 211-215, 1998
489. Wede I, Altindag Z, Widner B, Wachter H, Fuchs D. Inhibition of xanthine oxidase by pterins. *Free Radical Res* 29, 331-338, 1998
490. Weiss G, Widner B, Zoller H, Fuchs D: The immunobiology of zinc and the kidney. *Immunol Today* 19:193-194, 1998
491. Weiss G, Widner B, Zoller H, Schobersberger W, Fuchs D. Immune response and iron metabolism. *Brit J Anaesthesia* 81: S6-9, 1998
492. Widner B, Baier-Bitterlich G, Wede I, Wirleitner B, Fuchs D. Neopterin derivatives modulate the nitration of tyrosine by peroxynitrite. *Biochem Biophys Res Comm* 248:341-346, 1998
493. Widner B, Baier-Bitterlich G, Wede I, Wirleitner B, Wachter H, Fuchs D. Neopterin: indicator of oxidative stress and part of the cytotoxic armature of activated macrophages in humans. *Pteridines* 9: 91-102, 1998
494. Widner B, Mirlach A, Hausen A, Jenewein I, Jenewein D, Dierich MP, Wachter H, Fuchs D. Determination of silicon in urine by inductive coupled plasma optical emission spectroscopy (ICP-OES). *Clin Chim Acta* 277: 51-63, 1998
495. Wirleitner B, Baier-Bitterlich G, Böck G, Widner B, Fuchs D. 7,8-Dihydroneopterin induced apoptosis in Jurkat T-lymphocytes - a comparison with anti-Fas and hydrogen peroxide mediated cell death. *Biochem Pharmacol* 56: 1181-1187, 1998
496. Zangerle R, Steinhuber S, Sarcletti M, Dierich MP, Wachter H, Fuchs D, Möst J: Serum HIV-1 RNA levels compared to soluble markers of immune activation to predict disease progression in HIV-1 infected individuals. *Int Arch Allergy Immunol* 116: 228-239, 1998
497. Zeimet AG, Widschwendter M, Knabbe C, Fuchs D, Herold M, Mullerholzner E, Daxenbichler G, Offner FA, Dapunt O, Marth C: Ascitic interleukin-12 is an independent prognostic factor in ovarian cancer. *J Clin Oncol* 16: 1861-1868, 1998
498. Anderson LM, Blennow K, Fuchs D, Svennerholm B, Gisslen M. Increased cerebrospinal fluid protein tau concentration in neuro-AIDS. *J Neurol Sci* 171: 92-96, 1999
499. Carl S, lafrate AJ, Lang SM, Stahl-Hennig C, Kuhn EM, Fuchs D, Matz-Rensing K, ten-Haaf P, Heeney JL, Skowronski J, Kirchhoff F. The acidic region and conserved putative protein kinase C phosphorylation site in Nef are important for SIV replication in rhesus macaques. *Virology* 257: 138-55, 1999
500. Fuchs D: Ruhig Blut? Über die Sicherheit von Haemoderivaten. *Österr Krankenhaus-Ztg (ÖKZ)* 40: 6, 1999
501. Fuith LC, Murr C, Czarnecky N, Fuchs D. Laboratoriumsdiagnostische Marker zum Monitoring maligner Tumorerkrankungen. *Der Mediziner* 10: 47-50, 1999
502. Gisslén M, Fuchs D, Svennerholm B, Hagberg L. Cerebrospinal fluid viral load, intrathecal immunoactivation, and cerebrospinal fluid monocytic cell count in HIV-1 infection. *J Acquir Immune Defic Syndr* 21:271-276, 1999
503. Hoffmann G, Rieder J, Smolny M, Seibel M, Wirleitner B, Fuchs D, Schobersberger W. Neopterin-induced expression of intercellular adhesion molecule-1 type II like alveolar epithelial cells. *Clin Exp Immunol* 118: 435-440, 1999
504. Kirchhoff F, Munch J, Carl S, Stolte N, Matz-Rensing K, Fuchs D, Haaf PT, Heeney JL, Swigut T, Skowronski J, Stahl-Hennig C: The human immunodeficiency virus type 1 nef gene can to a large extent replace simian immunodeficiency virus nef in vivo. *J Virol* 73: 8371-83, 1999
505. Ledochowski M, Murr C, Fuchs D. Obesity and Cytokines. *Int J Obes* 23: 114, 1999
506. Leblhuber F, Walli J, Demel U, Tilz GP, Widner B, Fuchs D: Increased serum neopterin concentrations in patients with Alzheimer's disease. *Clin Chem Lab Med* 37: 429-431, 1999
507. Ledochowski M, Widner B, Sperner-Unterweger B, Fuchs D. Besteht ein Zusammenhang zwischen Fructosemalabsorption und der Neigung zur Depression? *Neuropsychiatrie* 13: 116-121, 1999
508. Ledochowski M, Murr C, Widner B, Fuchs D. Association between insulin resistance, body mass and

- neopterin concentrations. *Clin Chim Acta* 282: 115-123, 1999
509. Ledochowski M, Ueberall F, Propst T, Fuchs D. Fructose malabsorption is associated with lower plasma folic acid concentrations in middle-aged subjects. *Clin Chem* 45: 2013-2014, 1999
510. Ledochowski M, Widner B, Propst-Braunsteiner T, Vogel W, Sperner-Unterweger B, Fuchs D. Fructose malabsorption is associated with decreased plasma tryptophan. *Adv Exp Med Biol* 467: 73-78, 1999
511. Martinsons A, Rudzite V, Groma V, Bratislavská O, Widner B, Fuchs D. Kynurenine and neopterin in chronic glomerulonephritis. *Adv Exp Med Biol* 467: 579-586, 1999
512. Murr C, Fuith LC, Widner B, Wirleitner B, Baier-Bitterlich G, Fuchs D. Increased neopterin concentrations in patients with cancer: indicator of oxidative stress? *Anticancer Res* 19: 1721-1728, 1999
513. Murr C, Widner B, Wirleitner B, Baier-Bitterlich G, Fuchs D. Neopterin als Prognoseparameter bei malignen Tumorerkrankungen. *J Lab Med* 23: 545-549, 1999
514. Murr C, Bergant A, Widschwendter M, Heim K, Schröcksnadel H, Fuchs D. Neopterin is an independent prognostic parameter in females with breast cancer. *Clin Chem* 45: 1998-2004, 1999
515. Nassonov EL, Samsonov MY, Belenkov YU, Fuchs D. Immunopathology of congestive heart failure: the role of cytokines. *Kardiologiya* 3: 66-73, 1999
516. Nassonov EL, Samsonov MI, Tilz GP, Nikiforova EL, Chichasova NV, Imametdinova GR, Ilich-Stoianovich O, Baranov AA, Fuchs D, Nasonova VA. Soluble adhesion molecules (P-selectin, ICAM-1, and ICAM-3) in rheumatoid arthritis. *Ter Arkh* 71: 17-20, 1999
517. Nassonov EL, Samsonov MY, Wirleitner B, Tilz GP, Fuchs D. Neopterin in autoimmune rheumatic diseases. *Pteridines* 10: 119-124, 1999
518. Niedrig M, Stolte N, Fuchs D, Hunsmann G, Stahl-Hennig C. Intra-nasal infection of macaques with yellow fever (YF) vaccine strain 17D: a novel and economical approach for YF vaccination in man. *Vaccine* 17: 1206-1210, 1999
519. Oetli K, Wirleitner B, Baier-Bitterlich G, Grammer T, Fuchs D, Reibnegger G. Formation of oxygen radicals in solutions of 7,8-dihydroneopterin. *Biochem Biophys Res Comm* 264: 262-267, 1999
520. Pagel H, Fandrey J, Schobersberger W, Fuchs D, Jelkmann W. Effects of neopterin and 7,8-dihydro-neopterin on hypoxia-induced renal erythropoietin production. *Eur J Haematol* 62: 341-345, 1999
521. Rudzite V, Jurika E, Widner B, Fuchs D. Similarity between the action of pteridines and tryptophan metabolites on lipid metabolism. *Pteridines* 10: 133-140, 1999
522. Sattler W, Leblhuber F, Walli J, Widner B, Fuchs D. Cerebrospinal fluid levels of α -tocopherol and neopterin in patients with dementia. *Pteridines* 10: 220-224, 1999
523. Schubert C, Lampe A, Rumpold G, Fuchs D, König P, Schüßler G. Daily psychosocial stressors interfere with the dynamics of urine neopterin in a patient with systemic lupus erythematosus: an integrative single-case study. *Psychosom Med* 61: 876-882, 1999
524. Spöttl N, Wirleitner B, Böck G, Widner B, Fuchs D, Baier-Bitterlich G. Reduced pteridine derivatives induce apoptosis in human neuronal NT2/HNT cells. *Immunobiology* 201: 478-491, 1999/2000
525. Wede I, Widner B, Fuchs D. Neopterin derivatives modulate toxicity of reactive species on *Escherichia coli*. *Free Rad Res* 31: 381-388, 1999
526. Weiss G, Murr C, Zoller H, Haun M, Widner B, Ludescher C, Fuchs D. Modulation of neopterin formation and tryptophan degradation by Th1- and Th2-derived cytokines in human monocytic cells. *Clin Exp Immunol* 116: 435-440, 1999
527. Widner B, Fuith LC, Czarnecki M, Fuchs D. Correlation of neopterin concentrations in amniotic fluid and urine of pregnant women at delivery. *Pteridines* 10: 217-219, 1999
528. Widner B, Leblhuber F, Fuchs D. Abnormal potassium-channel function in platelets in Alzheimer's disease. *Lancet* 353: 325-326, 1999
529. Widner B, Leblhuber F, Walli J, Tilz GP, Demel U, Fuchs D. Degradation of tryptophan in neurodegenerative disorders. *Adv Exp Med Biol* 467: 133-138, 1999
530. Widner B, Murr C, Wirleitner B, Mayr C, Spöttl N, Baier-Bitterlich G, Fuchs D. The importance of neopterin as a laboratory diagnostic marker of immune activation. *Pteridines* 10: 101-111, 1999
531. Widner B, Sepp N, Kowald E, Kind S, Schmuth M, Fuchs D. Degradation of tryptophan in patients with systemic lupus erythematosus. *Adv Exp Med Biol* 467: 571-577, 1999
532. Widner B, Wirleitner B, Baier-Bitterlich G, Murr C, Fuchs D. Neopterin – a laboratory diagnostic parameter for immune activation. *FONS, Informacni Bulletin, Ceska Spolecnost Klinicke Biochemie* 8: 32-41, 1999
533. Widner B, Werner ER, Schennach H, Fuchs D. An HPLC method to determine tryptophan and kynurenine in serum simultaneously. *Adv Exp Med Biol* 467: 827-832, 1999
534. Wiedermann FJ, Innerhofer P, Margreiter J, Fuchs D, Schobersberger W. Procalcitonin and neopterin in infectious diseases. *Pteridines* 10: 125-132, 1999
535. Carl S, Iafrate JA, Lang SM, Lang SM, Stolte N, Stahl-Hennig C, Rensing-Mätz K, Fuchs D, Skowronski J, Kirchhoff F. Simian immunodeficiency virus containing mutations in n-terminal tyrosine residues and in the pxxp motif in nef replicates efficiently in rhesus macaques. *J Virol* 74: 4155-4164, 2000

536. Fuchs D. Activated immune system and the rennin-angiotensin-aldosterone system in congestive heart failure. *SIICsalud* 9;11-13, 2000
537. Gonzalez-Calvin J, Tilz GP, Gallego-Rojo F, Torres-Almendros M, Widner B, Diez-Ruiz A, Rico-Irles J, Fuchs D. Neopterin soluble receptors for interleukin-2 and tumor necrosis factors in viral cirrhosis and alcoholic cirrhosis. *Pteridines* 11, 43-47, 2000
538. Gruber A, Murr C, Wirleitner B, Werner-Felmayer G, Fuchs D. Histamine suppresses neopterin production in the human myelomonocytoma cell line THP-1. *Immunol Lett* 72, 133-136, 2000
539. Hagberg L, Fuchs D, Rosengren L, Gisslen M. Intrathecal immune activation is associated with cerebrospinal fluid markers of neuronal destruction in AIDS patients. *J Neuroimmunol* 102: 51-55, 2000
540. Hobisch A, Ragatsch H, Hittmair A, Fuchs D, Bartsch G, Klocker H, Bartsch G, Culig Z. Immunohistochemical localization of interleukin-6 and its receptor in benign, premalignant and malignant prostate tissue. *J Pathol* 191, 239 – 244, 2000
541. Hosp M, Lisse IM, Quigley M, Mwinga AM, Godfrey-Faussett P, Porter JDH, Luo N, Pabee J, Wachter H, McAdam KPWJ, Fuchs D. An evaluation of low-cost progression markers in HIV-1 seropositive Zambians. *HIV Med* 1: 125-127, 2000
542. Hosp M, Quigley M, Mwinga AM, Godfrey-Faussett P, Porter JDH, McAdam KPWJ, Fuchs D. Neopterin and other indicators of HIV progression in Zambian adults. *Pteridines* 11: 37-42, 2000
543. Innerhofer P, Tilz G, Fuchs D, Luz G, Hobisch-Hagen P, Schobersberger W, Nussbaumer W, Lochs A, Irschick E. Immunologic changes following transfusion of autologous or allogeneic buffy-coat poor versus leukocyte-depleted blood transfusion in patients undergoing arthroplasty. Activation of T cells, macrophages and cell-mediated lympholysis. *Transfusion* 40: 821-827, 2000
544. Ischia R, Hobisch A, Bauer R, Weiss U, Gasser RW, Horninger W, Bartsch G Jr, Fuchs D, Bartsch G, Winkler H, Klocker H, Fischer-Colbrie R, Culig Z. Elevated levels of serum secretoneurin in patients with therapy-resistant carcinoma of the prostate. *J Urol* 163: 1161-1165, 2000
545. Laganovska G, Martinsons A, Pitrans B, Widner B, Fuchs D. Neopterin and kynurenine concentrations in aqueous humour of the anterior chamber of the eye and in serum of cataract patients with pseudoexfoliation. *Pteridines* 11: 94-99, 2000
546. Leblhuber F, Artner-Dworzak E, Vrecko K, Fuchs D. Homocysteine as a risk factor for atherosclerosis. *Ann Pharmacother* 34: 1208-1209, 2000
547. Leblhuber F, Walli J, Tilz GP, Demel U, Widner B, Fuchs D. Peripheral immune activation in Alzheimer. *Pteridines* 11: 48-53, 2000
548. Leblhuber F, Walli J, Artner-Dworzak E, Vrecko K, Widner B, Reibnegger R, Fuchs D. Hyperhomocysteinemia in dementia. *J Neural Transm* 107: 1469-1474, 2000
549. Ledochowski M, Murr C, Fuchs D. The role of psychological and biological factors in postinfective gut dysfunction. *Gut* 46: 140, 2000
550. Ledochowski M, Widner B, Fuchs D. Helicobacter pylori and chronic immune activation. *Am Heart J* 139: 925, 2000
551. Ledochowski M, Widner B, Fuchs D. Homocysteine and heart disease in Indian Asians. *Lancet* 355: 2249, 2000
552. Ledochowski M, Widner B, Bair H, Probst T, Fuchs D. Fructose- and sorbitol-reduced diet improves mood and gastrointestinal disturbances in fructose malabsorbers. *Scand J Gastroenterol* 35: 1048-1052, 2000
553. Ledochowski M, Widner B, Sperner-Unterwieser B, Probst T, Vogel W, Fuchs D. Carbohydrate malabsorption syndromes and early signs of mental depression in females. *Dig Dis Sci* 45:1255-1259, 2000
554. Ledochowski M, Widner B, Fuchs D. Fruktosemalabsorption. *J Ernährungsmedizin* 2: 10-14, 2000
555. Maloney E, Claire Morgan O, Widner B, Werner E, Fuchs D. Central nervous system activation of the indolamine 2,3 dioxygenase pathway in HTLV-I associated myelopathy/tropical spastic paraparesis. *J Infect Dis* 181: 2037-2040, 2000
556. Margreiter JE, Schlager A, Schobersberger W, Balogh A, Balogh D, Lindner KH, Fuchs D. Exogenous neopterin causes cardiac contractile dysfunction in the isolated perfused rat heart. *J Mol Cell Cardiol* 32, 1265-1274, 2000
557. Murr C, Widner B, Sperner-Unterwieser B, Ledochowski M, Schubert C, Fuchs D. Immune reaction links disease progression in cancer patients with depression. *Medical Hypotheses* 55; 137-140, 2000
558. Nassonov EL, Samsonov MY, Tilz GP, Chichasova NV, Demel U, Widner B, Nikiphorova EL, Fuchs D. Soluble adhesion molecules in rheumatoid arthritis. *Rheumatology* 39: 808-810, 2000
559. Nassonov EL, Samsonov MY, Tilz GP, Chichasova NV, Widner B, Demel U, Nikiphorova EL, Fuchs D. Neopterin, soluble adhesion molecules and soluble cytokine receptors correlate with disease activity in rheumatoid arthritis. *Pteridines* 11: 54-59, 2000
560. Prommegger R, Widner B, Murr C, Unger A, Fuchs D, Salzer GM. Neopterin – a prognostic parameter in surgery for lung cancer. *Ann Thorac Surg* 70: 1861-1864, 2000
561. Rudzite V, Jurika E, Jäger M, Fuchs D. Impairment of lipid metabolism due to deficiency of pyridoxal-5-phosphate and/or activated immune system: its interpretation. *Pteridines* 11: 107-120, 2000

562. Saueremann U, Stahl-Hennig C, Stolte N, Mühl T, Krawaczak M, Spring M, Fuchs D, Kaup FJ, Hunsmann G, Stopper S. Homozygosity for a conserved Mhc class II DQ-DRB haplotype is associated with rapid disease progression in simian immunodeficiency virus-infected macaques: results from a prospective study. *J Inf Disease* 182: 716-24, 2000
563. Schennach H, Meyersbach P, Schönitzer D, Fuchs D. Additional neopterin screening to improve safety of blood donations. *Pteridines* 11: 76-80, 2000
564. Schobersberger W, Hobisch-Hagen P, Fries D, Wiedermann F, Rieder-Scharinger J, Villiger B, Frey W, Herold M, Fuchs D, Jelkmann W. Increase in immune activation, vascular endothelial growth factor and erythropoietin after an ultramarathon run at moderate altitude. *Immunobiology* 201: 611-620, 2000
565. Schobersberger W, Wiedermann F, Tilz GP, Fuchs D. Predictive value of cytokines during acute severe pancreatitis. *Crit Care Med* 28: 2673, 2000
566. Speth C, Stöckl G, Fuchs D, Wirleitner B, Widner B, Würzner R, Mohsenipour I, Dierich MP. Inflammation marker 7,8-dihydroneopterin induces apoptosis of neurons and glial cells – potential contribution to neurodegenerative processes. *Immunobiology* 202: 460-476, 2000
567. Widner B, Ledochowski M, Fuchs D. Interferon-gamma-induced tryptophan degradation: neuropsychiatric and immunological consequences. *Curr Drug Metabol* 1: 193-204, 2000
568. Widner B, Ledochowski M, Fuchs D. Sleep disturbances and tryptophan in patients with Alzheimer's disease. *Lancet* 355: 755-756, 2000
569. Widner B, Leblhuber F, Walli J, Tilz GP, Demel U, Fuchs D. Tryptophan degradation and immune activation in Alzheimer's disease. *J Neural Transm* 107: 343-353, 2000
570. Widner B, Sepp N, Kowald E, Ortner U, Wirleitner B, Fritsch P, Baier-Bitterlich G, Fuchs D. Enhanced tryptophan degradation in systemic lupus erythematosus. *Immunobiology* 201: 621-630, 2000
571. Widner B, Mayr C, Wirleitner B, Fuchs D. Oxidation of 7,8-dihydroneopterin by hypochlorous acid yields neopterin. *Biochem Biophys Res Commun* 275: 307-311, 2000
572. Widner B, Weiss G, Fuchs D. Tryptophan degradation to control T-cell responses. *Immunol Today* 21,250, 2000
573. Widner B, Wirleitner B, Baier-Bitterlich G, Weiss G, Fuchs D. Cellular immune activation, neopterin production, tryptophan degradation, and the development of immunodeficiency. *Arch Immunol Ther Exp* 48: 251-258, 2000
574. Widner B, Fuchs D. Immune activation and degradation of tryptophan. *Modern Asp Immunol* 1: 105-108, 2000
575. Wirleitner B, Kowald E, Widner B, Ortner U, Baier-Bitterlich G, Sepp N, Fuchs D. Soluble fas ligand and neopterin in patients with systemic and cutaneous discoid lupus erythematosus. *Pteridines* 11: 85-89, 2000
576. Amadori A, Wirleitner B, Diez-Ruiz A, Veronesi A, Chieco-Bianchi L, Fuchs D. Neopterin production in SCID mice injected with human peripheral blood mononuclear cells. *Immunobiology* 203: 642-649, 2001
577. Amann A, Widner B, Rieder J, Antretter H, Hoffmann G, Mayr V, Strohmenger HU, Fuchs D. Monitoring of immune activation using biochemical changes in a porcine model of cardiac arrest. *Mediators Inflamm* 10:343-346,2001
578. Andersson L, Hagberg L, Fuchs D, Svennerholm B, Gisslen M. Increased blood-brain barrier permeability in neuro-asymptomatic HIV-1-infected individuals-correlation with cerebrospinal fluid HIV-1 RNA and neopterin levels. *J Neurovirol* 7: 542-7, 2001
579. Demel U, Földes-Papp Z, Fuchs D, Tilz GP. Characterization of pteridines: a new approach by fluorescence correlation spectroscopy and analysis of assay sensitivity. *Pteridines* 12:147-154,2001
580. Enzinger C, Wirleitner B, Böck G, Baier-Bitterlich G, Fuchs D. Influence of cytokines tumor necrosis factor- α and interferon- γ on signaling cascades associated with apoptosis in PC12 cells. *Neurosci Lett* 316:157-160, 2001
581. Fuchs D, Jaeger M, Widner B, Wirleitner B, Artner-Dworzak E, Leblhuber F. Is hyperhomocysteinemia due to oxidative depletion of folate rather than insufficient dietary intake. *Clin Chem Lab Med* 39:691-694,2001
582. Fuchs D. Neopterin. *MTA Dialog* 11: 984, 2001
583. Hobisch A, Ramoner R, Fuchs D, Godoy-Tundidor S, Bartsch G, Klocker H, Culig Z. Prostate cancer cells (LNCaP) generated after long-term interleukin-6 treatment express interleukin-6 and acquire an interleukin-6-resistant phenotype. *Clin Cancer Res* 7:2941-2948, 2001
584. Hobisch-Hagen P, Wiedermann F, Mayr A, Fries D, Jelkmann W, Fuchs D, Hasibeder W, Mutz N, Klingler A, Schobersberger W. Blunted erythropoietic response to anemia in multiplytraumatized patients. *Crit Care Med* 29: 743-747, 2001
585. Lass-Flörl C, Dierich MP, Fuchs D, Semenitz E, Ledochowski M. Antifungal activity against candida species of the selective serotonin-reuptake inhibitor, sertraline. *Clin Infect Dis* 33: 135-6, 2001
586. Lass-Flörl C, Dierich MP, Fuchs D, Semenitz E, Jenewein I, Ledochowski M. Antifungal properties of selective serotonin reuptake inhibitors against *Aspergillus* species in vitro. *J Antimicrob Chemother* 48: 775-779, 2001

587. Leblhuber F, Walli J, Widner B, Artner-Dworzak E, Vrecko K, Fuchs D. Homocysteine and B vitamins in dementia. *Am J Clin Nutr* 73: 127-128, 2001 327, 2001
588. Ledjeff E, Artner-Dworzak E, Witasek A, Fuchs D, Hausen A. Neopterin Concentrations in Colon Dialysate. *Pteridines* 12: 155, 2001
589. Ledochowski M, Widner B, Murr C, Sperner-Unterweger B, Fuchs D. Fructose malabsorption is associated with decreased plasma tryptophan. *Scand J Gastroenterol* 36: 367-371, 2001
590. Ledochowski M, Murr C, Widner B, Fuchs D. Inverse relationship between neopterin and immunoglobulin E. *Clin Immunol* 98: 104-108, 2001
591. Ledochowski M, Murr C, Lass-Flörl, Fuchs D. Increased serum amylase and lipase in fructose malabsorbers. *Clinica Chimica Acta* 311:119-123,2001
592. Ledochowski M, Widner B, Murr C, Fuchs D. Decreased serum zinc in fructose malabsorbers. *Clin Chem* 47: 745-747, 2001
593. Ledochowski M, Murr C, Lass-Flörl C, Fuchs D. Helicobacter pylori and neopterin. *Pteridines* 12:126-129,2001
594. Ledochowski M, Murr C, Jäger M, Fuchs D. Dehydroepiandrosterone, ageing and immune activation. *Exp Gerontol* 36: 1739-1747, 2001
595. Münch J, Adam N, Finze N, Stolte N, Stahl-Hennig C, Fuchs D, Ten Haaf P, Heeney JL, Kirchhoff F. Simian immunodeficiency virus in which nef and u3 sequences do not overlap replicates efficiently in vitro and in vivo in rhesus macaques. *J Virol* 75:8137-46,2001
596. Münch J, Stolte N, Fuchs D, Stahl-Hennig C, Kirchhoff F. Efficient class I major histocompatibility complex down-regulation by simian immunodeficiency virus nef is associated with a strong selective advantage in infected rhesus macaques. *J Virol* 75: 10532-6, 2001
597. Murr C, Gerlach D, Widner B, Dierich MP, Fuchs D. Neopterin production and tryptophan degradation in humans infected by *Streptococcus pyogenes*. *Med Microbiol Immunol* 189: 161-163, 2001
598. Quigley MA, Mwinga A, Hosp M, Lisse I, Fuchs D, Porter J, Godfrey-Faussett P. Long term effect of preventive therapy for tuberculosis in a cohort of HIV-infected Zambian adults. *AIDS* 15: 215-222, 2001
599. Rudzite V, Saliva A, Kalnins U, Erglis A, Jäger M, Trushinskis K, Fuchs D. Association between increased serum neopterin and homocysteine concentrations as well as pyridoxal phosphate deficiency in patients with coronary heart disease. *Pteridines* 12;130-134,2001
600. Schennach H, Mayersbach P, Schönitzer D, Fuchs D. Zusätzliche Neopterinbestimmung bei Blutspenden: Verminderung des Infektionsrisikos. *Österr Krankenhaus-Ztg* 12: 17-20, 2001
601. Schinkel C, Licht K, Zedler S, Schinkel S, Frauenberger P, Fuchs D, Neugebauer E, Kreuzer E, Faist E. Interferon- γ modifies cytokine release in vitro by monocytes from surgical patients. *J Trauma* 50: 321-327, 2001
602. Schinkel C, Licht K, Zedler S, Schinkel S, Fuchs D, Faist E. Perioperative treatment with human recombinant interferon-gamma: a randomized double-blind clinical trial. *Shock* 16: 329-33, 2001
603. Schubert C, Lampe A, Runpold G, Geser W, Noisternig B, Chamson E, Schatz D, König P, Fuchs D, Schüßler G. Der Einfluss von Alltagsbelastung und assoziierten Emotionen auf den dynamischen Verlauf von Cortisol und Neopterin bei Patientinnen mit systemischem Lupus erythematodes: Ergebnisse aus zwei lintegrativen Einzelfallstudien“. *Z Psychosom Med Psychother* 47: 58-79, 2001
604. Sperner-Unterweger B, Eder-Ischia U, Widner B, Fuchs D, Fleischhacker WW. Immunologic changes in schizophrenia - effects of the disease? *Adv Biol Psychiatry* 20:66-74, 2001
605. Sölder E, Sperner-Unterweger B, Fuchs D. Depressed mood during pregnancy. *Brit Med J* 2001e1 (<http://bmj.com/cgi/eletters/323/7307/257#16189>)
606. Widner B, Fuchs D, Leblhuber F, Sperner-Unterweger B. Does disturbed homocysteine and folate metabolism in depression result from enhanced oxidative stress? *J Neurol Neurosurg Psych* 70; 419: 2001
607. Widner B, Sperner-Unterweger B, Leblhuber F, Ledochowski M, Fuchs D. Neopterin production and tryptophan degradation in patients with neurodegenerative disease: linke between immune activation and neuropsychiatric symptoms. *Adv Biol Psychiatry* 20:30-40, 2001
608. Wirleitner B, Czaputa R, Oettl K, Böck G, Widner B, Reibnegger G, Baier G, Fuchs D, Baier-Bitterlich G. Induction of apoptosis by 7,8-dihydroneopterin: involvement of radical formation. *Immunobiology* 203; 629-641, 2001
609. Zvetkova E, Wirleitner B, Tram NT, Schennach H, Fuchs D. Aqueous extracts of *Crinum latifolium* (L.) and *Camellia sinensis* show immunomodulatory properties in human peripheral blood mononuclear cells. *Intern Immunopharmacol* 1:2143-2150, 2001
610. Zvetkova E, Fuchs D, Katzarova E, Bakalska M, Svetoslavova M, Nikolov B. Neopterin acting as a bone marrow stem cell factor on early common haematopoietic (myeloid) and stromal (dendritic, CD34+) cell progenitors in vitro. *Pteridines* 12:135-139, 2001
611. Abdulle S, Hagberg L, Svennerholm B, Fuchs D, Gisslen M. Continuning intrathecal immunoactivation despite two years of effective antiretroviral therapy against HIV-1 infection. *AIDS* 16: 2145-2149, 2002
612. De Milito Aleman S, Marenzi R, Sönnnerborg A, Fuchs D, Zazzi M Chiodi F. Plasma levels of soluble

- CD27: a simple marker to monitor immune activation during potent antiretroviral therapy in HIV-1 infected subjects. *Clin Exp Immunol* 127:486-494,2002
613. Enzinger C, Wirleitner B, Spöttl N, Böck G, Fuchs D, Baier-Bitterlich G. Reduced pteridine derivatives induce apoptosis in PC12 cells. *Neurochem Int* 41:71-78,2002
614. Enzinger C, Wirleitner B, Lutz C, Böck G, Tomaselli B, Baier G, Fuchs D, Baier-Bitterlich. 7,8-dihydroneopterin induces apoptosis of Jurkat T-lymphocytes via a bcl-2 sensitive pathway. *Eur J Cell Biol* 81:197-202,2002
615. Földes-Papp Z, Demel U, Berry D, Domej W, Fuchs D, Tilz GP. Tissue transglutaminase antibody determination in celiac disease: analysis of diagnostic specificity of anti-human IgA-type assays. *J Immunoassay Immunochem* 23; 211-227, 2002
616. Frick B, Neurauter G, Fuchs D. Moderate hyperhomocysteinemia and oxidative stress. *Kidney Int* 51: 1910, 2002
617. Frick B, Schröcksnadel K, Fuchs D. Folate and homocysteine levels in head and neck squamous cell carcinoma. *Cancer* 95: 2252-2253, 2002
618. Gavryushin V, Aukorius E, Fuchs D, Vaitkuviene A. The role of neopterin in the fluorescence investigations of biotissue pathology. *Lithuanian J Physics* 42:111-118,2002
619. Gruber G, Lirk P, Amann A, Keller C, Schobersberger W, Hoffmann G, Fuchs D, Rieder J. Neopterin as a marker of immunostimulation: an investigation in anaesthetic workplaces. *Anaesthesia* 57: 747-50, 2002
620. Herpfer I, Greilberger J, Ledinski G, Widner B, Fuchs D, Jürgens G. Neopterin and 7,8-dihydroneopterin interfere with low density lipoprotein oxidation mediated by peroxynitrite and/ or copper. *Free Radical Res* 36: 509-520, 2002
621. Huang A. Depression in terminally ill patients with cancer. *J Roy Soc Med* 95: 526, 2002
622. Huang A, Fuchs D, Widner B, Glover C, Henderson DC, Allen-Mersh TG. Serum tryptophan decrease correlates with immune activation and impaired quality of life in colorectal cancer. *Brit J Cancer* 86: 1691-1696, 2002
623. Laich A, Leblhuber F, Widner B, Artner-Dworzak E, Jellinger K, Fuchs D. Moderate hyperhomocysteinemia in patients with Huntington's disease. *Pteridines* 13: 121-125, 2002
624. Laich A, Neurauter G, Widner B, Fuchs D. More rapid method for simultaneous measurement of tryptophan and kynurenine by HPLC. *Clin Chem* 48: 579-581, 2002
625. Laich A, Neurauter G, Wirleitner B, Fuchs D. Degradation of serum neopterin during day- and sunlight exposure. *Clin Chim Acta* 322: 175-187, 2002
626. Murr C, Ledochowski M, Fuchs D. Chronic immune stimulation may link ischemic heart disease with depression. *Circulation* 105 (14): 83e, 2002
627. Murr C, Widner B, Wirleitner B, Fuchs D. Neopterin as a marker for immune system activation. *Curr Drug Metabol* 3: 175-187, 2002
628. Neurauter G. Immune activation in peripheral blood of patients with prion diseases. *Brit Med J* 2002e1 (<http://bmj.com/cgi/eletters/325/7365/633#26166>)
629. Neurauter G, Leblhuber F, Fuchs D. Oxidative damage and cytogenetic analysis in leukocytes of Parkinson's disease patients. *Neurology* 2002e1 (<http://intl.neurology.org/cgi/eletters/58/12/1809>)
630. Neurauter G, Wirleitner B, Fuchs D. Tryptophan deficiency and depression in medical patients. *Brit Med J* 2002e1 (<http://bmj.com/cgi/eletters/325/7356/149#24502>)
631. Parrak V, Irsakova J, Skrakova M, Pindak D, Pechan J, Chovancova D, Divines L, Secnik P, Rakicka I, Fuchs D. Clinical significance of neopterin (NPT), our experiences. *Lek Obz* 51: 248-251, 2002
632. Rudzite V, Jurika E, Kalnins U, Erglis A, Trusinskis K, Jegere S, Frick B, Fuchs D. Comparing the sensitivity of pyridoxal-5-phosphate, homocysteine and neopterin in coronary heart disease. *Pteridines* 13: 100-103, 2002
633. Sarcletti M, Bitterlich W, Fuchs D, Zangerle R. Is the poorer rate of survival among patients with human immunodeficiency virus infection and anemia linked to immune activation? *J Infect Dis* 186:141- 142, 2002
634. Schennach H, Hessenberger G, Mayersbach P, Schönitzer D, Fuchs D. Acute cytomegalovirus infections in blood donors are indicated by increased serum neopterin concentrations. *Med Microbiol Immunol* 191: 115-118, 2002
635. Schennach H, Lanthaler AJ, Mayersbach P, Ulmer H, Müll K, Schönitzer D, Fuchs D, Larcher C. Human parvovirus B19 detection in asymptomatic blood donors: association with increased neopterin concentration. *J Infect Dis* 168: 1494-1497, 2002
636. Schennach H, Murr C, Gächter E, Mayersbach P, Schönitzer D, Fuchs D. Factors influencing serum neopterin concentrations in a population of blood donors. *Clin Chem* 48:643-645,2002
637. Schennach H, Murr C, Gächter E, Mayersbach P, Schönitzer D, Fuchs D. Association between neopterin production and other parameters in a population of blood donors. *Pteridines* 13: 133-139, 2002
638. Schennach H, Murr C, Larcher C, Streif W, Pastner E, Zaknun D, Schönitzer D, Fuchs D. Neopterin concentrations in cord blood: a single cohort study of paired samples of 541 pregnant women and their

newborns. *Clin Chem* 48: 2059-61, 2002

639. Schennach H, Schönitzer D, Fuchs D. West Nile virus and transfusion medicine. *Brit Med J* 2002el (<http://bmj.com/cgi/eletters/325/7364/566#a#25936>)
640. Schröcksnadel K, Frick B, Fuchs D. Immunopathogenetic link between depression and folate deficiency. *Brit Med J* 2002el (<http://bmj.com/cgi/eletters/324/7352/1512#23794>)
641. Schröcksnadel K, Frick B, Fuchs D. Functional vitamin B12 deficiency and Alzheimer disease. *Neurology* 2002el (<http://intl.neurology.org/cgi/eletters/58/9/1395>)
642. Sperner-Unterweger B, Miller C, Holzner B, Laich A, Widner B, Fleischhacker WW, Fuchs D. Immunologic alterations in schizophrenia: neopterin, L-kynurenine, tryptophan and T-cell subsets in the acute stage of illness. *Pteridines* 13: 9-14, 2002
643. Stahl-Hennig C, Fendrich C, Lüke W, Widner B, Hunsmann G, Fuchs D. Urinary neopterin indicates early infection and disease progression: model studies with simian and human immunodeficiency viruses in macaques. *Pteridines* 13: 1-8, 2002
644. Weiss G, Diez-Ruiz A, Murr C, Theurl I, Fuchs D. Tryptophan metabolites as scavengers of reactive oxygen and chlorine species. *Pteridines* 13: 140-144, 2002
645. Widner B, Laich A, Sperner-Unterweger B, Ledochowski M, Fuchs D. Neopterin production tryptophan degradation and mental depression: what is the link? *Brain Behav Immun* 16: 590-595, 2002
646. Widner B, Leblhuber F, Fuchs D. Increased neopterin production and tryptophan degradation in advanced Parkinson's disease. *J Neural Transm* 109: 181-189, 2002
647. Widner B, Enzinger C, Laich A, Wirleitner B, Fuchs D. Hyperhomocysteinemia pteridines and oxidative stress. *Current Drug Metabol* 3: 225-232, 2002
648. Widner B, Leblhuber F, Frick B, Laich A, Artner-Dworzak E, Fuchs D. Moderate hyperhomocysteinemia and immune activation in Parkinson's disease. *J Neural Transm* 109: 1445-1452, 2002
649. Wirleitner B, Reider D, Ebner S, Böck G, Widner B, Jaeger M, Schennach H, Romani N, Fuchs D. Monocyte-derived dendritic cells release neopterin. *J Leukocyte Biol* 72: 1148-53, 2002
650. Zangerle R, Widner B, Quirchmair G, Neurauter G, Sarcletti M, Fuchs D. Effective antiretroviral therapy reduces degradation of tryptophan in patients with HIV-1 infection. *Clin Immunol* 104: 242-247, 2002
651. Zvetkova E, Fuchs D, Denkova R, Baleva K, Timeva T, Bourneva V, Yaneva E, Ilieva I, Katarova E, Nikolov B, Savov J. The role of neopterin in regulating ovarian granulosa cells growth (proliferation/differentiation) and steroidogenesis in vitro. *Acta Morphol Anthropol (Sofia)* 7: 28-31, 2002
652. Capuron L, Neurauter G, Musselman DL, Lawson DH, Nemeroff CB, Fuchs D, Miller AH. Interferon-alpha-induced changes in tryptophan metabolism. Relationship to depression and paroxetine treatment. *Biol Psychiatry* 54:906-914, 2003
653. Frick B, Schroecksnadel K, Neurauter G, Wirleitner B, Artner-Dworzak E, Fuchs D. Rapid measurement of total plasma homocysteine by HPLC. *Clin Chim Acta* 331: 19-23, 2003
654. Frick B, Neurauter G, Diez-Ruiz A, Schroecksnadel K, Wirleitner B, Leblhuber F, Fuchs D. Neopterin y productos oxidativos en sangre de pacientes con varias formas de demencia. *Investig Clin (Spain)* 5: 110-114, 2003
655. Frick B, Neurauter G, Diez-Ruiz A, Schroecksnadel K, Wirleitner B, Leblhuber F, Fuchs D. Neopterin and oxidation products in the blood of patients with various forms of dementia. *Pteridines* 13: 88-93, 2003
656. Frick B, Rudzite V, Schröcksnadel K, Kalnins U, Erglis A, Trusinskis K, Fuchs D. Homocysteine, B vitamins and immune activation in coronary heart disease. *Pteridines* 13: 82-87, 2003
657. Fuchs D. SARS transmission to health care workers. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7394/850#31469>)
658. Fuchs D, Schroecksnadel K, Zangerle R. Increase in vitamin-B12 during highly active antiretroviral therapy. *Am J Clin Nutr* 78: 1046-7, 2003
659. Hoffmann G, Wirleitner B, Fuchs D. Potential role of immune system activation associated production of neopterin derivatives in humans. *Inflammation Res* 52: 313-321, 2003
660. Huang A, Fuchs D, Widner B, Glover C, Henderson DC, Allen-Mersh TG. Tryptophan and quality of life in colorectal cancer. *Adv Exp Med Biol* 27:353-358, 2003
661. Lass-Flörl C, Fuchs D, Ledochowski M, Speth C, Dierich MP, Würzner R. Antifungal properties of 5-hydroxytryptamine (serotonin) against *Candida* species in vitro. *J Med Microbiol* 52:169-171, 2003
662. Laganovska G, Martinsons A, Pitrans B, Widner B, Fuchs D. Kynurenine and neopterin in the aqueous humor of the anterior chamber of the eye and in serum of cataract patients. *Adv Exp Med Biol* 527:367-374, 2003
663. Lass-Flörl C, Ledochowski M, Fuchs D, Speth C, Kacani L, Dierich MP, Fuchs A, Würzner R. Interaction of sertraline with *Candida* species selectively attenuates fungal virulence in vitro. *FEMS Immunol Med Microbiol* 35: 11-15, 2003
664. Leblhuber F, Haller H, Steiner K, Fuchs D. DHEA treatment of alzheimer's disease: a randomized, double-blind, placebo-controlled study. *Neurology* 2003el - <http://intl.neurology.org/cgi/eletters/60/07/071>
665. Leblhuber F, Neurauter G, Fuchs D. Lymphocytes and pathogenesis of Parkinson's disease. *Neurology*

60: 729, 2003

666. Leblhuber F, Neurauter G, Fuchs D, Haller H, Steiner K, Fuchs D. DHEA treatment of Alzheimer's disease: a randomized, double-blind, placebo-controlled study. *Neurology* 62:1030, 2003
667. Ledochowski M, Fuchs D. Hyperventilatory capacity and risk of acute altitude sickness. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7395/915#31935>)
668. Ledochowski M, Bair H, Fuchs D. Laktoseintoleranz. *J Ernährungsmed.* 5: 7-14, 2003
669. Ledochowski M, Fuchs D. Altitude sickness: hyperventilatory capacity may predict altitude sickness. *Brit Med J* 327: 106, 2003
670. Ledochowski M, Murr C, Sperner B, Sperner-Unterweger B, Neurauter G, Fuchs D. Association between increased serum cholesterol and signs of depressive mood. *Clin Chem Lab Med* 41: 821-824, 2003
671. Murr C, Hainz U, Asch E, Berger P, Jenewein B, Saurwein-Teissl M, Grubeck-Loebenstien B, Fuchs D. Association of increased neopterin production with decreased humoral immunity in the elderly. *Exp Gerontol* 38: 583-587, 2003
672. Murr C, Fuchs D. Personality and the risk of cancer. *J Natl Cancer Inst* 95: 1638, 2003
673. Neurauter G, Wirleitner B, Fuchs D. Death from pneumonia in patients with progressive dementia. *J Am Geriatrics Soc* 51: 721, 2003
674. Neurauter G, Wirleitner B, Laich A, Schennach H, Weiss G, Fuchs D. Atorvastatin suppresses interferon- γ - induced neopterin formation and tryptophan degradation in human peripheral blood mononuclear cells and in monocytic cell lines. *Clin Exp Immunol* 131:264-267,2003
675. Neurauter G, Zangerle R, Widner B, Quirchmair G, Sarcletti M, Fuchs D. Effective antiretroviral therapy reduces degradation of tryptophan in patients with HIV-1 infection. *Adv Exp Med Biol* 527:317-312, 2003
676. Pindak D, Parrak V, Pechan J, Vavrecka A, Kuzela L, Fuchs D, Irsakova J. The clinical value of the procalcitonin in prediction of severity and outcome in acute pancreatitis. *Hepatogastroenterology* 50 (Suppl 2):28-32,2003
677. Razumovitch JA, Semenkova GN, Fuchs D, Cherenkevich SN. Influence of neopterin on the generation of reactive oxygen species in human neutrophils. *FEBS Lett* 549,83-86, 2003
678. Rudzite V, Jurika E, Fuchs D, Kalnins U, Erglis A, Trusinkis K. Serum concentrations of C-reactive protein, neopterin and phospholipids in patients with different grade of coronary heart disease. *Pteridines* 14:133-137, 2003
679. Rudzite V, Fuchs D, Kalnins U, Jurika E, Silava A, Erglis A, Trusinskis K, Jegere S. Prognostic value of tryptophan load test followed by serum kynurenine determination. It's comparison with pyridoxal-5-phosphate, kynurenine, homocysteine and neopterin amounts. *Adv Exp Med Biol* 527:307-315, 2003
680. Sarcletti M, Quirchmair G, Weiss G, Fuchs D, Zangerle R. Increase of haemoglobin levels by anti-retroviral therapy is associated with a decrease in immune activation. *Eur J Haematol* 70: 17-25, 2003
681. Schröcksnadel K, Frick B, Fuchs D. B-vitamins and cardiovascular risk. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7381/131>)
682. Schröcksnadel K, Frick B, Fuchs D. Fortification of food with folate to reduce cardiovascular risk. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7398/1054-c#32910>)
683. Schroecksnadel K, Frick B, Fuchs D. Plasma folate, vitamin B6, vitamin B12, homocysteine, and risk of breast cancer. *J Natl Cancer Inst.* 95:1091, 2003
684. Schröcksnadel K, Frick B, Fuchs D. Poly-drug to reduce cardiovascular disease. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7404/1419-c#34531>)
685. Schroecksnadel K, Frick B, Kaser S, Wirleitner B, Ledochowski M, Mur E, Herold M, Fuchs D. Moderate hyperhomocysteinemia and immune activation in patients with rheumatoid arthritis. *Clin Chim Acta* 338, 157-164, 2003
686. Schroecksnadel K, Frick B, Winkler C, Leblhuber F, Wirleitner B, Fuchs D. Hyperhomocysteinemia and immune activation. *Clin Chem Lab Med* 41:1438-1443, 2003
687. Schroecksnadel K, Frick B, Fuchs D. Immune activation to underlie moderate hyperhomocysteinemia in stroke and dementia? *Stroke* 34: 833, 2003
688. Schroecksnadel K, Frick B, Wirleitner B, Schennach H, Fuchs D. Homocysteine accumulates in supernatants of stimulated human peripheral blood mononuclear cells. *Clin Exp Immunol* 134:53-56, 2003
689. Schroecksnadel K, Kaser S, Ledochowski M, Neurauter G, Mur E, Herold M, Fuchs D. Increased degradation of tryptophan in blood of patients with rheumatoid arthritis. *J Reumatol* 30:1935-1939, 2003
690. Schröcksnadel K, Widner B, Bergant A, Neurauter G, Schennach H, Schröcksnadel H, Fuchs D. Longitudinal study of tryptophan degradation during and after pregnancy. *Life Sci* 72: 785-793, 2003 157-164, 2003
691. Schroecksnadel K, Widner B, Bergant A, Neurauter G, Schroecksnadel H, Fuchs D. Tryptophan degradation during and after gestation. *Adv Exp Med Biol* 527:77-83, 2003
692. Schröcksnadel K, Wirleitner B, Fuchs D. Race and AIDS vaccine. *Brit Med J* 2003el (<http://bmj.com/cgi/eletters/326/7387/463#30585>)
693. Schroecksnadel K, Wirleitner B, Fuchs D. Anemia and congestive heart failure. *Circulation* 108 (6):e41-2, 2003

694. Schroecksadel K, Wirleitner B, Fuchs D. Food rich in antioxidants to increase susceptibility for allergy and asthma. *Brit Med J* 2003el (<http://bmj.bmjournals.com/cgi/eletters/328/7436/386#51681>)
695. Schubert C. Influence of everyday stressors on biochemical dynamics in systemic lupus erythematosus. *Brit Med J* 2003 (<http://bmj.bmjournals.com/cgi/eletters/327/7416/646#37192>)
696. Schubert C, Lampe A, Geser W, Noisternig B, Fuchs D, König P, Chamson E, Schüßler G. Daily psychosocial stressors and cyclic response patterns in urine cortisol and neopterin in a patient with systemic lupus erythematosus. *Psychoneuroendocrinology* 28:459-473,2003
697. Steiner H, Godoy-Tundidor S, Rogatsch H, Berger AP, Fuchs D, Comuzzi B, Bartsch G, Hobisch A, Culig Z. Accelerated in vivo growth of prostate tumors that up-regulate interleukin-6 is associated with reduced retinoblastoma protein expression and activation of the mitogenactivated protein kinase pathway. *Am J Pathol* 162:655-663,2003
698. Toncheva D, Galabov AS, Laich A, Atanassova S, Kamarinchev B, Dimitrov T, Fuchs D. Urinary neopterin concentrations in patients with Balkan endemic nephropathy (BEN). *Kidney Int* 64:1817-1821,2003.
699. Walter RB, Fuchs D, Weiss G, Walter TR, Reinhard WH. HMG-CoA reductase inhibitors are associated with decreased serum neopterin levels in stable coronary artery disease. *Clin Chem Lab Med* 41:1314-1319,2003
700. Wiedermann F, Mayr AJ, Hobisch-Hagen P, Fuchs D, Schobersberger W. Association of endogenous G-CSF with anti-inflammatory mediators in patients with acute respiratory distress syndrome. *J Interferon Cytokine Res* 23:729-736, 2003
701. Winkler C, Wirleitner B, Werner ER, Fuchs D. Urinary neopterin concentrations in healthy individuals with household contacts. *Pteridines* 14: 34-38, 2003
702. Winkler C, Frick B, Schroecksadel B, Wirleitner B, Fuchs D. Follow-up of urinary neopterin concentrations in two children until adolescence. *Pteridines* 14: 102-107, 2003
703. Wirleitner B, Neurauder G, Schröcksadel K, Frick B, Fuchs D. Interferon- γ -induced conversion of tryptophan: immunologic and neuropsychiatric aspects. *Curr Med Chem* 10: 1581-1591, 2003
704. Wirleitner B, Obermoser C, Boeck G, Neurauder G, Schennach H, Sepp N, Fuchs F. Induction of apoptosis in human blood T cells by 7,8-dihydroneopterin: the difference between healthy controls and patients with systemic lupus erythematosus. *Clin Immunol* 107: 152-159, 2003
705. Wirleitner B, Rudzite V, Neurauder G, Murr C, Kalnins U, Erglis A, Trusinskis K, Fuchs D. Immune activation and degradation of tryptophan in coronary heart disease. *Eur J Clin Invest* 33, 550-554, 2003
706. Wirleitner B, Neurauder G, Schröcksadel K, Frick B, Fuchs D. Determination of tryptophan and kynurenine to estimate activity of indoleamine (2,3)-dioxygenase. *Lab Med Intern* 20, 11-14, 2003
707. Wirleitner B, Schröcksadel K, Winkler C, Frick B, Fuchs D. In vivo determination of oxidative stress. *Aktuelle Ernährung Med* 28, 363-370, 2003
708. Arvidson N, Gisslen M, Albert J, Brandin E, Svennerholm B, Fuchs D, Hagberg L. Cerebrospinal fluid viral load, virus isolation, and intrathecal immunoactivation in HIV type 2 infection. *AIDS Res Hum Retroviruses*. 20: 711-715, 2004
709. Frick B, Capuron L, Schroecksadel K, Musselman D, Lawson DH, Nemeroff CB, Miller AH, Fuchs D. Plasma homocysteine and immune activation in patients with malignant melanoma undergoing treatment with interferon-alpha. *J Interferon Cytokine Res* 24: 311-317, 2004
710. Frick B, Schroecksadel K, Neurauder G, Leblhuber F, Fuchs D. Increasing production of homocysteine and neopterin and degradation of tryptophan with older age. *Clin Biochem* 37: 684-687, 2004
711. Garcia-Ruiz P, Canora LJ, Diez Ruiz A, Fuchs D, Wachter H. Soluble interleukin-2 and tumor necrosis factor receptor in cirrhosis. Relationship with clinical severity and prognosis. *Med Clin (Barc)* 122: 441-443, 2004.
712. Irschick EU, Sgonc R, Böck G, Wolf H, Fuchs D, Nussbaumer W, Göttinger W, Huemer HP. Retinal pigment epithelial phagocytosis and metabolism differ from those of macrophages. *Ophthalmic Res* 36:195-205,2004
713. Leitner S, Golderer G, Winkler C, Fuchs D, Werner-Felmayer G, Werner ER. Interferon- γ -induced growth inhibition of neuroblastoma cells is independent of nitric oxide synthase and indoleamine (2,3)-dioxygenase. *Pteridines* 15: 91-96, 2004
714. Murr C, Hainz U, Asch E, Berger P, Jenewein B, Saurwein-Teissl M, Grubeck-Loebenstien B, Fuchs D. Increased neopterin concentration in older age coincides with decline of CD28⁺CD45RA⁺ T-cells. *Pteridines* 15: 150-154,2004
715. Neurauder G, Wirleitner B, Schroecksadel K, Schennach H, Ueberall F, Fuchs D. PADMA 28 modulates interferon- γ -induced tryptophan degradation and neopterin production in human PBMC in vitro. *Intern Immunopharmacol* 4, 833-839, 2004
716. Neurauder G, Wirleitner B, Schroecksadel K, Schennach H, Fuchs D. Wine and grape juice modulate interferon- γ -induced neopterin production and tryptophan degradation in human PBMC. *Pteridines* 15: 1-9, 2004
717. Neurauder G, Wirleitner B, Schroecksadel K, Frick B, Fuchs D. Interferon- γ -induzierter

Tryptophanabbau: Bedeutung für Immunologie und Psychiatrie. Aktuelle Ernährungsmed (J Metabol Res Clin Nutrition Diet) 29:171-177, 2004

718. Pagel H, Hoffmann G, Fuchs D, Schobersberger W. On the mechanisms of the neopterin-induced suppression of renal erythropoietin production. *Pteridines* 15: 28-32, 2004
719. Razumovitch J, Fuchs D, Semenkov GN, Cherenkevich SN. Influence of neopterin on generation of reactive species by myeloperoxidase in human neutrophils. *Biochim Biophys Acta* 1672: 46-50, 2004
720. Razumovitch J, Semenkov GN, Fuchs D, Cherenkevich SN. Generation of reactive oxygen and chlorine species by neutrophils under the action of neopterin and 7,8-dihydroneopterin. *News Biomed Sci (Minsk)* 4:88-93, 2004
721. Schobersberger W, Hoffmann G, Fries D, Gunga HC, Greie S, Fuchs D, Klingler A, Humpeler E. AMAS (Austrian Moderate Altitude Study)-2000: Effects of hiking holidays at moderate altitude and sport activities on immune system markers in persons with metabolic syndrome. *Pteridines* 15: 149-154, 2004
722. Schroecksadel K, Frick B, Fuchs D. Serum homocysteine and endothelial dysfunction disorders in women. *Circulation* 2004;110:e37
723. Schroecksadel K, Frick B, Wirleitner B, Winkler C, Schennach H, Fuchs D. Moderate hyperhomocysteinemia and immune activation. *Curr Pharm Biotechnol* 5:107-118, 2004
724. Schroecksadel K, Leblhuber F, Frick B, Wirleitner B, Fuchs D. Association of hyperhomocysteinemia in Alzheimer's disease with elevated neopterin levels. *Alzheimer's Dis Assoc Disord* 18: 129-133, 2004
725. Schröcksadel K, Leblhuber F, Fuchs D. Effect of L-dopa on plasma homocysteine in PD patients: relationship to B-vitamin status. *Neurology* 62:676, 2004
726. Schröcksadel K, Murr C, Fuchs D. Childhood infection and risk of atopic dermatitis. *Brit Med J* 2004e1 (<http://bmj.bmjournals.com/cgi/eletters/328/7450/1223#62513>)
727. Schroecksadel K, Murr C, Winkler C, Wirleitner B, Fuith LC, Fuchs D. Neopterin to monitor pathologies involving interferon- γ production. *Pteridines* 15: 75-90, 2004
728. Schroecksadel K, Neurauder G, Wirleitner B, Fuchs D. Immunmodulatorische Wirkung von Wein und Traubensaft. *J Ernährungsmedizin* 6, 14-18, 2004
729. Schröcksadel K, Zangerle R, Fuchs D. Multivitamin supplements and HIV disease progression. *N Engl J Med* 351:1353-1354, 2004
730. Schubert C, Geser W, Fuchs D. The need for more information on the complex relationship between psychological and somatic factors in multiple sclerosis. *Brit Med J* 2004 (<http://bmj.bmjournals.com/cgi/eletters/328/7442/731>)
731. Toncheva D, Galabov AS, Dimitrov T, Fuchs D. Urinary neopterin concentrations in patients with Balkan endemic nephropathy (BEN). *Kidney Int* 65:1971, 2004
732. Ueberall F, Fuchs D. Chronische Entzündungen: Modulation des Zytokinnetzwerkes durch Padma 28. *Schweiz Zschr GanzheitsMedizin* 16, 360-362, 2004
733. Weiss G, Schroecksadel K, Mattle V, Winkler C, Konwalinka G, Fuchs D. Possible role of cytokine-induced tryptophan degradation in anaemia of inflammation. *Eur J Haematol* 72: 130-134, 2004
734. Wiedermann FJ, Mayr AJ, Kaneider NC, Fuchs D, Mutz N, Schobersberger W. Alveolar granulocyte colony-stimulating factor and alpha-chemokines in relation to serum levels, pulmonary neutrophilia, and severity of lung injury in ARDS. *Chest* 125: 212-219, 2004
735. Winkler C, Schröcksadel K, Fuchs D. Depression accompanying cognitive decline. *Brit Med J* 2004 (<http://bmj.bmjournals.com/cgi/eletters/329/7471/881>)
736. Winkler C, Schröcksadel K, Fuchs D. Herbs to treat malaria. *Brit Med J* 2004 (<http://bmj.bmjournals.com/cgi/eletters/329/7475/1156#86562>)
737. Winkler C, Wirleitner B, Schroecksadel K, Schennach H, Mur E, Fuchs D. In vitro effects of two extracts and two pure alkaloid preparations of *Uncaria tomentosa* on peripheral blood mononuclear cells. *Planta Med* 70: 205-210, 2004
738. Winkler C, Wirleitner B, Schroecksadel K, Schennach H, Mur E, Fuchs D. St. John's wort (*Hypericum perforatum*) counteracts cytokine-induced tryptophan catabolism in vitro. *Biol Chem* 385:1197-1202, 2004
739. Wirleitner B, Neurauder G, Nagl M, Fuchs D. Down-regulatory effect of N-chlorotaurine on tryptophan degradation and neopterin production in human PBMC. *Immunol Lett* 93; 143-149, 2004
740. Wirleitner B, Sperner-Unterwieser B, Fuchs D. Statins to reduce risk of depression. *J Am Coll Cardiol* 43: 1132, 2004
741. Wolf AM, Wolf D, Rumpold H, Moschen AR, Kaser A, Obrist P, Fuchs D, Brandacher G, Winkler C, Geboes K, Rutgeerts P, Tilg H. Overexpression of indoleamine 2,3-dioxygenase (IDO) in human inflammatory bowel disease. *Clin Immunol* 113:47-55, 2004
742. Yilmaz A, Stähle L, Hagberg L, Svennerholm B, Fuchs D, Gisslén M. Cerebrospinal fluid and plasma HIV-1 RNA levels and lopinavir concentrations following lopinavir/ritonavir regimen *Scand J Infect Dis* 36:823-828, 2004
743. Balogh A, Mittermayr M, Schlager A, Balogh D, Schobersberger W, Fuchs D, Margreiter JE. Mechanism of neopterin-induced myocardial dysfunction in the isolated perfused rat heart. *Biochim Biophys Acta*

1724:17-22, 2005

744. Gisslén M, Fredman P, Fuchs D, Lekman A, Rosengren L. Temporarily controlled HIV-1 replication after intravenous immunoglobulin treatment of Guillain-Barré Syndrome. *Scand J Infect Dis* 37:877-881, 2005
745. Gluhcheva Y, Schroecksadel K, Wirleitner B, Zvetkova E, Konwalinka G, Fuchs D. Interferon-gamma-stimulated neopterin production and tryptophan degradation by human CD34+ hematopoietic progenitor cells. *Dokladi na Bolgarskata Akademya na Naukite (Sofia)* 58:445-450, 2005
746. Godoy-Tundidor S, Cavarretta IT, Fuchs D, Fiechtl M, Steiner H, Friedbichler K, Bartsch G, Hobisch A, Culig Z. Interleukin-6 and oncostatin M stimulation of proliferation of prostate cancer 22Rv1 cells through the signaling pathways of p38 mitogen-activated protein kinase and phosphatidylinositol 3-kinase. *Prostate*. 64:209-216, 2005
747. Hainz U, Obexer P, Sedlmayr P, Greinix H, Lawitschka A, Poetschger U, Fuchs D, Ladisch S, Heitger A. Monocyte-mediated T-cell suppression and augmented monocyte tryptophan catabolism after human hematopoietic stem cell transplantation. *Blood* 105:4127-4134, 2005
748. Jenny M, Schwaiger W, Bernhard D, Wrulich O, Cosaceanu D, Fuchs D, Ueberall F. Apoptosis induced by the Tibetan herbal remedy PADMA 28 in the T-cell-derived lymphocytic leukaemia cell line CEM-C7H2. *J Carcinog* 4:15 (1-8), 2005
749. Kohl C, Walch T, Huber R, Kemmler G, Neurauter G, Fuchs D, Soelder E, Schroecksadel H, Sperner-Unterweger B. Measurement of tryptophan, kynurenine and neopterin in women with and without postpartum blues. *J Affect Dis* 86:135-42, 2005
750. Mueller UJ, Frick B, Winkler C, Fuchs D, Wenning GK, Poewe W, Mueller J. Homocysteine and serum markers of immune activation in primary dystonia. *Movement Dis* 20:1663-1667, 2005
751. Murr C, Schroecksadel K., Winkler C, Ledochowski M, Fuchs D. Antioxidants may increase the probability of developing allergic diseases and asthma. *Med Hypotheses* 64:973-977, 2005
752. Murr C, Fuiith LC, Fuchs D. Über den Zusammenhang zwischen maligner Tumorerkrankung und Depressionsneigung - ein immunbiochemischer Ansatz. *Facharzt Neurologie/Psychiatrie* 14:16-19, 2005
753. Murr C, Schroecksadel K, Schönitzer D, Fuchs D Schennach H. Neopterin concentrations in blood donors differ between ABO blood group phenotypes. *Clin Biochem* 38:916-919, 2005
754. Neurauter G, Wirleitner B, Schennach H, Ueberall F, Fuchs D. A herbal multicomponent mixture effective in suppressing biochemical pathways in mitogen-stimulated human peripheral blood mononuclear cells. *Pteridines* 16:195-201, 2005
755. Pellegrin K, Neurauter G, Wirleitner B, Fleming AW, Peterson VM, Fuchs D. Enhanced enzymatic degradation of tryptophan by indoleamine (2,3)-dioxygenase contributes to the tryptophan deficient state seen after major trauma. *Shock* 23:209-215, 2005
756. Razumovitch J, SemenkovaGN, Fuchs D, Cherenkevich SN. Neopterin – a signal molecule in immune response. *News Biomed Sci (Minsk)* 5:118-124, 2005
757. Rudzite V, Jurika E, Fuchs D, Kalnins U, Erglis A, Trusinskis K. Inflammation, homocysteine, pyridoxal-5-phosphate and lipids in patients with coronary artery disease before and six months after coronary angioplasty followed by stent implantation. *Pteridines* 16:190-194, 2005.
758. Rudzite V, Jurika E, Schroecksadel K, Kalnins U, Erglis A, Trusinkis K, Fuchs D. Usefulness of neopterin, C-reactive protein, homocysteine, pyridoxal-5-phosphate, and phospholipid determination in coronary artery disease. *Pteridines* 16:15-21, 2005
759. Schroecksadel K, Winkler C, Wirleitner B, Schennach H, Fuchs D. Aspirin down-regulates tryptophan degradation in stimulated human peripheral blood mononuclear cells in vitro. *Clin Exp Immunol* 140:41-45, 2005
760. Schroecksadel K, Winkler C, Fuiith LC, Fuchs D. Tryptophan degradation in patients with gynecological cancer correlates with immune activation. *Cancer Lett* 223: 323-329, 2005
761. Schroecksadel K, Frick B, Winkler C, Wirleitner B, Schennach H, Fuchs D. Aspirin down-regulates homocysteine formation in stimulated human peripheral blood mononuclear cells. *Scand J Immunol* 62:155-160, 2005
762. Schroecksadel K, Ueberall F, Fuchs D. Telomere Length Abnormalities and Human Cancer. *Clin Cancer Res* 11: 860, 2005
763. Schröcksadel K, Winkler C, Fuchs D. Intelligence score and risk of suicide linked via tryptophan metabolism. *Brit Med J* 2005e1 (<http://bmj.bmjournals.com/cgi/eletters/330/7484/167#94533>)
764. Walter R, Schröcksadel K, Fuchs D. Serum myeloperoxidase to predict endothelial dysfunction. *Circulation* 111(12); e167, 2005
765. Schroecksadel K, Winkler C, Wirleitner B, Schennach H, Weiss G, Fuchs D. Anti-inflammatory compound resveratrol suppresses homocysteine formation in stimulated human peripheral blood mononuclear cells in vitro. *Clin Chem Lab Med* 43: 1084-1088, 2005
766. Schroecksadel K, Frick B, Winkler C, Wirleitner B, Weiss G, Fuchs D. Atorvastatin suppresses homocysteine formation in stimulated human peripheral blood mononuclear cells. *Clin Chem Lab Med* 43: 1373-1376, 2005

767. Winkler C, Wirleitner B, Schroecksadel K, Schennach H, Fuchs D. Extracts of pumpkin (*Cucurbita pepo* L.) seeds suppress stimulated peripheral blood mononuclear cells in vitro. *Am J Immunol* 1:6-11, 2005
768. Winkler C, Wirleitner B, Schroecksadel K, Schennach H, Fuchs D. In vitro effects of beet root juice on stimulated and unstimulated peripheral blood mononuclear cells. *Am J Biochem Biotechnol* 1:181-186, 2005
769. Wirleitner B, Wirleitner B, Winkler C, Fuchs D. Neopterin in HIV infection. *Mol Immunol* 42:183-94, 2005
770. Wirleitner B, Schroecksadel K, Winkler C, Schennach H, Fuchs D. Resveratrol suppresses interferon-gamma-induced biochemical pathways in human peripheral blood mononuclear cells in vitro. *Immunol Lett* 100:159-163, 2005
771. Wirleitner B, Hoffmann G, Fuchs D. Neopterin and 7, 8-dihydroneopterin in Th1-type immune response. *Modern Asp Immunol* 15:36-40, 2005
772. Zheng B, Cao KY, Chan CPY, Choi JWY, Leung W, Leung M, Duan ZH, Gao Y, Wang M, Di B, Hollidt JM, Bergmann A, Lehmann M, Renneberg I, Tam JSL, Chan PKS, Cautherley GWH, Fuchs D, Renneberg R. Serum neopterin for early assessment of severity of severe acute respiratory syndrome. *Clin Immunol* 116:18-26, 2005
773. Boasso A, Herbeuval JP, Hardy AW, Winkler C, Shearer GM. Regulation of indoleamine 2,3-dioxygenase and tryptophanyl-tRNA-synthetase by CTLA-4-Fc in human CD4+ T cells. *Blood* 105:1574-1581, 2005
774. Andersson LM, Hagberg L, Rosengren L, Fuchs D, Blennow K, Gisslen M. Normalisation of cerebrospinal fluid biomarkers parallels improvement of neurological symptoms following HAART in HIV dementia - case report. *BMC Infect Dis* 6:141, 2006
775. Brandacher G, Margreiter R, Fuchs D. Interferons, immunity and cancer immunoediting leading to impaired immune function in cancer patients. *Nature Rev Immunol* doi:10.1038/nri1961-c1, 2007
776. Brandacher G, Perathoner A, Ladurner R, Schneeberger S, Obrist P, Winkler C, Werner ER, Werner-Felmayer G, Weiss HG, Goebel G, Margreiter R, Königsrainer A, Fuchs D, Amberger A. Prognostic value of indoleamine 2,3-dioxygenase expression in colorectal cancer: impact on tumor-infiltrating T-cells. *Clin Cancer Res* 12:1144-1151, 2006
777. Brandacher G, Winkler C, Aigner F, Schwelberger H, Schroecksadel K, Margreiter R, Fuchs D, Weiss HG. Bariatric surgery cannot prevent tryptophan depletion due to chronic immune activation in morbidly obese patients. *Obes Surg* 16:541-548, 2006
778. Brandacher G, Schroecksadel K, Winkler C, Margreiter R, Fuchs D. Antitumoral activity of interferon- γ involved in impaired immune function in cancer patients. *Curr Drug Metabol* 7:599-612, 2006
779. Brenner M, Munch J, Schindler M, Wildum S, Stolte N, Stahl-Hennig C, Fuchs D, Matz-Rensing K, Franz M, Heeney J, Ten Haaf P, Swigut T, Hrecka K, Skowronski J, Kirchhoff F. Importance of the N-distal ap-2 binding element in nef for simian immunodeficiency virus replication and pathogenicity in rhesus macaques. *J Virol* 80:4469-4481, 2006
780. Chan CPY, Choi JWY, Cao KY, Wang M, Gao Y, Zhou DH, Di B, Xu HF, Leung M, Bergmann A, Lehmann M, Cautherley GWH, Fuchs D, Renneberg R, Zheng B. Serum Neopterin for early assessment of severity of dengue virus infection. *J Infect* 53:152-158, 2006
781. Frick B, Gruber B, Schroecksadel K, Leblhuber F, Fuchs D. Homocysteine but not neopterin declines in demented patients on B vitamins. *J Neural Transm* 113:1815-1819, 2006
782. Fuchs D. Similarities and differences between men and mice. *Brit Med J* 2006 (<http://bmj.bmjournals.com/cgi/eletters/332/7543/677#130435>)
783. Fuchs D. The inflammation test. *PharmaTechnology* 82-94, 2006
784. Fuchs D. Tryptophan, serotonin and treatment adherence. *Brit Med J* 2006 (<http://bmj.bmjournals.com/cgi/eletters/333/7557/15>)
785. Gluhcheva Y, Schroecksadel K, Wirleitner B, Ilieva I, Bichkidjieva E, Nikolov E, Zvetkova E, Konwalinka G, Fuchs D. The influence of interferon-gamma on the processes of proliferation and differentiation of hematopoietic CD34+ progenitor cells in human erythropoiesis. *Acta morphologica et anthropologica* 11:43-50, 2006
786. Hammerer-Lercher A, Fuchs D, Mair J, Tews G, Shebl O, Puschendorf B, Sommer R. Possible placental exchange of neopterin as indicated by significant correlations in matched maternal neonatal blood samples at delivery. *Clin Chim Acta* 365:350-351, 2006
787. Horak E, Murr C, Streif W, Schroecksadel K., Schennach H, Fuchs D. Association between neopterin in cord blood, urinary neopterin in early childhood and the development of atopic dermatitis, asthma and hay fever. *Ped Allergy Immunol* 17:11-6, 2006
788. Hryniewicz A, Boasso A, Edghill-Smith Y, Vaccari M, Fuchs D, Venzon D, Nacsa J, Betts MR, Tsai WP, Heraud JM, Beer B, Blanset D, Chougnat C, Lowy I, Shearer GM, Franchini G. CTLA-4 blockade decreases TGF-, indoleamine 2,3-dioxygenase, and viral RNA expression in tissues of SIVmac251-infected macaques. *Blood* 108:3834-42, 2006

789. Huber L, Winkler C, Schroecksadel K, Geser W, Schubert C, Fuchs D. Serial analysis of tryptophan degradation and neopterin formation in an otherwise healthy individual before and during an infectious episode. *Pteridines* 17:25-30, 2006
790. Rudzite V, Jurika E, Erglis A, Trusinkis K, Jegere S, Fuchs D. Intravascular ultrasound data and results of serum biochemical indices at the time of stenting and after six months in patients with coronary artery disease. *Pteridines* 17:95-99, 2006
791. Schobersberger W, Sumann G, Mittermayr M, Griesmacher A, Falkensammer G, Greie G, Schobersberger B, Hoffmann G, Fuchs D, Koller A. Muscle trauma and immune activation after a downhill marathon (Tyrolean Speed Marathon). *Pteridines* 17:121-128, 2006
792. Schroecksadel K, Fuchs D. Interferon- γ for counteracting T-cell activation. *Trends Immunol* 27:398, 2006
793. Schroecksadel K, Gruber B, Frick B, Jenny M, Ledochowski M, Leblhuber F, Fuchs D. Long-term supplementation with B vitamins does not change plasma neopterin concentrations in demented patients. *Pteridines* 17:135-144, 2006
794. Schroecksadel K, Weiss G, Fuchs D. Statins affect tryptophan metabolism. (<http://bmj.bmjournals.com/cgi/eletters/332/7547/0-c>)
795. Schroecksadel K, Wirleitner B, Winkler C, Fuchs D. Monitoring tryptophan metabolism in chronic immune activation. *Clin Chim Acta* 364:82-90, 2006
796. Schroecksadel K, Winkler C, Fuchs D. Method for urinary neopterin measurements by HPLC. *J Biochem Biophys Meth* 66:99-100, 2006
797. Schroecksadel K, Winkler C, Duftner C, Wirleitner B, Schirmer M, Fuchs D. Tryptophan degradation increases with stage in patients with rheumatoid arthritis. *Clin Rheum* 25:334-337, 2006
798. Schroecksadel K, Frick B, Winkler C, Fuchs D. Crucial role of interferon- γ and stimulated macrophages in cardiovascular disease. *Curr Vascular Pharmacol* 4:205-213, 2006
799. Schroecksadel K, Frick B, Winkler C, Fuith LC, Fuchs D. Relationship between homocysteine and neopterin concentrations in patients with gynecological cancer. *Cancer Lett* 240:198-202, 2006
800. Schubert C, Noisternig B, Fuchs D, Koenig P, Chamson E, Mitnik S, Schüßler G, Geser W. Multifaceted effects of positive incidents on stress system functioning in a patients with systemic lupus erythematosus. *Stress Health* 22:215-227, 2006
801. Sperner-Unterweger B, Winkler C, Fuchs D. Immune activation in autism. *Pediatr Neurol* 34:333, 2006
802. Ueberall F, Fuchs D, Vennos C. Das anti-inflammatorische Potential von Padma 28 – Übersicht experimenteller Daten zur antiatherogenen Wirkung und Diskussion des Vielstoffkonzepts. *Forsch Komplementärmed* 13 (suppl 1): 7-12, 2006
803. Walder G, Fuchs D, Wick G, Sarcletti M, Falkensammer B, Huber K, Petrovec M, Dierich MP, Würzner R. Human granulocytic anaplasmosis in Austria: epidemiological, clinical and laboratory findings in five consecutive patients from the Tyrol. *J Med Microbiol* 296 (Suppl 1): 297-301, 2006
804. Winkler C, Wirleitner B, Schroecksadel K, Schennach H, Fuchs D. Beer down-regulates activated peripheral blood mononuclear cells in vitro. *Intern Immunopharmacol* 6:390-395, 2006
805. Winkler C, Ueberall F, Fuchs D. In vitro testing for anti-inflammatory properties of compounds. *Clin Chem* 52:1201-1202, 2006
806. Winkler C, Frick B, Schroecksadel K, Schennach H, Fuchs D. Food preservatives sodium sulfite and sorbic acid suppress mitogen- stimulated peripheral blood mononuclear cells. *Food Chem Toxicol* 44:2003-2007, 2006
807. Winkler C, Schroecksadel K, Moheno P, Meerbergen E, Schennach H, Fuchs D. Calcium-pterin suppresses mitogen-induced tryptophan degradation and neopterin production in peripheral blood mononuclear cells. *Immunobiology* 211:779-784, 2006
808. Yilmaz A, Fuchs D, Hagberg L, Nillroth U, Stahle L, Svensson JO, Gisslen M. Cerebrospinal fluid HIV-1 RNA, intrathecal immunoactivation, and drug concentrations after treatment with a combination of saquinavir, nelfinavir, and two nucleoside analogues: the M61022 study. *BMC Infect Dis* 6:63, 2006
809. Zvetkova E, Gluhcheva Y, Fuchs D. Use of neopterin as a bone marrow hematopoietic and stromal cell growth factor in tissue-engineered devices. *Adv Exp Med Biol* 585:115-121, 2006
810. Blasko I, Knaus G, Weiss E, Kemmler G, Winkler C, Falkensammer G, Griesmacher A, Würzner R, Marksteiner J, Fuchs D. Cognitive deterioration in Alzheimer's disease is accompanied by increase of plasma neopterin. *J Psych Res* 41:694-701, 2007
811. Boasso A, Herbeuval JP, Hardy AW, Anderson SA, Dolan MJ, Fuchs D, Shearer GM. HIV-1 inhibits CD4+ T cell proliferation by inducing indoleamine 2,3-dioxygenase in plasmacytoid dendritic cells. *Blood* 109:3351-3359, 2007
812. Boasso A, Vaccari M, Hryniewicz A, Fuchs D, Nacsá J, Cecchinato V, Andersson J, Franchini G, Shearer GM, Chougnet C. Regulatory T-cell markers, indoleamine 2,3-dioxygenase, and virus levels in spleen and gut during progressive simian immunodeficiency virus infection. *J Virol* 81:11593-11603, 2007

- 813.Brandacher G, Cakar F, Winkler C, Schneeberger S, Obrist P, Bösmüller C, Werner-Felmayer G, Werner ER, Bonatti H, Margreiter R, Fuchs D. Non invasive monitoring of kidney allograft rejection through IDO metabolism evaluation. *Kidney Int* 71: 60-67, 2007
- 814.Brandacher G, Margreiter R, Fuchs D. Implications of IFN- γ -mediated tryptophan catabolism on solid organ transplantation. *Current Drug Metabol* 8:273-282, 2007
- 815.Brandacher G, Hoeller E, Fuchs D, Weiss HG. Chronic immune activation underlies morbid obesity: is IDO a key player? *Curr Drug Metabol* 8:289-295, 2007
- 816.Bratslavskaya A, Platacec D, Miklaševića E, Fuchs D, Martinsons A. Influence of neopterin and 7,8-dihydroneopterin on the replication of Coxsackie type B5 and influenza A viruses. *Med Microbiol Immunol* 196:23-29, 2007
- 817.Cavarretta IT, Untergasser G, Moser PL, Zaki MH, Steiner H, Rumpold H, Fuchs D, Hobisch A, Nemeth J, Culig Z. The antiapoptotic effect of IL-6 autocrine loop in a cellular model of advanced prostate cancer is mediated by Mcl-1. *Oncogene* 26:2822-2832, 2007
- 818.Cuffy MC, Silverio AM, Qin L, Wang Y, Eid R, Brandacher G, Lakkis FG, Fuchs D, Pober JS, Tellides G. Induction of indoleamine 2,3-dioxygenase in vascular smooth muscle cells by interferon-gamma contributes to medial immunoprivilege. *J Immunol* 179:5246-5254, 2007
- 819.Edén E, Price RW, Spudich S, Fuchs D, Hagberg L, Gisslén M. Central nervous system immune activation is still present after more than four years of effective HAART. *J Infect Dis* 196:1779-1783, 2007
- 820.Fuchs D. Clinical relevance of indoleamine 2,3-dioxygenase. *Curr Drug Metabol* 8:195, 2007
- 821.Gluhcheva Y, Schroecksadel K, Wirleitner B, Zvetkova E, Konwalinka G, Fuchs D. Quantitative comparative analysis of the influence of IFN- γ on the erythroid (BFU-E and CFU-E) and myeloid (CFU-GM) progenitors in vitro. *Acta morphologica et anthropologica* 12:55-60, 2007
- 822.Ip M, Rainer TH, Lee N, Chan C, Chau SSL, Leung W, Leung MF, Tam TK, Antonio GE, Lui G, Lau TK, Hui DSC, Fuchs D, Renneberg R, Chan PKS. Value of serum procalcitonin, neopterin, and C-reactive protein in differentiating bacterial from viral etiologies in patients presenting with lower respiratory tract infections. *Diagn Microbiol Infect Dis* 59:131-136, 2007
- 823.Kerber M, Oberkanins C, Kriegshaeuser G, Kollerits B, Dossenbach-Glaninger A, Fuchs D, Ledochowski M. Hydrogen breath testing versus LCT genotyping for the diagnosis of lactose intolerance: a matter of age? *Clin Chim Acta* 383:91-96, 2007
- 824.Murr C, Talasz H, Artner-Dworzak E, Schroecksadel K, Fiegl M, Fuchs D, Denz HA. Inverse association between serum selenium concentrations and parameters of immune activation in patients with cardiac disorders. *Clin Chem Lab Med* 45:1224-1228, 2007
- 825.Pree I, Bigenzahn S; Fuchs D, Koporc Z, Nierlich P, Winkler C, Brandacher G, Sykes M, Muehlbacher F, Langer F, Wekerle. CTLA4ig promotes the induction of hematopoietic chimerism and tolerance independently of indoleamine-2,3-dioxygenase (IDO). *Transplantation* 83:663-667, 2007
- 826.Schroecksadel K, Frick B, Fiegl M, Winkler C, Denz H, Fuchs D. Hyperhomocysteinaemia and immune activation in patients with cancer. *Clin Chem Lab Med* 45:47-53, 2007
- 827.Schroecksadel K, Zangerle R, Bellmann-Weiler R, Garimorth K, Weiss G, Fuchs D. Indoleamine-2,3-dioxygenase and other interferon- γ -mediated pathways in patients with human immunodeficiency virus infection. *Curr Drug Metabol* 8:225-236, 2007
- 828.Schroecksadel K, Weiss G, Stanger O, Teerlink T, Fuchs D. Increased asymmetric dimethylarginine (ADMA) concentrations in stimulated peripheral blood mononuclear cells. *Scand J Immunol* 65:525-529, 2007
- 829.Schroecksadel K, Fiegl M, Winkler C, Denz HA, Fuchs D. Diminished quality of life in patients with cancer correlates with tryptophan degradation. *J Cancer Res Clin Oncol* 133:477-485, 2007
- 830.Schroecksadel K, Winkler C, Fischer B, Schennach H, Weiss G, Fuchs D. Antioxidants down-regulate Th1-type immune response in vitro. *Drug Metabol Lett* 1:166-171, 2007
- 831.Schubert C, Neises M, Fritzsche K, Burbaum C, Geser W, Ocaña-Peinado FM, Fuchs D, Hass R, Schmid-Ott G. Preliminary Evidence on the Direction of Effects between Day-to-Day Changes in Cellular Immune Activation, Fatigue and Mood in a Patient with prior Breast Cancer: A Time-Series Analysis Approach. *Pteridines* 18:139-147, 2007
- 832.Weinlich G, Murr C, Richardsen L, Winkler C, Fuchs D. Decreased serum tryptophan concentration predicts poor prognosis in malignant melanoma patients. *Dermatology* 214:8-14, 2007
- 833.Winkler C, Schroecksadel K, Schennach H, Fuchs D. Vitamin C and E suppress mitogen-stimulated peripheral blood mononuclear cells in vitro. *Int Arch Allergy Immunol* 142:127-132, 2007
- 834.Abdulle S, Hagberg L, Svennerholm B, Fuchs D, Gisslén M. Cerebrospinal fluid viral load and intrathecal immune activation in individuals infected with different HIV-1 genetic subtypes. *PLoS ONE* 2008 16;3(4):e1971.
- 835.Baydar T, Girgin G, Fuchs D, Inanicic F, Sipahia H, Erolc O, Sahin G. Pteridine pathway in patients with degenerative diseases during short time treatment with low dose of meloxicam, as a non-steroidal anti-inflammatory drug. *Pteridines* 19:107-113, 2008

836. Bellmann-Weiler R, Schroecksadel K, Holzer C, Larcher C, Fuchs D, Weiss G. IFN- α -mediated pathways in patients with fatigue and chronic EBV-infection. *J Affect Dis* 108:171-176, 2008
837. Brandacher G, Margreiter R, Fuchs D. Clinical relevance of indoleamine 2,3 dioxxygenase to alloimmunity and transplantation. *Curr Op Organ Transplant* 13:10-15, 2008
838. Cano OD, Neurauter G, Fuchs D, Shearer GM, Boasso A. Differential effect of type I and type II interferons on neopterin production and amino acid metabolism in human astrocytes-derived cells. *Neurosci Lett* 438:22-25, 2008
839. Carrico AW, Johnson MO, Remien RH, Riley ED, Hecht FM, Morin SF, Fuchs D. Stimulant use is associated with immune activation and depleted tryptophan among HIV-positive persons on anti-retroviral therapy. *Brain Behav Immun* 22:1257-1262, 2008
840. Cecchinato V, Trynieszewska E, Ma ZM, Vaccari M, Boasso A, Tsai WP, Petrovas C, Fuchs D, Heraud JM, Venzon D, Shearer GM, Koup RA, Lowy I, Miller CJ, Franchini G. Immune activation driven by CTLA-4 blockade augments viral replication at mucosal sites in simian immunodeficiency virus infection. *J Immunol* 180:5439-5447, 2008
841. Gluhcheva Y, Zvetkova E, Konwalinka G, Fuchs D. IFN-gamma colony-stimulating activity and in vivo effects on neopterin synthesis and tryptophan degradation. *Acta Morphologica Anthropologica* 13:91-94, 2008
842. Greilberger J, Koidl C, Greilberger M, Lamprecht M, Schroecksadel K, Leblhuber F, Fuchs D, Oetl K. Malondialdehyde, carbonyl proteins and albumin-disulphide as useful oxidative markers in mild cognitive impairment and Alzheimer's disease. *Free Radic Res* 42:633-638, 2008
843. Jenny M, Winkler C, Spetea M, Schennach H, Schmidhammer H, Fuchs D. Non-peptidic μ -opioid receptor antagonists suppress mitogen-induced tryptophan degradation in peripheral blood mononuclear cells in vitro. *Immunol Lett* 118:82-87, 2008
844. Kitchen M, Quigley MA, Mwinga AM, Fuchs D, Lisse IM, Porter JDH, McAdam KPWJ, Godfrey-Faussett P. HIV progression and predictors of mortality in a community-based cohort of Zambian adults. *J Intern Assoc Physicians AIDS Care* 7:17-26, 2008
845. Kositz C, Schroecksadel K, Grander G, Schennach H, Kofler H, Fuchs D. Serum tryptophan concentration in patients predicts outcome of specific immunotherapy with pollen extracts. *Int Arch Allergy Immunol* 147:35-40, 2008
846. Moheno P, Pfeleiderer W, DiPasquale A, Rheingold A, Fuchs D. Cytokine andIDO metabolite changes effected by calcium pterin during inhibition of MDA-MB-231 xenograph tumors in nude mice. *Int J Pharmaceut* 355:239-248, 2008
847. Moser B, Schroecksadel K, Hörtnagl H, Rieder J, Fuchs D, Gottardis M. Influence of extreme long endurance sports activity on neopterin excretion. *Pteridines* 19:114-119, 2008
848. Neher A, Schobersberger W, Augustijns P, Fuchs D, Wolf-Magele A, Hoffmann G. Influence of Neopterin on Ciliary Beat Frequency of Human Nasal Epithelial Cells in vitro. *Pteridines* 19:79-85, 2008
849. Neurauter G, Schroecksadel K, Scholl-Bürgi S, Sperner-Unterweger B, Schubert C, Ledochowski M, Fuchs D. Chronic immune stimulation correlates with reduced phenylalanine turn-over. *Curr Drug Metabol* 9:622-627, 2008
850. Neurauter G, Grahmann AV, Klieber M, Zeimet A, Ledochowski M, Sperner-Unterweger B, Fuchs D. Serum phenylalanine concentrations in patients with ovarian carcinoma correlate with concentrations of immune activation markers and of isoprostane-8. *Cancer Lett* 272:141-147, 2008
851. Paddison J, Hill A, Fuchs D, Booth RJ. Peritoneal inflammation and fatigue experiences following colorectal surgery: a pilot study. *J Psychoneuroendocrinol* 33:446-454, 2008
852. Ploder M, Neurauter G, Spittler A, Schroecksadel K, Roth E, Fuchs D. Serum phenylalanine in patients post trauma and with sepsis correlate to neopterin concentrations. *Amino Acids* 35:303-307, 2008
853. Schroecksadel K, Walter RB, Weiss G, Mark M, Reinhard WH, Fuchs D. Association between plasma thiols and immune activation marker neopterin in stable coronary heart disease. *Clin Chem Lab Med* 46: 648-654, 2008
854. Schroecksadel K, Sarcletti M, Winkler C, Mumelter B, Wiee G, Fuchs D, Zangerle R. Quality of life and immune activation in patients with HIV infection. *Brain Behav Immun* 22:881-889, 2008
855. Scrandis DA, Langenberg P, Tonelli LH, Sheikh TM, Manogura AC, Alberico LA, Hermanstyn T, Fuchs D, Mighty H, Hasday JD, Boteva K, Postolache TT. Partum depressive symptoms correlate positively with C-reactive protein levels and negatively with tryptophan levels: a preliminary report. *Int J Child Health Hum Dev* 1:167-174, 2008
856. Vaccari M, Boasso A, Ma ZM, Cecchinato V, Venzon D, Doster MN, Tsai WP, Shearer GM, Fuchs D, Felber BK, Pavlakis GN, Miller CJ, Franchini G. CD4(+) T-cell loss and delayed expression of modulators of immune responses at mucosal sites of vaccinated macaques following SIV(mac251) infection. *Mucosal Immunol* 1:497-507, 2008
857. Volgger B, Aspörsing C, Genser-Krimbacher E, Ciresa-Koenig A, Daxenbichler G, Fuchs D, Marth C, Windbichler G. Prognostic Significance of TPA versus SCC-Ag, CEA and Neopterin in Carcinoma of the Uterine Cervix. *Cancer Lett* 262:183-189, 2008
858. Winkler C, Schroecksadel K, Schennach H, Houcher B, Fuchs D. In vitro effects of *Nigella sativa* seeds

- extracts on stimulated peripheral blood mononuclear cells. *Pteridines* 19:101-106, 2008
859. Yilmaz A, Price RW, Spudich S, Fuchs D, Hagberg L, Gisslén M. Persistent intrathecal immune activation in HIV-1-infected individuals on antiretroviral therapy. *J Acquir Immune Defic Syndr* 47:168-173, 2008
860. Barrientos G, Fuchs D, Schröcksnadel K, Ruecke M, Garcia MG, Klapp BF, Raghupathy R, Miranda S, Arck PC, Blois SM. Low levels of serum asymmetric antibodies as a marker of threatened pregnancy. *J Reprod Immunol* 79:201-210, 2009
861. Boasso A, Vaccari M, Fuchs D, Hardy AW, Tsai WP, Trynieszewska E, Shearer GM, Franchini G. Combined effect of antiretroviral therapy and blockade of indoleamine 2,3-dioxygenase in SIV-infected rhesus macaques. *J Immunol* 182:4313-4320, 2009
862. Capuron L, Moranis A, Combe N, Cousson-Gélie F, Fuchs D, De Smedt-Peyrusse V, Barberger-Gateau P, Layé S. Vitamin E status and quality of life in the elderly: influence of inflammatory processes. *Br J Nutr* 102:1390-4, 2009
863. Dohnal AM, Luger R, Paul P, Fuchs D, Felzmann T. CD40 ligation restores type 1 polarizing capacity in TLR4 activated dendritic cells that have ceased interleukin-12 expression. *J Cell Mol Med* 13:1741-1750, 2009
864. Eisenmann A, Murr C, Fuchs D, Ledochowski M. Gliadin IgG antibodies and circulating immune complexes. *Scand J Gastroenterol* 26:1-4, 2009
865. Engin AB, Ozkan Y, Fuchs D, Yardim-Akaydin S. Increased tryptophan degradation in patients with bronchus carcinoma. *Eur J Cancer Care* 2009 (DOI: 10.1111/j.1365-2354.2009.01122.x)
866. Fuchs D, Avanzas P, Arroyo-Espliguero R, Jenny M, Consuegra Sanchez L, Kaski JC. The role of neopterin in atherogenesis and cardiovascular risk stratification. *Curr Med Chem* 16:4644-4653, 2009
867. Girgin G, Baydar T, Ledochowski M, Schennach H, Bolukbasi DN, Sorkun K, Salih B, Sahin G, Fuchs D. Immunomodulatory effects of Turkish propolis: changes in neopterin release and tryptophan degradation. *Immunobiology* 214:129-134, 2009
868. Girgin G, Tolga Sahin T, Fuchs D, Kasuya H, Yuksel O, Tekin E, Baydar T. Immune system modulation in patients with malignant and benign breast disorders: tryptophan degradation and serum neopterin. *Int J Biol Markers* 24:265-270, 2009
869. Grammer TB, Fuchs D, Böhm BO, Winkelmann BR, Maerz W. Neopterin as a predictor of total and cardiovascular mortality in individuals undergoing angiography (The Ludwigshafen Risk and Cardiovascular Health Study). *Clin Chem* 55:115-146, 2009
870. Greksova K, Parrak V, Chovancova D, Stencl P, Oravec J, Marsik L, Sysak R, Fuchs D, Peskova Z, Borovsky M. Procalcitonin, neopterin and C-reactive protein in diagnostics of intrauterine infection and preterm delivery. *Bratisl Lek Listy* 110:623-626, 2009
871. Hautz T, Brandacher G, Zelger B, Müller HG, Lee AW, Fuchs D, Margreiter R, Schneeberger S. Indoleamine 2,3-dioxygenase and foxp3 expression in skin rejection of human hand allografts. *Transplant Proc* 41:509-512, 2009
872. Jenny M, Santer E, Pirich E, Schennach H, Fuchs D. Δ^9 -Tetrahydrocannabinol and cannabidiol modulate mitogen-induced tryptophan degradation and neopterin formation in peripheral blood mononuclear cells in vitro. *J Neuroimmunol* 207:75-82, 2009
873. Jenny M, Santer E, Klein A, Ledochowski M, Schennach H, Ueberall F, Fuchs D. Cacao extracts suppress tryptophan degradation of mitogen-stimulated peripheral blood mononuclear cells. *J Ethnopharmacol* 207:75-82, 2009
874. Jenny M, Schroecksnadel S, Kurz K, Ledochowski M, Sperner B, Fuchs D. Immune activation influences biosynthetic pathways of neurotransmitters from precursor aromatic amino acids. *Neurol Psychiatry Brain Res* 16 (Suppl 1): 20-21, 2009
875. Jürgens B, Hainz U, Fuchs D, Felzmann T, Heitger A. Interferon-gamma triggered indoleamine 2,3-dioxygenase competence in human monocyte-derived dendritic cells induces regulatory activity in allogeneic T cells. *Blood* 114:3235-3243, 2009
876. Kurz K, Teerlink T, Sarcletti M, Weiss G, Zangerle R, Fuchs D. Plasma concentrations of the cardiovascular risk factor asymmetric dimethylarginine (ADMA) are increased in patients with HIV-1 infection and correlate with immune activation markers. *Pharmacol Res* 60:508-514, 2009
877. Malinowska K, Neuwirt H, Cavarretta I, Bektic J, Steiner H, Dietrich H, Moser P, Fuchs D, Nemeth J, Hobisch A, Culig Z. Interleukin-6 stimulation of growth of prostate cancer in vitro and in vivo through activation of the androgen receptor. *Endocrine Related Cancer* 16:155-169, 2009
878. Mayersbach P, Fuchs D, Schennach H. Performance of fully automated quantitative neopterin measurements in a routine voluntary blood donations setting. *Clin Chem Lab Med* 48:373-377, 2009
879. Moheno P, Pfeleiderer W, Fuchs D. Plasma cytokine concentration changes induced by the antitumor agents dipterinyl calcium pentahydrate (DCP) and related calcium pterins. *Immunobiology* 214:135-141, 2009
880. Murr C, Schroecksnadel K, Winkelhofer-Roob BM, Mangge H, Böhm BO, Winkelmann BR, Maerz W, Fuchs D. Inverse association between serum concentrations of neopterin and antioxidants in patients

- with and without angiographic coronary artery disease. *Atherosclerosis* 202:543-549, 2009
881. Murr C, Meinitzer A, Grammer T, Schroecksadel K, Böhm BO, März W, Fuchs D. Association between asymmetric dimethylarginine and neopterin in patients with and without angiographic coronary artery disease. *Scand J Immunol* 70:63-67, 2009
882. Pedersen AW, Holmstrom K, Jensen SS, Fuchs D, Rasmussen P, Kvistborg P, Claesson MH, Zocca MB. Phenotypic and functional markers for 1 α ,25-dihydroxyvitamin D₃-modified regulatory dendritic cells. *Clin Exp Immunol* 157:48-59, 2009
883. Petukh MG, Semenikova GN, Fuchs D, Cherenkevich SN. Pteridine-dependent oxygen activation in neutrophils. *Tsitologiya (Russ)* 51:824-829, 2009
884. Petukh MG, Semenikova GN, Fuchs D, Cherenkevich SN. Pteridine-dependent oxygen activation in neutrophils. *Cell Tissue Biology* 3: 538-543, 2009
885. Ploder M, Spittler A, Schroecksadel K, Neurauder G, Pelinka LM, Roth E, Fuchs D. Tryptophan degradation in multiple trauma patients: survivors versus non-survivors. *Clin Sci* 116:593-598, 2009
886. Ploder M, Spittler A, Schroecksadel K, Neurauder G, Pelinka LM, Roth E, Fuchs D. Accelerated tryptophan degradation in trauma and sepsis patients is related to pro-inflammatory response and to the diminished in vitro response of monocytes. *Pteridines* 19:54-61, 2009
887. Rainer TH, Chan CP, Leung MF, Leung W, Ip M, Lee N, Cautherley GW, Graham CA, Fuchs D, Renneberg R. Diagnostic utility of CRP to neopterin ratio in patients with acute respiratory tract infections. *J Infect* 58:123-30, 2009
888. Schroecksadel K, Winkler C, Werner ER, Sarcletti M, Romani N, Ebner S, Schennach H, Fuchs D, Zangerle R. Interferon- α -mediated pathways and in vitro PBMC proliferation in HIV-infected patients. *Biol Chem* 390:115-123, 2009
889. Schroecksadel K, Winkler C, Sarcletti M, Romani N, Banki Z, Ebner S, Fuchs D, Zangerle R. Parameters of cellular immune activation in vivo correlate with the proliferative capacity of peripheral blood mononuclear cells in vitro in HIV-infected patients. *J Acquir Immune Defic Syndr* 50:354-359, 2009
890. Schubert C, Neises M, Fritzsche K, Burbaum C, Geser W, Ocaña-Peinadoe FM, Fuchs D, Hass R, Schmid-Ott G. Evidence on the direction of effects between day-to-day changes in cellular immune activation, fatigue and mood in a patient with prior breast cancer: A time-series analysis approach. *Psychopathology* 42:67-68, 2009
891. Schubert C, Lampe A, Geser W, Jenny M, Fuchs D. Temporal association between daily alcohol consumption, emotional states and urinary neopterin levels in a patient with systemic lupus erythematosus. *Pteridines* 19:62-72, 2009
892. Bechter K, Reiber H, Herzog S, Fuchs D, Tumani H, Maxeiner HG. Cerebrospinal fluid analysis in affective and schizophrenic spectrum disorders. Identification of subgroups with immune responses and blood-CSF barrier dysfunction. *J Psych Res* 44: 321-330, 2010
893. Bellmann-Weiler R, Martinz V, Kurz K, Engl S, Feistritz C, Fuchs D, Rupp J, Paldanius M, Weiss G. Divergent modulation of Chlamydia pneumoniae infection cycle in human monocytic and endothelial cells by iron, tryptophan availability and interferon gamma. *Immunobiology* 215: 842-8, 2010
894. Chavele KM, Shukla D, Ketepe-Arachi T, Fuchs D, Pusey CD, Salama AD. Regulation of MPO-specific T cell responses during disease remission in ANCA-associated vasculitis: The role of Tregs, and tryptophan degradation. *Arthritis Rheum* 62: 1539-1548, 2010
895. Ciprandi G, Amici M, Tosca M, Fuchs D. Tryptophan metabolism in allergic rhinitis: the effect of pollen allergen exposure. *Human Immunol* 71: 911-915, 2010
896. Ciprandi G, De Amici M, Marseglia G, Fuchs D. Sublingual immunotherapy may affect serum neopterin: preliminary findings. *Internat Immunopharmacol* 10: 1474-1476, 2010
897. Díez-Ruiz A, García-Saura PL, García-Ruiz P, González-Calvín JL, Gallego-Rojo F, Fuchs D. Bone mineral density, bone turnover markers and cytokines in alcohol-induced cirrhosis. *Alcohol Alcoholism* 45: 427-30, 2010
898. Edén A, Fuchs D, Hagberg L, Nilsson S, Spudich S, Svennerholm B, Price RW, Gisslén M. Ten percent of HIV-1 infected subjects on suppressive antiretroviral treatment have viral escape in cerebrospinal fluid. *J Infect Dis* 202:1819-1825, 2010
899. Engin AB, Ozkan Y, Fuchs D, Yardim-Akaydin S. Increased tryptophan degradation in patients with bronchus carcinoma. *Eur J Cancer Care* 19: 803-808, 2010
900. Freißmuth D, Hiltgartner A, Stahl-Hennig C, Fuchs D, Tenner-Racz K, Racz P, Uberla K, Strasak A, Dierich MP, Stoiber H, Falkensammer B. Analysis of humoral immune responses in rhesus macaques vaccinated with attenuated SIVmac239 Δ nef and challenged with pathogenic SIVmac251. *J Med Primatol* 39: 97-111, 2010
901. Fuchs D, Kurz K, Weiss, G. Iron supplementation to correct iron deficiency in patients with systolic chronic heart failure. *Eur Heart J* 2010/07/27 (<http://eurheartj.oxfordjournals.org/>)
902. Greilberger J, Fuchs D, Leblhuber F, Wintersteiger R, Greilberger M, Tafel E. Carbonyl proteins as a clinical marker in Alzheimer disease and its relation to tryptophan degradation and immune activation. *Clin Lab* 56: 441-448, 2010

903. Hagberg L, Cinque P, Gisslén M, Brew BJ, Spudich S, Bestetti A, Price RW, Fuchs D. Cerebrospinal fluid neopterin: an informative biomarker of central nervous system immune activation in HIV-1 infection. *AIDS Res Ther* 7: 15, 2010
904. Jenny M, Pedersen NR, Hidayat BJ, Fuchs D. Bovine colostrum modulates immune activation cascades in human peripheral blood mononuclear cells in vitro. *New Microbiol* 33:128-134, 2010
905. Jenny M, Schröcksnadel S, Überall F, Fuchs D. The potential role of cannabinoids in modulating serotonergic signaling by their influence on tryptophan metabolism. *Pharmaceuticals* 3: 2647-2660, 2010
906. Juergens B, Raberger J, Fuchs D, Heitger A. Indoleamine 2,3-dioxygenase in human hematopoietic stem cell transplantation. *Int J Tryptophan Res* 7: 77-90, 2010
907. Juergens B, Fuchs D, Reichenbach J, Heitger A. Intact indoleamine 2,3 dioxygenase activity in human chronic granulomatous disease. *Clin Immunol* 137: 1-4, 2010
908. Koenig P, Nagl C, Neurauter G, Schennach H, Brandacher G, Fuchs D. Enhanced degradation of tryptophan in patients on hemodialysis. *Clin Nephrol* 74: 465-470, 2010
909. Kurz K, Gluhcheva Y, Zvetkova E, Konwalinka G, Fuchs D. Interferon- γ -mediated pathways are induced in human CD34+ haematopoietic stem cells. *Immunobiology* 215: 452-457, 2010
910. Ledochowski M, Schroeksnadel S, Fuchs D. Vitamin-C supplementation and coeliac disease. *Acta Paediatr* 99:1756-7, 2010
911. Leinert C, Stahl-Hennig C, Ecker , Schneider T, Fuchs D, Sauermann U, Sopper S. Microbial translocation in simian immunodeficiency virus (SIV) infected rhesus monkeys "Macaca mulatta". *J Med Primatol* 39: 243-251, 2010
912. Loftis JM, Morasco BJ, Menasco D, Fuchs D, Strater M, Hauser P. Serum serotonin levels are associated with antiviral therapy outcomes in patients with chronic hepatitis C. *Open Infect Dis J* 4: 132-141, 2010
913. Maier E, Kurz K, Jenny M, Schennach H, Ueberall F, Fuchs D. Food preservatives sodium benzoate and propionic acid and colorant curcumin suppress Th1-type immune response in vitro. *Food Chem Toxicol* 48: 1950-6, 2010
914. Mangge H, Almer G, Bauer-Denk C, Truschnig-Wilders M, Schmidt A, Gasser R, Pieske B, Fuchs D. Adiponectin, inflammation, obesity and cardiovascular risk. *Curr Med Chem* 17:4511-4520, 2010
915. Mayersbach P, Fuchs D, Schennach H. Performance of a fully automated quantitative neopterin measurement assay in a routine voluntary blood donation setting. *Clin Chem Lab Med* 48: 373-377, 2010
916. Melichar V, Soelder E, Schroeksnadel K, Murr C, Arck P, Wildt L, Fuchs D. Urine neopterin concentrations as a marker for successful blastocyst implantation after assisted reproductive technologies. *RBMonline* 20: 694-698, 2010
917. Moheno P, Morrey J, Fuchs D. Effect of dipterinyl calcium pentahydrate on hepatitis B virus replication in transgenic mice. *J Translat Med* 8: 32, 2010
918. Ploder M, Spittler A, Schroeksnadel K, Neurauter G, Pelikan LE, Roth E, Fuchs D. Accelerated tryptophan degradation predicts poor survival in trauma and sepsis patients. *Int J Tryptophan Res* 3: 61-67, 2010
919. Ploder M, Schroeksnadel K, Spittler A, Neurauter G, Roth E, Fuchs D. Moderate hyperhomocysteinemia in patients with multiple trauma and with sepsis predicts poor survival. *Mol Med* 16: 498-504, 2010
920. Schroeksnadel K, Grammer TB, Boehm BO, März, Fuchs D. Total homocysteine in patients with angiographic coronary artery disease correlates with inflammation markers. *Thromb Haemostas* 103: 103: 926-935, 2010
921. Schroeksnadel S, Jenny M, Kurz K, Klein A, Ledochowski M, Ueberall F, Fuchs D. LPS-induced NF-kappaB expression in THP-1Blue cells correlates with neopterin production and activity of indoleamine 2,3-dioxygenase. *Biochem Biophys Res Com* 399: 642-646, 2010
922. Schroeksnadel S, Jenny M, Fuchs D. Sensitivity to sulphite additives. *Clin Exp Allergy* 40:688-689, 2010
923. Schroeksnadel S, Kurz K, Fuchs D. Antioxidant supplements for long-term health and to prevent disease. *Maturitas* 67:375, 2010
924. Schubert C, Geser W, Kumnig M, Fuchs D, Lampe A. Der differenzielle Einfluss von „emotional erfüllenden“ Beziehungsereignissen auf die Funktion des Stresssystems einer Patientin mit SLE. Eine „integrative Fallstudie“, *Psychodyn Psychotherapie* 3:44-59, 2010
925. Schubert C, Fuchs D The relationship between alcohol intake and cellular immune activity in systemic lupus erythematosus may change from inhibitory to stimulatory within two months of study: Findings from an integrative single-case study. *Clin Rheumatol* 29:229-30, 2010
926. Sucher R, Schroeksnadel K, Weiss G, Margreiter R, Fuchs D, Brandacher G. Neopterin, a prognostic marker in human malignancies. *Cancer Lett* 287: 13-22, 2010
927. Sucher R, Kurz K, Weiss G, Margreiter R, Fuchs D, Brandacher G.IDO-mediated tryptophan degradation in the pathogenesis of malignant tumor disease. *Int J Tryptophan Res* 3: 113-120, 2010

928. Ueberall F, Fuchs D, Mueller W. Parodontitis und Krebs: Dysbalance der metabolischen Stoffwechselsensoren? *JATROS Hämatol Onkol* 1: 76-78, 2010
929. Yilmaz A, Verhofstede C, D'Avolio A, Watson V, Hagberg L, Fuchs D, Svennerholm B, Gisslén M. Treatment intensification has no effect on the HIV-1 central nervous system infection in patients on suppressive antiretroviral therapy: *J AIDS* 55:590-596, 2010
930. Zangerle R, Kurz K, Neurauter G, Kitchen M, Sarcletti M, Fuchs D. Increased blood phenylalanine to tyrosine ratio in HIV-1 infection and correction following effective antiretroviral therapy. *Brain Behav Immun* 24: 403-408, 2010
931. Zeimet AG, Reimer D, Schwentner L, Fuchs D, Wolf D, Fuith LC, Fiegl H, Doppler W, Concin N, Daxenbichler G, Marth C. Urinary neopterin does not reflect the local antitumor immune milieu in ovarian cancer. *Cancer Immunol Immunother* 59: 1813-1823, 2010
932. Blaschitz A, Gauster M, Fuchs D, Lang I, Maschke P, Ulrich D, Karpf E, Takikawa O, Schimek MG, Dohr G, Sedlmayr P. Vascular endothelial expression of indoleamine 2,3-dioxygenase 1 forms a positive gradient towards the fetomaternal interface. *PLoS ONE* 6(7):e21774, 2011
933. Capuron L, Schroecksadel S, Féart C, Aubert A, Higuieret D, Barberger-Gateau P, Layé S, Fuchs D. Chronic low grade immune activation in the elderly is associated with increased tryptophan catabolism and altered phenylalanine turnover: role in neuropsychiatric symptomatology. *Biol Psych* 70:175-182, 2011
934. Ciprandi G, De Amici M, Berardi L, Vignini M, Caimmi S, Marseglia A, Marseglia G, Fuchs D. Serum neopterin in cutaneous disorders. *Clin Exp Dermatol* 36:85-87, 2011
935. Ciprandi G, De Amici M, Berardi L, Vignini M, Caimmi S, Marseglia A, Marseglia G, Fuchs D. Serum neopterin in cutaneous disorders. *Clin Exp Dermatol* 36:85-87, 2011
936. Dhawan A, Shanker R, Laffon B, Tajés JF, Fuchs D, van der Laan G, van Broekhuizen P, Becker H, Moriske HJ, Teixeira JP, Carriere M, Herlin-Boime N, Engin AB, Coskun E, Karahalil B. NanoLINEN: nanotoxicology link between India and European Nations. *J Biomed Nanotechnol* 7: 203-204, 2011
937. Girgin G, Sahin TT, Fuchs D, Yüksel O, Kurukahvecioglu O, Sare M, Fuchs D, Baydar T. Changes in tryptophan degradation and serum neopterin concentrations in intensive care unit patients. *Toxicol Meth Meth* 21:231-5, 2011
938. Ho EL, MD, Spudich SS, Lee E, Fuchs D, Sinclair E, Price RW. Minocycline fails to modulate cerebrospinal fluid HIV infection or immune activation in chronic untreated HIV-1 infection: results of a pilot study. *AIDS Res Ther* 8:17, 2011
939. Jenny M, Klieber M, Zaknun D, Schroecksadel S, Kurz K, Ledochowski M, Schennach H, Fuchs D. In vitro testing for anti-inflammatory properties of compounds employing peripheral blood mononuclear cells freshly isolated from healthy donors. *Inflamm Res* 60, 127-135, 2011
940. Jenny M, Schroecksadel S, Fuchs D. Testing for immunomodulatory properties of nanoparticles. *J Biomed Nanotech* 7:11-12, 2011
941. Jrad-Lamine A, Henry-Berger J, Gourbeyre P, Damon-Soubeyrand C, Lenoir A, Combaret L, Saez F, Kocer A, Tone S, Fuchs D, Zhu W, Oefner PJ, Munn DH, Mellor AL, Gharbi N, Cadet R, Aitken RJ, Drevet JR. Deficient-tryptophan catabolism along the kynurenine pathway reveals that the epididymis is in a unique tolerogenic state. *J Biol Chem* 286:8030-8042, 2011
942. Kurz K, Herold M, Winkler C, Klotz W, Russe E, Fuchs D. Effects of Adalimumab-therapy on disease activity and interferon- γ -mediated biochemical pathways in patients with rheumatoid arthritis. *Autoimmunity* 44:235-242, 2011
943. Kurz K, Schroecksadel S, Weiss G, Fuchs D. Association between increased tryptophan degradation and depression in cancer patients. *Curr Opin Clin Nutr Metabol Care* 14:49-56, 2011
944. Leblhuber F, Schroecksadel K, Beran-Praher M, Haller H, Steiner K, Fuchs D. Polyneuropathy and dementia in old age: common inflammatory and vascular parameters. *J Neural Transm* 118:721-725, 2011
945. Mangge H, Fuchs D, Freytag F, Weghuber D, Almer G, Haj-Yahya S. Serum neopterin is not increased in obese juveniles. *J Obes* doi:10.1175/2011/946795, 2011
946. Schroecksadel S, Jenny M, Fuchs D. Monocytic THP-1 cells for in vitro testing of immunomodulatory properties of nanoparticles. *J Biomed Nanotech* 7:209-210, 2011
947. Schroecksadel S, Maier E, Jenny M, Kurz K, Ueberall F, Fuchs D. Beeinflussung immunologischer Regelkreise durch Nahrungsmittelzusatzstoffe wie Konservierungsmittel und Farbstoffe in vitro. *Allergologie* 34:200-211, 2011
948. Sperner-Unterweger B, Neurauter G, Klieber M, Kurz K, Meraner V, Zeimet A, Fuchs D. Enhanced tryptophan degradation in patients with ovarian carcinoma correlates with several serum soluble immune activation markers. *Immunobiology* 216:296-301, 2011

in press:

Ciardi C, Jenny M, Tschoner A, Überall F, Patsch J, Pedrini M, Ebenbichler C, Fuchs D. Food additives

- sodium sulfite, sodium benzoate and curcumin inhibit leptin release in lipopolysaccharide-treated murine adipocytes in vitro, *Brit J Nutr*
- Ciprandi G, De Amici M, Tosca M, Fuchs D, Marseglia G. Nitric oxide metabolites in allergic rhinitis: the effect of pollen allergen exposure. *Allergol Immunopathol*
- Ciprandi G, De Amici M, Tosca M, Fuchs D, Marseglia G. Serotonin in allergic rhinitis: a role for behavioural symptoms. *Iranian J Allergy*
- Groër M, Yolken R, Beckstead J, Fuchs D, Mohapatra S, Seyfang A, Postolache T. Prenatal depression in *Toxoplasmosis gondii* positive women. *Am J Obstet Gynecol* 204:
- Jenny M, Wondrak A, Zvetkova E, Tram NTN, Phi Phi PT, Schennach H, Culig Z, Ueberall F, Fuchs D. *Crinum latifolium* leave extracts suppress immune activation cascades in peripheral blood mononuclear cells and proliferation of prostate tumor cells. *Sci Pharm*
- Khabazghazvini B, Groer M, Fuchs D, Strassle P, Lapidus M, Sleemi A, Cabassa JB, Postolache T. Psychiatric manifestations of latent toxoplasmosis. Potential mediation by indoleamine 2,3-dioxygenase. *Int J Disabil Hum Dev*
- Schroecksadel S, Sucher R, Kurz K, Fuchs, Brandacher G. Influence of immunosuppressive agents on tryptophan degradation and neopterin production in human peripheral blood mononuclear cells. *Transplant Immunol* Spudich S, Gisslen M, Hagberg L, Lee E, Liegler T, Brew B, Fuchs D, Tambussi G, Cinque P, Hecht FM, Price RW. Central nervous system immune activation characterizes primary HIV-1 infection even in subjects with minimal cerebrospinal fluid viral burden. *J Infect Dis*
- Sublette ME, Galfalvy HC, Cooper TB, Fuchs D, Lapidus M, Grunebaum M, Oquendo MA, Mann JJ, Postolache TT. Plasma kynurenine levels are elevated in suicide attempters with major depressive disorder. *Brain Behav Immun*
- Zaknun D, Schroecksadel S, Kurz K, Fuchs D. Potential role of antioxidant food supplements, preservatives and colorants in the pathogenesis of allergy and asthma. *Int Arch Allergy Immunol*